



Guangzhou Tendars Tent Co., Limited  
marquees-tent.com



## Wholesale Big Custom Canopy Outdoor Warehouse Wedding Party Reception Marquee Tent

Our Product Introduction

### Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



### Product Specification

- Features: Water Proof, UV Resistance, Fire Retardant(DIN4102,B1,M2)
- Product Name: Wedding Party Reception Marquee Tent
- Tent Roof Fabric: 850g/sqm PVC Coated Polyester Fabric
- Sidewall Fabric: 650g/sqm PVC Coated Polyester Fabric
- Fabric Color Option: White, Gray, Transparent Or Customized
- Wind Load: 100km/h Or Customized
- Application: Wedding, Party, Event, Ceremony Hall And So On
- Warranty: 5 Years
- Highlight: Reception Marquee Tent, Wholesale Reception Marquee Tent, Big Custom Canopy Reception Marquee Tent



### More Images



for more products please visit us on [marquees-tent.com](http://marquees-tent.com)

## Product Description

### Wholesale Big Custom Canopy Outdoor Warehouse Wedding Party Reception Marquee Tent For Sale

#### Product Specification:

##### 1. All Span Size

Span 3 - 60m (10 - 200ft) is available in Shelter.

##### 2. All Accessories.

Shelter offers the supporting facilities for wedding tent including sidewall, door, floor system.

##### 3. All-Weather Protection.

Our wedding marquee has the perfect performance in wind load, UV resistance, and temperature control.

|              |   |   |
|--------------|---|---|
| Main Profile | Material  | Hardpressed Extruded Aluminum Alloy 6061-T6   |
|              | Available Size                                    | 84 x 48 x 3mm, 112 x 203 x 4mm, 166 x 88 x 3mm, 120 x 200 x 4mm, 120 x 250 x 4mm, 120 x 300 x 5mm, 120 x 350 x 6mm, 120 x 400 x 6mm (depend on the span size) |
|              | Hardness Quality                                  | At Least 250 MPa  |
|              | Features of Frame                                 | Stainless, Lightweight, Durable, 4 Channel  |
|              | Windload  | Up to 120km/h   |
| Cover        | Density   | 850g / sqm Block-out white PVC Tarpaulin, 950g / sqm transparent PVC Fabric; 650g/sqm White PVC for Sidewall  |
|              | Thickness   | ≥0.67mm   |
|              | Features  | Best performances in breaking strength, water-proof, UV-proof, flame retardant (DIN4102 B1 M2 / NFPA701)  |
| Component    | Superior Enclosure with Hot Dip Galvanized Steel. |   |

#### Here's a step-by-step guide on how to install a wedding party reception marquee tent:

**Site Selection:** Choose a suitable location for the marquee tent that is flat, level, and free from obstructions such as trees, rocks, or uneven terrain. Consider factors such as accessibility, proximity to amenities, and local regulations regarding tent installations.

**Prepare the Ground:** Clear the site of any debris or obstacles and ensure that the ground is clean and level. Depending on the terrain, you may need to use stakes or anchors to secure the tent.

**Layout and Marking:** Use stakes and string to mark the perimeter of the tent site and establish the layout of the tent. This will help ensure that the tent is positioned correctly and aligned with the desired orientation.

**Assemble the Frame:** Begin by assembling the frame of the tent according to the manufacturer's instructions. This typically involves connecting the frame poles or beams to create the skeleton of the tent structure.

**Install the Roof Cover:** Once the frame is assembled, install the roof cover over the top of the frame. Ensure that the cover is securely attached and stretched taut to prevent sagging or flapping in the wind.

**Attach Sidewalls (Optional):** If using sidewalls, attach them to the frame of the tent using the provided fasteners or clips. Sidewalls can help provide additional protection from wind, rain, and sun exposure, as well as create a more enclosed and intimate space.

**Secure the Tent:** Use stakes, anchors, or weights to secure the tent to the ground and prevent it from shifting or tipping over. Make sure that all anchoring points are properly secured and tensioned to ensure stability.

**Install Flooring (Optional):** If desired, install flooring inside the tent to provide a stable surface for guests to walk, dance, and socialize. Flooring options may include carpet, hardwood, or interlocking tiles, depending on the theme and style of the wedding.

**Decorate and Furnish:** Once the tent is installed and secured, decorate the interior according to the couple's preferences and wedding theme. This may include lighting fixtures, drapery, floral arrangements, furniture rentals, and other decorative elements to create a warm and inviting atmosphere.

**Final Inspections:** Conduct a final inspection of the tent installation to ensure that everything is in place and functioning correctly. Check for any potential safety hazards, such as loose fasteners or protruding stakes, and make any necessary adjustments.

**Coordinate with Vendors:** Coordinate with vendors, rental companies, and event staff to ensure that all logistical details are addressed and that the wedding reception proceeds smoothly. Communicate timelines, setup requirements, and any special considerations to all parties involved.

**FAQ :**

**Q: Could you help do our logos on the tent?**

Yes. Customized logos can be print on the tent fabric according to your requirements.

**Q: Can the tents be installed repeatedly?**

Yes. Our tents can be assembled and dismantled and repeatedly.

**Q: How long is the warranty period?**

The lifespan of aluminum framework can reach 15 years, and about 5 years for PVC fabrics depending on different conditions of usage.

**Q: Is that factory price?**

Yes. We assure you all prices are factory price.

**Q: Is your tent strong and stable enough ? How about the wind loading ?**

Yes, It is can resist wind up to 100 km/hr, if the wind or snow is very very heavy, please tell us and we will strengthen the tent to keep you safe!



**Guangzhou Tendars Tent Co., Limited**



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China