# Outdoor White Catering Festival Tent Wedding Marquee Tents For Sale With Glass Wall

## **Basic Information**

Place of Origin: GuangdongBrand Name: Tendars

• Certification: ISO9001, SGS, Coc, CE

Model Number: Big tent

Minimum Order Quantity: 25 square metersPrice: Reconsideration

Packaging Details:
1, The aluminium frame structure packed into

the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.

Delivery Time: 18days or To be negotiated

• Payment Terms: L/C, T/T, Western Union, MoneyGram

• Supply Ability: 50000 Square Meters per Month



## **Product Specification**

Product Name: Wedding Marquee Tents For Sale

Warranty: 1 YearWind Load: 80-100km/h

Frame Material: Hard Pressed Aluminum Alloy T6061/T6
Cover Material: 850g/sqm Double PVC-Coated Polyester

• Snow Load: 75kg/Sqm

Door: PVC Door, Glass Door, Aluminium Door
Usage: Event, Wedding, Party, Warehouse, Etc
Highlight: Glass Wall Wedding Marquee Tents,

Catering Festival Wedding Marquee Tents,

**Wedding Marquee Tents** 



## More Images





## **Product Description**

## Outdoor White Catering Festival Tent Wedding Marquee Tents For Sale With Glass Wall

#### **Product Specification:**

Item Name	Outdoor White Catering Festival Tent Wedding Marquee Tents For Sale With Glass Wall			
Frame Material	Hard pressed Aluminum Alloy T6061/T6			
Roof Cover Material	850g/sqm PVC Coated Polyester Fabric			
Side Wall Material	PVC Wall, Glass Wall, ABS Wall, Sandwich Wall			
Span/Width	From 3m to 60m			
Sidewall Height	3m, 4m, 5m, 6m or Curtomized			
Color	White, Transparent, Green, Gray or Customized			
Life Span	8-10 Years			
Wind Load	75kg/sqm			
Snow Load	80-100km/h			
Resistant Temperature -30°C to +70°C				
Features	Water Proof, UV Resistance, Fire Retardant(DIN4102,B1)			
Application	Wedding, Party, Event, Exhibition,etc			
Accessories	Drapery, Air Conditioner, Heater, Floor, Window, Curtain, Lighting etc.			

#### Feature

- \*The structure consisting of a seamless steel tubes used to enclose space.
- \*It with the geodesic domes design, the dome tent size can be custom-made from 4m(13ft) to 50m(164ft) in diameter.
- \*It is commonly used for glamping, hotel, camping, resort, greenhouse, temporary structures or to enclose equipment.

#### Size:

Tent Size(m)	Side Height(m)	Frame Size(mm)	Floor Area(m²)	Capacity (Events)
10x20	3	122x48x3	200	150-200 Peoples
15x30	4	166x88x3	450	380-450 Peoples
20x40	4	112x203x4	800	500-600 Peoples
30x50	4	120x250x4	1500	1200-1500 Peoples
40x60	6	120x300x5	2400	1500-1200 Peoples

#### FAQ:

#### 1. Can you print our logos on the tent?

Yes. The logo can be print on the tent fabric according to your requirements.

### 2. What is the delivery time?

In general, about 7-15 working days. If your order is large or customized, the lead time need more time.

## 3. Is your tent strong and stable enough? How about the wind loading?

Yes, It is can resist wind up to 80-100 km/hr, if the wind or snow is very very heavy, please tell us and we will strengthen the tent to keep you safe!

#### 4. Does your tent be able to installed repeatedly? What is the life span?

Our tents can be assembled and dismantled easily and repeatedly with small transportation size. The life span of aluminum framework can reach 8-10 years, and 4-6 years for PVC fabrics depending on different conditions of usage.

#### 5. What documents are available?

A full range documents including structural drawings, packing list, installation manual and relative certificates can be provided. Moreover, customs declaration is provided. We provide one-stop service for you.

<sup>\*</sup>The frames are made from stoving varnish, galvanized steel and stainless steel. \*Dome cover is double-coated PVC fabric which it is Fire Retardant (DIN 4102 B1), Wateroof, UV Resistance.





## Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

 $No.319, 2nd\ building\ , 8th\ zone\ , Aoyuan\ city\ plaza\ , Zhongcun\ Street,\ Guangzhou,\ Guangdong,\ China$