

Guangdong

ISO9001, SGS, Coc, CE

25 square meters

Reconsideration

Tendars

Big tent

Outdoor Large UV-Resistant Waterproof Aluminum Structure Warehouse Storage Industrial Tent

1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- carry bag; 3, Hardware packed into the box.
 Delivery Time: 18days or To be negotiated
 Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



Product Specification

Product Name:

Usage:

Color:

Storage

Customized Color

Customized 3m/5m

High Reinforced Aluminum, Anti-rust Surface, GB/T 6061-T6 Standard

Double PVC-Coated Polyester

Warehouse Storage Industrial Tent

Outdoor Warehouse Storage Industrial Tent, Waterproof Warehouse Storage Industrial Tent,

UV-resistant Waterproof

Warehouse Storage Industrial Tent

- Side Height:
- Bay Distance:

Frame Material:

- Fabric:
- Feature:
- Highlight:



More Images





Product Description

Outdoor Large UV-Resistant Waterproof Aluminum Structure Warehouse Storage Industrial Tent For Sale

Description :

Main Frame: High Reinforce Aluminum, anti-rust surface, GB6061-T6 ;100%"FENGLV "Aluminum Material Guaranteed; It can be used more than 30 years.

- Fabric Cover: 850g/m² and 660g/m² Double PVC-Coated Polyester, flame retardant, UV resistance, waterproof, comply to DIN 4102 B1(European standard); 100% XingYiDa PVC Material Guaranteed
- Perfect Fabric Cover Brand in China Recently. Connector: Hot-DIPPED Galvanized Steel Connections;
- 100% Zinc Shine Hot Dip Galvanizing Guaranteed.

Allowed Temperature Condition: -40°to +70°temperature

Max Wind Speed Allowance: 100km/h

Snow Load: 75kgm

Easy to be assembled and dismantled, movable. No pole inside, tent space can be 100% utilized.

Tent	Span Width	Bay Distance	Side Height	Ridge Height	Roof Pitch	Aluminum Profile
Big tent-3	3m/9.8'	3m	2.6m	3.2m	20	84x48x3mm
Big tent-5	5m/16.4'	3m	2.6m	3.6m	20	84x48x3mm
Big tent-6	6m/19.7'	3m	2.6m	3.7m	20	84x48x3mm
Big tent-8	8m/26.2'	3m	2.6m	4.0m	20	84x48x3mm
Big tent-10	10m/32.8'	3m	2.6m	4.4m	20	84x48x3mm
Big tent-10	10m/32.8'	3m	3m	4.8m	20	122x68x3mm
Big tent-12	12m/39.4'	5m	2.6m	4.8m	20	100x48x3mm
Big tent-12	12m/39.4'	3m	4m	5.2m	20	122x68x3mm
Big tent-15	15m/49.2'	5m	4m	6.4m	20	166x87x3mm
Big tent-18	18m/59'	5m	4m	6.9m	18	204x110x4mm
Big tent-20	20m/65.6'	5m	4m	7.2m	18	204x110x4mm
Big tent-25	25m/82'	5m	4m	8.0m	18	204x110x4mm
Big tent-30	30m/98.4'	5m	4m	8.9m	18	256x111x5mm
Big tent-35	35m/114.8'	5m	4m	9.8m	18	300x125x8mm
Big tent-40	40m/131.2'	5m	4m	10.6m	18	300x125x8mm
Big tent-45	45m/147.6'	5m	4m	11.4m	18	300x125x8mm
Big tent-50	50m/164'	5m	4m	12.3m	18	350x125x8mm
Big tent-55	55m/180.4'	5m	4m	13.2m	18	350x125x8mm

Safe Packing are available

- 1. All Aluminum Packed in Clear or White PE film. (Free)
- 2. PVC roof or Walls Packed in PVC Bags (Free)
- 3. Steel Parts Packed in Cage (Cage cost is Extra)
- 4. Glass door Packed in Trolley (Trolley cost is Extra)

FAQ:

Q1. What is the Life Span?

The lifespan of the aluminum frame can reach 15-20 years, and 5-8 years for PVC fabrics depending on weather conditions of different countries.

Q2. Is it Easy to install and dismantle ?

Yes, it can be used as both permanent and temporary structures. Easy to install, dismantle and transport.

Q3. What is the requirement to the ground foundation.

Our tent structure can install on concrete ground, grassland, or sand ground in the desert. If install in grassland or sand ground, you will need to request anchor from our sales.

Q4. What is the payment term?

30% deposit to start production, balance after goods ready before shipping.

Q5. What is your production time?

We will finish production within 15 to 25 days after deposit.

Q6. Are you a direct factory?

Yes, we are a direct factory. Our factory is located in Guangzhou City, China.

