



Guangzhou Tendars Tent Co., Limited
marquees-tent.com



Outdoor Aluminum Alloy Custom Tent Industrial Storage Building Tent Warehouse Tent

Our Product Introduction

Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



Product Specification

- Product Name: Storage Building Tent
- Application: Aluminum Frame Industrial Warehouse Tent
- Price: Factory Price
- Size: Various For Your Choice
- Color: White And Any
- Design: Professional, OEM,ODM Is Available
- Span Width: For Your Choice
- Quality: Best Quality Aluminium And Pvc
- Highlight: **Outdoor Storage Building Tent, Warehouse Storage Building Tent, Aluminum Alloy Storage Building Tent**



More Images



for more products please visit us on marquees-tent.com

Product Description

Outdoor Aluminum Alloy Custom Tent Industrial Storage Building Tent Warehouse Tent For Sale

Description :

Frame	High Reinforce Aluminum, anti-rust surface, GB6061-T6 ;100%"FENGLV "Aluminum Material Guaranteed; It can be used more than 30 years
Roof cover	850g/m ² and 660g/m ² Double PVC-Coated Polyester, flame retardant, UV resistance, waterproof, comply to DIN 4102 B1, M2 (European standard); 100% XingYiDa PVC Material Guaranteed - Perfect Fabric Cover Brand in China Recently.
Sidewall	Allowed Temperature Condition: -40 to +70 temperature Max Wind Speed Allowance: 120km/h Snow Load: 75kg/sqm
Connecti on	Hot-DIPPED Galvanized Steel Connections; 100% Zinc Shine Hot Dip Galvanizing Guaranteed

Here's a general guide on how to install a storage building tent:

Prepare the Site:

Clear the installation area of any debris, vegetation, or obstacles that may interfere with the assembly process.
Ensure the ground is flat, level, and properly compacted to provide a stable foundation for the tent.
Mark the location of anchor points or footings according to the tent's dimensions and layout.

Layout and Position Components:

Lay out the components of the tent, including the frame, fabric cover, and any additional accessories or features.
Position the frame components in the designated locations, ensuring they are aligned and oriented correctly according to the assembly instructions.

Assemble the Frame:

Follow the manufacturer's instructions to assemble the frame of the tent, starting with the base or foundation components.
Connect the frame components together using the provided hardware, ensuring that all connections are properly tightened and secured.

Install the Fabric Cover:

Once the frame is assembled, carefully drape the fabric cover over the frame, ensuring it is centered and positioned correctly.
Secure the fabric cover to the frame by fastening it with straps, clips, or other attachment mechanisms provided by the manufacturer.
Stretch the fabric cover evenly to minimize wrinkles and ensure a tight fit over the frame.

Anchor the Tent:

Anchor the tent to the ground using suitable anchoring methods such as stakes, anchors, or weights.
Place the anchors at the designated anchor points around the perimeter of the tent, ensuring they are securely fastened to the ground.
Tension the tent fabric by adjusting the tensioning mechanisms or straps to ensure stability and prevent flapping in the wind.

Check and Adjust:

Inspect the assembled tent to ensure that all components are properly installed and secured.
Adjust the tension of the fabric cover and the alignment of the frame components as needed to optimize stability and appearance.
Test the stability of the tent by applying gentle pressure to different parts of the structure to ensure it is securely anchored and stable.

Optional Features:

If the storage building tent includes optional features such as doors, windows, ventilation systems, or insulation, install these according to the manufacturer's instructions.

Final Touches:

Once the tent is fully assembled and anchored, perform a final inspection to ensure everything is in place and properly secured.
Make any necessary adjustments or corrections to ensure the tent meets safety and performance standards.

FAQ :

1. how can we guarantee quality?

Always a pre-production sample before mass production;
Always final Inspection before shipment;

2.what can you buy from us?

Party Tent, Awning, Pergola, Wedding Tent, Tents

3. why should you buy from us not from other suppliers?

we extrude aluminium by ourself,so it will insure the production on time;and we use the laser cutting,which can ensure more detailed workmanship and more accurate hole positions;CNC aluminium machining center ,also there is automatic welding .



Guangzhou Tendars Tent Co., Limited

☎ 0086 13640286461

✉ amanda@marquees-tent.com

🌐 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China