




Guangzhou Tendars Tent Co., Limited  
marquees-tent.com



## Aluminum Outdoor Waterproof, UV Resistant, Flame Retardant Warehouse Tent For Industrial Storage

Our Product Introduction

### Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



### Product Specification

- Product Name: Tent For Industrial Storage
- Place Of Origin: Guangdong, China
- Application: Event/Party/Wedding/Exhibitions/Warehouse
- Frame Material: Extruded Aluminum Alloy, With Oxidation Treatment
- Cover Material: Double PVC-coated Polyester Fabric
- Feature: Waterproof, UV Resistant, Flame Retardant
- Sidewall Options: PVC Wall, Glass Wall, Sandwich Wall, ABS Wall
- Wind Load: 100km/h
- Highlight: **Flame Retardant Aluminum Outdoor Warehouse Tent**  
,  
**Industrial Storage Aluminum Outdoor Warehouse Tent**  
,  
**Waterproof Aluminum Outdoor Warehouse Tent**



### More Images



for more products please visit us on [marquees-tent.com](http://marquees-tent.com)

## Product Description

### Aluminum Outdoor Waterproof, UV Resistant, Flame Retardant Warehouse Tent For Industrial Storage

#### Description :

#### Frame

High-strength extruded aluminum alloy frame, with oxidation treatment on the surface, rust-resistant.

#### Covers

Polyester with double side PVC coated; Water proof, UV resistant, Flame retardant, anti-aging;  
(850g/㎡ block out、650g/㎡ translucent、0.5mm-0.95mm thickness clear)

#### Connection

High quality steel with galvanized, inner joint.

Span Width	Side Height	Ridge Height	Bay Distance	Main Profile
6m	2.6m	3.8m	3m	84x48x2.5mm
9m	2.6m	4.4m	3m	84x48x2.5mm
10m	3m	5m	5m	121x68x3mm
12m	3m	5.4m	5m	121x68x3mm
15m	3m	5.4m	5m	166x87x3mm
20m	4m	7.2m	5m	203x110x4mm
25m	4m	8.1m	5m	203x110x4mm
30m	4m	8.8m	5m	250x110x4mm
40m	4.8m	11.2m	5m	340x170x6mm
50m	4.8m	13.9m	5m	340x170x6mm

#### Here's a breakdown of the materials commonly used in aluminum tents for industrial storage:

**Aluminum Frame:** The frame of the tent is constructed primarily of aluminum. Aluminum is favored for its lightweight yet robust properties, making it suitable for supporting the structure while remaining easy to transport and assemble. Aluminum frames are also resistant to corrosion, which is crucial for outdoor and industrial environments where exposure to moisture and chemicals may occur.

**Fabric Cover:** The fabric cover of the tent is typically made of heavy-duty materials such as PVC (polyvinyl chloride) or polyester. PVC-coated fabric is commonly used due to its high strength, durability, and resistance to weather elements. It provides excellent protection against UV rays, water, and abrasion, ensuring the safety and security of stored items inside the tent. Polyester fabric may also be used, offering similar durability and weather resistance.

**Connectors and Hardware:** Connectors and hardware used in aluminum tents are often made of durable materials such as stainless steel or high-grade plastics. These components play a critical role in connecting the aluminum frame pieces securely and ensuring the overall stability and integrity of the tent structure.

**Anchoring System:** Anchoring systems for aluminum tents typically include stakes, anchors, or weights made of materials such as steel or concrete. These anchoring components help secure the tent to the ground, providing stability and resistance against wind and other external forces.

**Optional Accessories:** Optional accessories for aluminum tents, such as doors, windows, ventilation systems, and insulation, may feature additional materials depending on their functionality. For example, doors and windows may have aluminum or steel frames with tempered glass panels, while ventilation systems may include fans and ductwork made of plastic or metal.

#### FAQ :

**1) Q: What size of tents can you make?**

A: The span width can vary from 3m to 50m; The length is unlimited with bay distance 3m or 5m.

**2) Q: Can you do customization?**

A: Yes! We can provide practical solution based on your required dimensions, venue limitation, and different application.

**3) Q: Do you provide assembly instructions?**

A: Yes! There will be a trial installation in our factory after production is finished for your inspection.  
Assembly manual and video will be also provided.

**4) Q: Can you print our logo on the tent?**

A: Yes! We will advise on the printing way, location and design based on your specific logo.

**5) Q: Are you a factory or trading company?**

A: We are an experienced tent factory, providing competitive prices, direct quality control, and flexible production scheduling.

**6) Q: How to choose the size of the tent?**

A: You can contact with Tendars sales team, telling us what kind of event you are going to hold, and how many people you are going to accommodate.

We will offer a suggestion according to your event usage and required capacity.

**7) Q: What is the delivery time?**

A: Regular size tents will take about 15-25 working days after receiving deposit.

You can contact Tendars team to further discuss based on the specific tent and quantity.



Contact : Amanda Chan  
Mobile/WhatsApp : +86-13640286461  
Email : amanda.tent89@gmail.com



Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China