



Guangzhou Tendars Tent Co., Limited  
marquees-tent.com



## Best Quality Aluminium And Pvc Most Popular Consumer Industrial Workshop Warehouse Storage Tent For Sale

Our Product Introduction

### Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month




### Product Specification

- Product Name: Workshop Warehouse Storage Tent
- Price: Factory Price
- Application: Disaster Relief
- Size: Various For Your Choice
- Color: White And Any
- Design: Professional, OEM, ODM Is Available
- Span Width: For Your Choice
- Quality: Best Quality Aluminium And Pvc
- Highlight: **Most Popular Warehouse Storage Tent, Consumer Warehouse Storage Tent, pvc Warehouse Storage Tent**



### More Images



for more products please visit us on [marquees-tent.com](http://marquees-tent.com)

## Product Description

**Best Quality Aluminium And Pvc Most Popular Consumer Industrial Workshop Warehouse Storage Tent For Sale**

**Description :**



Frame	High Reinforce Aluminum, anti-rust surface, GB6061-T6 ;100%"FENGLV "Aluminum Material Guaranteed; It can be used more than 30 years
Roof cover	850g/m2and 660g/m2Double PVC-Coated Polyester, flame retardant, UV resistance, waterproof, comply to DIN 4102 B1, M2 ( European standard); 100% XingYiDa PVC Material Guaranteed - Perfect Fabric Cover Brand in China Recently.

	Allowed Temperature Condition: -40 to +70temperature
Sidewall	Max Wind Speed Allowance: 120km/h
	Snow Load: 75kg/sqm
Connection	Hot-DIPPED Galvanized Steel Connections; 100% Zinc Shine Hot Dip Galvanizing Guaranteed

Type	Span (m)	Side height (m)	Ridge height (m)	Bay Distance (m)	Roof Pitch	Longest Component (m)	Wind Load (km/h)
10/4-5	10	3.9	5.4	5	18°	6	100
12/4-5	12	3.9	5.9	5	18°	6.5	100
15/4-5	15	3.9	6.3	5	18°	8.1	100
20/4-5	20	3.9	7.1	5	18°	10.7	100
21/4-5	21	3.9	7.3	5	18°	11.3	100
25/4-5	25	3.9	7.9	5	18°	10.7	100

#### System Features:

- 1.Four channel aluminum frame, hard pressed extruded reinforced aluminum
- 2.With extra eave/ridge braces to strengthen the frame over 20m span width
- 3.No poles inside, 100% interior space is available
- 4.Galvanized steel connection parts
- 5.Fabric is fire retardant and NFP92-507 standard approved by SGS
- 6.Bar tensioning roof system
- 7.Interchangeable parts between sizes
- 8.Wind load 100km/h
- 9.Full accessories available such as hard solid wall system,glass door units etc.

#### FQA:

- 1: Are you a trading company or manufacturer? We are manufacturer, so we can give you competitive prices.
- 2: What are the types of tent? Have herringbone tent pagoda tent dome tent, etc
- 3: How many people can a tent hold? Usually one square meter can hold a person
- 4: Can you develop products with our drawing? Yes, please offer your drawing with technical requirements
- 5: What's your Delivery Time? Normally 20 working days, please confirm with us before order!
- 6: What's the Payment Terms? 30% deposit balance to be paid before shipment
- 7: How you pack products? Aluminum frame packed in air bubble film, roof and sidewall in professional PVC carry bag, or under your requirements.



Contact : Amanda Chan  
Mobile/WhatsApp : +86-13640286461  
Email : amanda.tent89@gmail.com



**Guangzhou Tendars Tent Co., Limited**



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China