



Guangzhou Tendars Tent Co., Limited
marquees-tent.com



Easy To Install Heavy Duty Large Customized Warehouse Aluminum Tent For Storage

Our Product Introduction


Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



Product Specification

- Product Name: Aluminum Tent For Storage
- Season: Four-season Tent
- Structure: One Bedroom & One Living Room
- Area: Customized
- Fabric: PVC
- Outside Tent Waterproof Index: 1500-2000 Mm
- Bottom Waterproof Index: 1500-2000 Mm
- Building Type: Construction Based On Need
- Highlight: **Storage Aluminum Tent, Warehouse Aluminum Tent, Heavy Duty Aluminum Tent**



More Images



for more products please visit us on marquees-tent.com

Product Description

Easy To Install Heavy Duty Large Customized Warehouse Aluminum Tent For Storage For Sale

Specifications:

Item	Span Width	Bay Distance	Eave Height	Ridge	Main Profile
Big tent-09-06	6m	3m	2.6m	3.6m	84*48*3mm
Big tent-09-08	8m	3m	2.6m	4m	84*48*3mm
Big tent-09-10	10m	3m	2.6m	4.4m	84*48*3mm
Big tent-09-12	12m	5m	3m	5m	122*68*3mm
Big tent-09-15	15m	5m	3m	5.7m	166*88*3mm
Big tent-09-18	18m	5m	3-4m	7.2m	203*110*4.5mm
Big tent-09-20	20m	5m	4m	7.4m	203*110*4.5mm
Big tent-09-25	25m	5m	4m	8m	203*110*4.5mm
Big tent-09-30	30m	5m	4m	8.8m	254*120*5mm
Big tent-09-40	40m	5m	4m	10.3m	300*125*6mm
Big tent-09-50	50m	5m	4m	12m	400*120*6mm

Frame material:	High-strength aluminum alloy 6061/T6.
Roof cover/triangle cloth:	Double PVC-Coated Polyester, 100% waterproof, flame retardant to DIN4102 B1, M2, CFM, UV resistant, tear resistant, self-cleaning ability, etc.
Side wall weight:	650g/sqm
Roof cover weight :	850g/sqm
Frame connection:	Hot-dip galvanized steel structure
Allowed temperature condition:	-30 degree Celsius+70 degree Celsius
Wind load:	max. 100km/h (can be reinforced)
Snow load:	75kg/sqm (snow can't stay if use big degree roof pitch design)

★ Easy to be assembled and dismantled, movable.No pole inside, 100% available interior space.

Here are some key features:

Durability: Constructed with robust aluminum frames and weather-resistant materials, our tent can withstand harsh weather conditions, including rain, wind, and snow, ensuring your belongings remain safe and secure.

Versatility: From storing equipment and tools to protecting vehicles and supplies, the Aluminum Tent for Storage is versatile enough to meet various storage needs. Its modular design allows for easy customization and expansion, providing flexibility for different storage requirements.

Portability: Despite its sturdy construction, our tent is designed for easy setup and portability. Its lightweight materials and simple assembly make it convenient to transport and install at different locations with minimal effort.

Security: Featuring zippered doors and reinforced seams, the tent provides added security to safeguard your stored items from theft and unauthorized access.

Space Optimization: With its spacious interior and high ceiling clearance, the tent maximizes storage capacity, allowing you to organize and store items efficiently without compromising on space.

Here's a general step-by-step guide:

Choose a Suitable Location: Select a flat and level area for your tent installation. Ensure that the ground is free from debris, rocks, and other obstructions that could interfere with the setup.

Lay Out the Components: Lay out all the components of the tent, including the aluminum frame, fabric cover, stakes, and guy ropes, in the vicinity of the installation site. Organize the components to make the assembly process more efficient.

Assemble the Frame: Start by assembling the aluminum frame according to the manufacturer's instructions. Typically, you'll connect the frame poles or sections together to form the skeleton of the tent structure. Follow the provided diagrams or instructions carefully to ensure proper assembly.

Anchor the Frame: Once the frame is assembled, securely anchor it to the ground using stakes or anchors provided with the tent. Hammer the stakes into the ground at an angle, ensuring they're driven deep enough to provide stability, especially if you're expecting windy conditions.

Install the Fabric Cover: Drape the fabric cover over the assembled frame, ensuring it's positioned correctly and aligned with the frame structure. Most tent covers feature a system of loops, straps, or clips that attach to the frame poles to secure the cover in place. Follow the manufacturer's instructions for securing the cover to the frame properly.

Secure the Cover: Once the fabric cover is in place, secure it firmly to the ground using additional stakes or anchors around the perimeter of the tent. This helps prevent the cover from flapping in the wind and ensures a snug fit.

Adjust and Tension: Adjust the tension of the fabric cover as needed to remove any wrinkles or sagging. Some tents may feature tensioning systems or adjustable straps to help achieve the desired tightness of the cover.

Optional: Add Guy Ropes (if applicable): If your tent includes guy ropes for added stability, attach them to the designated loops or anchors on the tent frame. Secure the guy ropes to the ground using stakes or anchors, ensuring they're positioned at an appropriate angle away from the tent.

Inspect and Secure: Once the tent is fully assembled, carefully inspect all connections, stakes, and anchor points to ensure everything is secure and properly installed. Make any necessary adjustments to ensure the tent is stable and secure.

Final Touches: Optionally, you may want to add any accessories or features, such as sidewalls, flooring, or additional anchors, to further enhance the functionality and comfort of the tent, depending on your specific needs.

Our service:

1. Many years' experience in tent and truss industry.
2. Customers from more than 150 countries.
3. We are manufacturer, can offer you lower price.
4. Professional engineers offer technical support to customers.
5. 24 hours online services from our professional foreign trade department.
6. All our raw material is from public company.
7. Our complete QC system can make sure every product with high quality.
8. 2 years after sales service



Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

