Outdoor UV Resistance Industrial Structure Tents Big Size Aluminum Storage Tent For Sale

Basic Information

Place of Origin: GuangdongBrand Name: Tendars

• Certification: ISO9001, SGS, Coc, CE

Model Number: Big tent

Minimum Order Quantity: 25 square metersPrice: Reconsideration

• Packaging Details: 1, The aluminium frame structure packed into

the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.

Delivery Time: 18days or To be negotiated

• Payment Terms: L/C, T/T, Western Union, MoneyGram

• Supply Ability: 50000 Square Meters per Month



Product Specification

Product Name: Aluminum Storage Tent
 Application: Warehouse Events
 Usage: Outdoor Used

Feature: UV ResistanceSize: Customized Size

Optional Wall Materials: Glass Wall, Sandwich Panel Wall, And ABS

Wall

PVC Life Span: 5~8 YearsSnow Load: 80kg/m2

Highlight: Big Size Aluminum Storage Tent,

UV Resistance Aluminum Storage Tent,

Aluminum Storage Tent



More Images





Product Description

Outdoor UV Resistance Industrial Structure Tents Big Size Aluminum Storage Tent For Sale

Specifications:

Product Name	Aluminum Storage Tent		
Color	White, Transparent or Customized		
Frame Material	Hard pressed Aluminum Alloy T6061/T6		
Roof Cover Material	850g PVC Fabric		
Standard Wall Material	650g PVC Fabric		
Optional Wall Materials	Glass Wall, Sandwich Panel Wall, and ABS Wall		
PVC Life Span	pan 5~8 Years		
Snow Load	80kg/m²		
Temperature Bearing Range	-30 °C~70 °C		
Usage	Party, Exhibition, Padle/Basketball/Tennis Court Roof, Restaurant		

Width(M)	Eaves Height(M)	Ridge Height(M)	Bay Distance(M)	Main Profile
10	4	5.6	5	120x68x3mm(4-channel)
12	4	5.92	5	120x68x3mm(4-channel)
15	4	6.4	5	166x88x3mm(4-channel)
18	4	6.88	5	203x110x4.5mm(4-channel)
20	4	7.2	5	203x110x4.5mm(4-channel)
21	4	7.36	5	203x110x4.5mm(4-channel)
25	4	8	5	203x110x4.5mm(4-channel)
30	4	8.8	5	254x120x5mm(4-channel)
40	4	10.4	5	300x125x6mm(4-channel
50	4	12	5	300x125x6mm(4-channel

System Features:

- 1. Four channel aluminum frame, hard pressed extruded reinforced aluminum
- 2. With extra eave/ridge braces to strengthen the frame over 20m span width
- 3.No poles inside, 100% interior space is available
- 4. Galvanized steel connection parts
- 5. Fabric is fire retardant and NFP92-507 standard approved by SGS
- 6.Bar tensioning roof system
- 7.Interchangeable parts between sizes
- 8.Wind load 100km/h
- 9. Full accessories available such as hard solid wall system, glass door units etc.

FQA

1. Can I obtain samples before mass production?

After the price confirmation, you can require samples to check the quality. Sample charged and we sincere hoping for the business cooperation with you in near future.

2. What about the terms of payment?

We accept T/T and L/C,40% for deposit+60% for balance before delivery.

3. Can you accept the customized tent order?

Welcome any inquiry to the customized tent product, our workers will sort out your question and let the professional engineers to answer you back. Drawings, structures, and all the relevant dealings.

4. How long is your Leadtime?

After deposit in, we will make subsequent arrangements to the factory. That production times varies from different tent products, ordinarily it will take 15-25 days to accomplish the production mission.

5. How to contact if there are problems in the tent setup process?

Please send us emails, your inquiries will be handled in time, and please choose the methods which suits you most, say WhatsApp, Gmail, Skype, Zoom, and so forth. Real time communications will directly work.





Guangzhou Tendars Tent Co., Limited







marquees-tent.com

 $No.319, 2nd\ building\ ,\ 8th\ zone\ ,\ Aoyuan\ city\ plaza\ ,\ Zhongcun\ Street,\ Guangzhou,\ Guangdong,\ China$