



Outdoor UV Resistance Industrial Structure Tents Big Size Aluminum Storage Tent

Our Product Introduction

Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month




Product Specification

- Product Name: Aluminum Storage Tent
- Application: Warehouse Events
- Usage: Outdoor Used
- Feature: UV Resistance
- Size: Customized Size
- Optional Wall Materials: Glass Wall, Sandwich Panel Wall, And ABS Wall
- PVC Life Span: 5~8 Years
- Snow Load: 80kg/m2
- Highlight: **Outdoor UV resistance storage tent, Industrial aluminum structure tent, Big size warehouse storage tent**



More Images



for more products please visit us on marquees-tent.com

Product Description

Outdoor UV Resistance Industrial Structure Tents Big Size Aluminum Storage Tent For Sale

Specifications:

Product Name	Aluminum Storage Tent
Color	White, Transparent or Customized
Frame Material	Hard pressed Aluminum Alloy T6061/T6
Roof Cover Material	850g PVC Fabric
Standard Wall Material	650g PVC Fabric
Optional Wall Materials	Glass Wall, Sandwich Panel Wall, and ABS Wall
PVC Life Span	5~8 Years
Snow Load	80kg/m ²
Temperature Bearing Range	-30 ~70
Usage	Party, Exhibition, Padle/Basketball/Tennis Court Roof, Restaurant

Width(M)	Eaves Height(M)	Ridge Height(M)	Bay Distance(M)	Main Profile
10	4	5.6	5	120x68x3mm(4-channel)
12	4	5.92	5	120x68x3mm(4-channel)
15	4	6.4	5	166x88x3mm(4-channel)
18	4	6.88	5	203x110x4.5mm(4-channel)
20	4	7.2	5	203x110x4.5mm(4-channel)
21	4	7.36	5	203x110x4.5mm(4-channel)
25	4	8	5	203x110x4.5mm(4-channel)
30	4	8.8	5	254x120x5mm(4-channel)
40	4	10.4	5	300x125x6mm(4-channel)
50	4	12	5	300x125x6mm(4-channel)

System Features:

- 1.Four channel aluminum frame, hard pressed extruded reinforced aluminum
- 2.With extra eave/ridge braces to strengthen the frame over 20m span width
- 3.No poles inside, 100% interior space is available
- 4.Galvanized steel connection parts
- 5.Fabric is fire retardant and NFP92-507 standard approved by SGS
- 6.Bar tensioning roof system
- 7.Interchangeable parts between sizes
- 8.Wind load 100km/h
- 9.Full accessories available such as hard solid wall system,glass door units etc.

FQA:

1. Can I obtain samples before mass production?

After the price confirmation, you can require samples to check the quality.Sample charged and we sincere hoping for the business cooperation with you in near future.

2.What about the terms of payment?

We accept T/T and L/C,40% for deposit+60% for balance before delivery.

3. Can you accept the customized tent order?

Welcome any inquiry to the customized tent product, our workers will sort out your question and let the professional engineers to answer you back. Drawings, structures, and all the relevant dealings.

4. How long is your Leadtime?

After deposit in, we will make subsequent arrangements to the factory. That production times varies from different tent products, ordinarily it will take 15-25 days to accomplish the production mission.

5.How to contact if there are problems in the tent setup process?

Please send us emails, your inquiries will be handled in time, and please choose the methods which suits you most, say WhatsApp, Gmail, Skype, Zoom, and so forth. Real time communications will directly work.




Contact : Amanda Chan
Mobile/WhatsApp : +86-13640286461
Email : amanda.tent89@gmail.com



Guangzhou Tendars Tent Co., Limited

 0086 13640286461

 amanda@marquees-tent.com

 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China