



## Outdoor Aluminium Alloy Warehouse Temporary Industrial Storage Tent Large Warehouse Tent

Our Product Introduction

### Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



### Product Specification

- Product Name: Large Warehouse Tent
- Framework: Hard Pressed Extruded Aluminium Alloy
- Roof Cover: 850g/sqm Double PVC-coated Polyester Textile
- Sidewalls: Soft PVC Walls, Glass Wall, ABS Hard Wall, Sandwich
- Application: Wedding, Party, Events, Banquet, Ceremony, Church
- Wind Loading: 100KM/H
- Ground Situation: Grassland, Earth Land, Asphalt Ground, Cement Ground
- Fixing Solution: Ground Anchor, Expandable Bolt, Weight Plate, Etc
- Highlight: **aluminium alloy warehouse tent,  
large industrial storage tent,  
outdoor temporary warehouse tent**



### More Images



for more products please visit us on [marquees-tent.com](http://marquees-tent.com)

## Product Description

### Outdoor Aluminium Alloy Warehouse Temporary Industrial Storage Tent Large Warehouse Tent For Sale

#### Specification:

|                              |   |
|------------------------------|---|
| Width                        | customized  |
| Length                       | customized  |
| Area                         | customized  |
| Wind Resistance              | 80~140km/h  |
| Snow Load                    | 25kg/sqm  |
| Fixing Solution              | Ground anchor, expandable bolt, weight plate, etc.  |
| Service Life                 | More than 15 years  |
| Applicable temperature range | -30 degree Celsius ~ +70 degree Celsius   |
| Ground Situation             | Grassland,earth land,asphalt,cement ground,marble,etc   |
| Roof Cover                   | Opaque(or transparent), water proof, 850g/m.2. Flame retardant.PVC-coated Polyester.            |
| Frame                        | 4 channels, hard pressed extruded aluminium alloy 6061/T6.(Surface anodized finish. Anti rust.) |
| Water Repellency             | Waterproof  |

#### Size:

| Span Width | Bay Distance | Side Height | Main Profile |
|------------|--------------|-------------|--------------|
| 6m         | 3m           | 2.6m        | 84X48X3mm    |
| 10m        | 3m           | 2.6m        | 84X48X3mm    |
| 10m        | 5m           | 3m          | 122X68X3mm   |
| 15m        | 5m           | 4m          | 166X88X3mm   |
| 20m        | 5m           | 4m          | 204X110X4mm  |
| 25m        | 5m           | 4m          | 204X110X4mm  |
| 30m        | 5m           | 4m          | 256X111X5mm  |
| 35m        | 5m           | 4m          | 300X125X8mm  |
| 40m        | 5m           | 4m          | 300X125X8mm  |
| 45m        | 5m           | 4m          | 300X125X8mm  |
| 50m        | 5m           | 4m          | 350X125X8mm  |

#### Here's an overview of the general principles involved in the construction of a large warehouse tent for storage:

##### Design and Engineering:

The process begins with thorough planning and design to determine the size, layout, and specifications of the warehouse tent based on the storage requirements and site conditions.

Structural engineers calculate load requirements, wind resistance, snow load capacity, and other factors to ensure the tent meets safety standards and building codes.

##### Selection of Materials:

High-quality materials are selected for the frame, fabric cover, and other components of the warehouse tent to ensure durability and longevity. The frame is typically made of galvanized steel or aluminum for strength and corrosion resistance.

The fabric cover is made of heavy-duty PVC or polyethylene fabric that is UV-resistant, waterproof, and flame-retardant to withstand outdoor elements.

##### Fabrication of Frame Components:

The frame components, including poles, connectors, fittings, and anchors, are fabricated according to the design specifications.

Precision cutting, welding, and machining techniques are used to ensure accurate dimensions and proper fitment of frame components during assembly.

##### Assembly of Frame:

The frame is assembled according to the manufacturer's instructions, starting with the base or perimeter poles and gradually adding additional components to form the structure.

Bolts, nuts, and fasteners are used to securely connect frame components, ensuring structural stability and integrity.

##### Installation of Fabric Cover:

Once the frame is assembled, the fabric cover is installed over the structure, carefully positioned and tensioned to achieve a snug fit. Fastening systems such as hooks, loops, or straps are used to attach the fabric cover to the frame securely.

**Anchoring and Securing:**

The warehouse tent is anchored to the ground using stakes, anchors, or weights to prevent movement or shifting, especially in windy conditions. Anchor points are strategically located along the perimeter of the tent and driven securely into the ground.

**Quality Control and Inspection:**

Throughout the construction process, quality control measures are implemented to ensure that all components meet standards and specifications.

Final inspection is conducted to verify that the warehouse tent is properly assembled, anchored, and ready for use.

**Optional Features and Accessories:**

Optional features such as doors, windows, ventilation systems, lighting, insulation, and security measures may be installed based on specific requirements.

These features enhance functionality and convenience while optimizing the storage environment within the warehouse tent.

**FQA:**

**Q: Can you print our logos on tent?**

\* Yes. Customized logos can be print on the tent fabric according to your requirements.

**Q: Is that factory price?**

\* Yes. We assure you all prices are based on factory.

**Q: Does your tent be able to install repeatedly?**

\* Our tents can be assembled and dismantled and repeatedly with small transportation size. The lifespan of aluminium framework can reach 15-20 years, and 5-8 years for PVC fabrics depending on different conditions of usage.

**Q: What documents are available?**

\* A full range documents including structural drawings, packing list, installation manual and relative certificates can be provided. Moreover, customs declaration is provided. We provide one-stop service for you.

**Q: What size tent is necessary for your special event?**

\* A person must first determine tent usage. If a tent is being used for dining purposes and round tables are being used allow 10-12 square feet per person. If banquet style tables are being used allow 8-10 square feet per person. If the purpose is for cocktail service allow 5 to 6 square feet per person. Contact us for all your specific questions and more information on tent types.

**Q: Is your tent strong and stable enough? How about the wind loading?**

\* Yes. The main frameworks (upright support and roof beam) are manufactured with high impact extruded anodized aluminum (6061/T6) so our tent structure is safe and strong and can resist wind up to 100 km/hr after setting up correctly.

**Q: How long is the warranty period?**

\* Guarantee one year. During the warranty period, we shall repair or replace the damaged part accordingly because of any damage due to quality problem.



**Guangzhou Tendars Tent Co., Limited**

☎ 0086 13640286461

✉ amanda@marquees-tent.com

🌐 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China