



Customized factory White PVC Cover Aluminum Marquee Tent For Outdoor Tent Party for sale

Our Product Introduction

Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Truss Frame
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



Product Specification

- Product Name: Marquee Tent For Outdoor Tent Party
- Application: Events, Wedding, Anniversary, Party, Exhibition, Churches Etc.
- Color: Customized
- Frame Material: High-strength Aluminum Alloy 6061/T6
- Side Wall: PVC Walls, ABS Walls, Glass Walls
- Frame Connection: Hot-dip Galvanized Steel Structure
- Length: No Limited
- Roof Cover/triangle Cloth: Double PVC-Coated Polyester



More Images



for more products please visit us on marquees-tent.com

Product Description

Customized Factory White PVC Cover Aluminum Marquee Tent For Outdoor Tent Party For Sale

Product Description:

Certificate	ISO9001, SGS, Coc, CE
Frame Material	Hard Pressed Extruded Aluminum Alloy
Connectors	Hot-dipped Galvanized
Roof Cover	850g/sqm PVC-coated fabric, Block Out
Sidewall Cover	650g/sqm PVC-coated fabric
Fabric Color	White, Red, Green, Clear or Customized Color
Side Wall	PVC Walls, Glass Walls and etc
Wind Resistance	100km/h
Fixing Solution	Expansion Bolts, Tent Pegs, Weight Plate
Temperature Resistance	-30 degree Celsius to +70 degree Celsius
Flame Retardant	DIN4102, B1, M2
MOQ	1 Set
Sample	Provide After Negotiation
Model Number	AST; ART; CRT; PLT; SFT; CCT; MST; MXT; GBT
Features	Flame Retardent, UV Resistant, Waterproof
Function	Event, Wedding, Party, Ceremony and etc
Service Life	More Than 15 years
Logo Printing	Available
Manufacturer	Yes

System Features:

1. Four channel aluminum frame, hard pressed extruded reinforced aluminum
2. With extra eave/ridge braces to strengthen the frame over 20m span width
3. No poles inside, 100% interior space is available
4. Galvanized steel connection parts
5. Fabric is fire retardant and NFP92-507 standard approved by SGS
6. Bar tensioning roof system
7. Interchangeable parts between sizes
8. Wind load 100km/h
9. Full accessories available such as hard solid wall system, glass door units etc.

Here are the primary materials used in the construction of these tents:

1. Frame Materials

Galvanized Steel:

Properties: Strong, durable, and resistant to rust and corrosion.

Uses: Commonly used for the structural framework of marquee tents due to its ability to withstand heavy loads and adverse weather conditions.

Aluminum:

Properties: Lightweight, strong, and corrosion-resistant.

Uses: Preferred for high-end marquee tents where ease of transport and setup are important. Aluminum frames are also aesthetically pleasing due to their sleek appearance.

2. Fabric Materials

Polyethylene (PE)

Properties: Lightweight, waterproof, and UV-resistant.

Uses: Often used for the canopy and sidewalls of marquee tents. PE is cost-effective and provides good protection against the elements.

Polyvinyl Chloride (PVC)

Properties: Heavy-duty, durable, waterproof, and fire-retardant.

Uses: Used for high-quality marquee tents where long-term durability and resistance to severe weather conditions are crucial. PVC fabrics are thicker and offer better insulation compared to PE.

Polyester with PVC Coating

Properties: Combines the strength and flexibility of polyester with the durability and waterproof nature of PVC.

Uses: Common for marquee tents as it provides a balance between durability and weight, making it suitable for both temporary and semi-permanent installations.

3. Sidewall Materials

Clear Vinyl:

Properties: Transparent, flexible, and waterproof.

Uses: Often used for sidewalls to allow natural light into the tent while providing protection from wind and rain. Clear vinyl sidewalls are popular for events where visibility and aesthetics are important .

Mesh:

Properties: Breathable and provides protection against insects.

Uses: Used for sidewalls in warmer climates or for events where ventilation is necessary while still offering some protection from the elements .



Guangzhou Tendars Tent Co., Limited

☎ 0086 13640286461

✉ amanda@marquees-tent.com

🌐 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China