

Guangdong

Truss Frame

25 square meters

Reconsideration

ISO9001, SGS, Coc, CE

Tendars

Outdoor Party Large Wedding Church Festival Tent With Clear PVC Window

1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- carry bag; 3, Hardware packed into the box. Delivery Time: 18days or To be negotiated Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability:



Product Specification

- Product Name:
- Wind Load:
- Frame Material:
- Life Span:
- Cover Material:
- Snow Load:
- Door:
- Usage:
- Highlight:
- Tent For Sale With Clear PVC Window 80-100km/h Hard Pressed Aluminum Alloy T6061/T6 8-10 Years 850g/sqm Double PVC-Coated Polyester

50000 Square Meters per Month

- 75kg/Sqm
- PVC Door, Glass Door, Aluminium Door
- Event, Wedding, Party, Warehouse, Etc
 - Large Wedding Church Festival Tent, **Outdoor Wedding Church Festival Tent**



More Images



Product Description

Factory Price Outdoor Party Large Wedding Church Festival Tent For Sale With Clear PVC Window

Product Description:

Item Name	Factory Price Outdoor Party Large Wedding Church Festival Tent For Sale With Clear PVC			
	Window			
Frame Material	Hard pressed Aluminum Alloy T6061/T6			
Roof Cover Material	850g/sqm PVC Coated Polyester Fabric			
Side Wall Material	PVC Wall, Glass Wall, ABS Wall, Sandwich Wall			
Span/Width	From 3m to 60m			
Sidewall Height	3m, 4m , 5m, 6m or Curtomized			
Color	White, Transparent, Green, Gray or Customized			
Life Span	8-10 Years			
Wind Load	75kg/sqm			
Snow Load	80-100km/h			
Resistant	-30°C to +70°C			
Temperature				
Features	Water Proof, UV Resistance, Fire Retardant(DIN4102,B1)			
Application	Wedding, Party, Event, Exhibition,etc			
Accessories	Drapery, Air Conditioner, Heater, Floor, Window, Curtain, Lighting etc.			

Tent Size(m)	Side Height(m)	Frame Size(mm)	Floor Area(m ²)	Capacity (Events)
10x20	3	122x48x3	200	150-200 Peoples
15x30	4	166x88x3	450	380-450 Peoples
20x40	4	112x203x4	800	500-600 Peoples
30x50	4	120x250x4	1500	1200-1500 Peoples
40x60	6	120x300x5	2400	1500-1200 Peoples

Features:

- (1) Allowed temperature condition: -30 degree Celsius~+70 degree Celsius
- (2) Wind load: Max. 80km/h (can be reinforced)
- (3) Snow load: 75kg/sqm (snow can't stay if use big degree roof pitch design)
- (4) Easy to be assembled and dismantled, movable.
- (5) No pole inside, 100% available interior space.

Material:

- (1) Frame structure: Hard pressed extruded aluminium 6061 /T6(15HW) which can last 15 to 25 years.
- (2) Fabric cover: High quality double PVC-coated polyester textile, 100% waterproof, flame retardant to DIN4102 B1, M2, CFM, UV resistant, tear resistant, self-cleaning ability, etc.

(3) Connector: Strong hot-DIP galvanized steel

FQA:

1. Can you print our logos on the tent?

Yes. The logo can be print on the tent fabric according to your requirements.

2. What is the delivery time?

In general, about 7-15 working days. If your order is large or customized, the lead time need more time.

3. Is your tent strong and stable enough? How about the wind loading?

Yes, It is can resist wind up to 80-100 km/hr, if the wind or snow is very very heavy, please tell us and we will strengthen the tent to keep you safe!

4. Does your tent be able to installed repeatedly? What is the life span?

Our tents can be assembled and dismantled easily and repeatedly with small transportation size. The life span of aluminum framework can reach 8-10 years, and 4-6 years for PVC fabrics depending on different conditions of usage.

for more products please visit us on marquees-tent.com

5. What documents are available?

A full range documents including structural drawings, packing list, installation manual and relative certificates can be provided. Moreover, customs declaration is provided. We provide one-stop service for you.



