




## Outdoor Luxury Four Season Dome Hotel Geodesic Glamping House Dome Tent On Sale

Our Product Introduction

### Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS Coc, CE
- Model Number: Small tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



### Product Specification

- Product Name: Glamping House Dome Tent
- Size: Diameter 4-50m
- Main Frame: Galvanized Steel Pipes
- Cover Material: 850g/sqm PVC Coated Polyester Fabric
- Application: Glamping, Campsite, living, cafe House, Trade Show, etc
- Feature: Water Proof, UV Resistance, Fire Retardant(DIN4102, B1, M2)
- Wind Load: 100km/h Or Customized
- Snow Load: 0.5kn/sqm
- Highlight: **Luxury Dome Tent, Four Season Dome Tent, Outdoor Dome Tent**



### More Images



for more products please visit us on [marquees-tent.com](http://marquees-tent.com)

## Product Description


### Outdoor Luxury Four Season Dome Hotel Geodesic Glamping House Dome Tent On Sale

#### Product Description:

- The dome tent is easy and fast to assemble and dismantle. We will offer the installation manual and video.
- No pole inside the dome tent, 100% available interior space
- The frame of the tent is rustless and eco-friendly.
- Full line accessories available. You can choose the accessories for the tent according to your requirements.

Diameter	Customized ,from diameter 3m to 50m
Tent Frame	galvanized steel tube (color optional)
Covering	Double-side coated polyester pvc fabric
Accessory	PVC Door or Glass Door ,Curtains,decoration lining,Insulation,Ventilation window ect
Snow Load	75KG/SQM
Wind Load	100KM/H
Installation	Easy to be assembled and dismantled, movable. No pole inside, tent space can be 100% utilized.

#### Details:



#### • Dome structure

**Material**  
Powder-coating steel frame

**Features**  
Hardpressed, rustproof, elegant appearance

**Max wind load**  
120km/h (74.5mph)

**Max snow load**  
0.5kn/m<sup>2</sup> (51kg/m<sup>2</sup>)




## • Cover membrane


**Density:**  
850g/sqm fully opaque PVC fabric  
950g/sqm transparent PVC fabric

**Material:**  
PVC coated polyester fabric

**Features:**  
Waterproof, UV resistant, fire retardant  
DIN4102, B1, M2 / NFPA701



## • Insulation layer



- Canvas
- Linen
- Jersey

- Radiation heat reflection coefficient: up to 85%;
- Moisture-proof

### The primary materials commonly used in constructing these tents include:

**Canvas:** Canvas is a traditional material known for its durability, breathability, and natural aesthetic appeal. It provides excellent insulation, making it suitable for use in various weather conditions. Canvas tents are often treated with waterproof coatings to enhance their weather resistance.

**Polyester:** Polyester fabrics are lightweight, durable, and water-resistant, making them a popular choice for glamping dome tents. They offer excellent UV resistance and are quick-drying, making them suitable for use in sunny or rainy conditions.

**PVC (Polyvinyl Chloride):** PVC fabrics are known for their strength, durability, and weather resistance. They provide excellent waterproofing and can withstand harsh outdoor environments, making them ideal for glamping dome tents that require reliable protection from the elements.

**Polyethylene (PE):** Polyethylene is a lightweight and affordable material commonly used in the construction of dome tents. It offers good water resistance and UV protection, although it may not be as durable as other materials.

**Mesh:** Mesh panels are often incorporated into glamping dome tents to provide ventilation and airflow while keeping insects out. Mesh materials are typically made from polyester or nylon and offer breathability and visibility.

**Steel or Aluminum Frame:** The frame of glamping dome tents is usually made from steel or aluminum for strength and stability. These materials are lightweight and resistant to rust and corrosion, ensuring the structural integrity of the tent.

### FQA:

#### 1. How are the Shelter dome packed?

Shelter dome come with a wood crate, with instruction for customers to assemble themselves. Our standard packing is solid protection and easy for unloading & management on-site.

#### 2. What is the leading time from ordering a dome tent?

Shelter Dome offer a standardized production process despite the highly customized solutions. We can complete production within 30 working days with quality assurance, and be ready for shipment at any time.

#### 3. What are your payment terms?

Shelter dome ask for a 50% deposit on confirming your order, and start manufacturing based on deposit receiving or schematic confirmation which occurred latest. The remaining 50% when your order is ready to be shipped.

#### 4. What warranty do you offer?

Shelter dome offer a 1-year warranty on the entire dome kits.

#### 5. Can Shelter Dome be used all year round?

Absolutely, our domes are designed to be erected all year round and can withstand all weather conditions.



Principal: Amanda Chan  
Mobile/WhatsApp: +86 13640286461  
Email: amanda@marquees-tent.com



**Guangzhou Tendars Tent Co., Limited**



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China