

Guangdong

ISO9001, SGS, Coc, CE

Tendars

Small tent

25 square meters

Reconsideration

Outdoor Large Holiday Hotel Commercial Transparent Canvas Geodesic Dome House Tent For Sale

1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:

Our Product Introduction

- Packaging Details:
- Delivery Time: 18days or To be negotiated
 Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability:



Product Specification

Product Name:

• Payment Term:

• Usage:

• Size:

Color:

Geodesic Dome House Tent Outdoor Activities Customized Size 50% Down Payment And 50% Balance After Delivery Galvanized Pipe

50000 Square Meters per Month

- Frame Material:
- Life Span:
 - Customized Color

10 -15 Years

100km/h

Wind Resistance:

And 50% Balance After

More Images





Product Description

Outdoor Large Holiday Hotel Commercial Transparent Canvas Geodesic Dome House Tent For Sale

Product Description:

China	
Guangdong	
PVC Coated Textile	
850gPVC +Galvanized Tube,	
Tempered Glass+Aluminum Alloy,	
More than 15 years	
Ground Anchor, Expansion Bolt, Weight Plate, etc.	
Party, Event, Exhibition, Wedding, Gamping, etc.	
Grassland, Earth Land, Asphalt, Cement Ground, etc.	
Hotel, Party, Activity, Cinema, Release Conference, Wedding, Restaurant, Exhibition, etc.	
Advertising Display	

Details:

Dome tent diameter	Dome tent height	Dome tent the measure of area	Dome tent volume
4	2	12.56	1
5	2.5	19.625	1.2
6	3	28.26	1.6
8	4	50.24	2.8
10	5	78.5	3.2
12	6	113.04	5.2
15	7.5	176.625	7
20	10	314	9
25	12.5	490	15
30	15	708.5	25
35	17.5	961.625	30
40	20	1256	50
45	22.5	1589.5	55
50	25	1926.5	60
55	27.5	2374.5	80
60	30	2826	100

Key advantages:

Strength and Stability: Geodesic dome structures are renowned for their strength and stability. The interconnected triangular panels distribute structural stress evenly throughout the dome, allowing it to withstand high winds, heavy snow loads, and other harsh weather conditions better than traditional tents or buildings.

Versatility: Geodesic dome house tents come in various sizes and configurations, making them versatile for different purposes. They can be used as temporary shelters for events, permanent housing, recreational spaces, greenhouses, or even as observatories.

Efficient Use of Space: The spherical shape of geodesic domes maximizes interior space while minimizing materials needed for construction.

This efficient use of space makes them ideal for compact living or as functional event spaces where every square foot counts.

Natural Light and Ventilation: Many geodesic dome house tents feature transparent or translucent panels that allow natural light to penetrate the interior, creating a bright and inviting atmosphere. Additionally, the dome's shape promotes natural airflow, aiding in ventilation and temperature regulation.

Energy Efficiency: The spherical design of geodesic domes reduces the surface area exposed to external elements, resulting in less heat loss in cold climates and reduced cooling requirements in hot climates. This inherent energy efficiency can lead to lower utility bills and a smaller environmental footprint.

Quick Assembly and Portability: Geodesic dome house tents are often designed for easy assembly and disassembly, making them portable and suitable for temporary installations or events. Many models feature modular components that can be transported and set up quickly without the need for specialized tools or skills.

Install method:

Installation environment	Installation materials	Installation diagram
If the ground is the loose ground such as the sand and lawn, It can use steel nail to fix.	Steel nail	Bearing column Steel nail Base support
If the ground can be damaged such as cement floor or tarmac floor, It can be use the expansion screw to fix.	Expansion screw	Bearing column Expansion screw Base support
If the ground can't damaged such as marble and tile, It must use the weight plate.	Weight Weight plate	Bearing column Weight Base support

FQA:

1.how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

2.what can you buy from us?

Tents and Accessories.

3. why should you buy from us not from other suppliers?

A complete industrial chain, from aluminum extrusion molding and processing, can be customized style and size, one-stop solution to the awning room, faster delivery, complete after-sales

4. what services can we provide?

Accepted Delivery Terms: FOB,CFR,CIF,EXW,Express Delivery ; Accepted Payment Currency:USD; Accepted Payment Type: T/T,L/C,Credit Card,PayPal,Western Union,Cash; Language Spoken:English,Chinese

5. How can you make sure we will receive the product with high quality?

In the processing flow, we have a series of detection machine to control the quality. Before loading, our QC will inspect each shipment and all raw material is according to foodstuff requirement.

6:Can the customer return the goods if they don't like it? Customized products are not support returned





Contact : Amanda Chan Mobile/WhatsApp : +86-13640286461 Email : amanda.tent89@gmail.com



