

Pvc Camping Aluminum Tent Hotel Resort Glamping Geodesic Dome Tent For Events

Basic Information

Place of Origin: GuangdongBrand Name: Tendars

• Certification: ISO9001, SGS, Coc, CE

Model Number: Small tent

Minimum Order Quantity: 25 square metersPrice: Reconsideration

Packaging Details:
1, The aluminium frame structure packed into

the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.

Delivery Time: 18days or To be negotiated

Payment Terms: L/C, T/T, Western Union, MoneyGram
Supply Ability: 50000 Square Meters per Month



Product Specification

Product Name:
Pvc Camping Aluminum Tent

• Diameter Size: 3,5,6,8,10,15,20,25m,30m,customized

• Side Wall Material: PVC Walls,ABS Wall,glass Wall

Max Allow Wind Speed: 100km/hourWarranty Time: 1 YearsUsage: Outdoor

Party, exhibition, event, cenemony, wedding

• Feature: Stable Structure,long Life ,100% Use Room

• Application: Event,camping,exhibition And So On



More Images





Product Description

Pvc Camping Aluminum Tent Hotel Resort Glamping Geodesic Dome Tent For Events

Product Description:

| Main Profiles: | Available sizes:26x2mm, 32x3mm, 42x3mm, 50x3mm | |
|----------------|---|--|
| | Material:Hop dip galvanized steel pipe Q235 | |
| | Features:Stainless | |
| | Density:850g/sqm double coated blockout white PVC | |
| Cover: | 650g/sqm translucent white PVC | |
| Cover. | Meterial:PVC coated polyester fabric | |
| | Features:Water proof, UV resistance, fire retardent (DIN4102,B1,M2) | |
| Components: | omponents: Superior enclosure with hot dip galvanized steel | |

Details:



| Speci | fication | | | |
|-------|-----------|--------|---|----------------|
| Size | Area | Height | Tube Size | Packing weight |
| 3m | 7.68m2 | 1.77m | Ø25*1.5mm | |
| 4m | 12.56m2 | 2.36m | | 194 |
| 5m | 19.63m2 | 2.95m | | 273.65 |
| 6m | 28.27m2 | 3.54m | | 320 |
| 7m | 38.48m2 | 4.13m | | 392 |
| 8m | 50.26m2 | 4.72m | | 442 |
| 10m | 78.53m2 | 5.9m | | 605 |
| 12m | 113.09m2 | 6m | Ø32*2.0mm | 1209 |
| 15m | 176.71m2 | 7.5m | | 2094 |
| 20m | 314.15m2 | 10m | Ø42*2.0mm | 3641 |
| 25m | 490.87m2 | 12.5m | | 4546 |
| 30m | 706.85m2 | 15m | Ø48*2.0mm(Built-in reinforced 40 tubes) | 11966 |
| 35m | 962.11m2 | 17.5m | | |
| 40m | 1256.63m2 | 20m | Ø60*2.5mm(Built-in reinforced 48 tubes) | 25299 |
| 45m | 1590.43m2 | 22.5m | | |
| 50m | 1963.49m2 | 25m | | |

Advantages:

1. Flexible and convenient

Easy installation and disassembly, adapted to different sites.

2. Safety and Solid

Structural stability, resistance to wind and snow shock.

3.High and fashion

Changing style in tarpaulin makes products for outdoor activities to bring better results, Weddings, parties, festivals, trade shows and other outdoor events is good.

Features:

PVC Material: The tent's outer covering is typically made of PVC (Polyvinyl Chloride), a strong and waterproof material. PVC provides excellent

protection against rain, wind, and UV rays, keeping the interior dry and comfortable.

Aluminum Frame: The tent's frame is constructed from lightweight yet sturdy aluminum poles or tubes. Aluminum is corrosion-resistant and offers good structural integrity, making it suitable for various outdoor environments.

Quick Assembly: PVC camping aluminum tents are designed for easy and quick setup. The tent poles are often color-coded or numbered to facilitate assembly, and many models feature a simple pole clip or sleeve system for hassle-free installation.

Portability: Despite their robust construction, PVC camping aluminum tents are designed to be portable and lightweight. They can be easily packed into a carrying bag or case for transportation to different camping sites or outdoor events.

Weather Resistance: These tents are engineered to withstand adverse weather conditions encountered during camping trips, such as rain, wind, and even snow. The PVC material and aluminum frame provide excellent resistance to water penetration and structural stability in windy conditions.

Ventilation: Many PVC camping aluminum tents feature built-in ventilation systems to improve airflow and reduce condensation inside the tent. This helps regulate temperature and moisture levels, enhancing comfort during warm weather or humid conditions.

FQA.

Q:Are you factory?

Yes.we are factory.

Q:Can I put my logo on the tent?

Sure, We accept all the customized service.

Q:Do your tent is safe and solid?

YES, Our tents can resist wind 100KM/H, Absolutely safe and reliable.

Q:Do your products have certifications?

Our tent product has passed the ISO9001, SGS,Coc, CE certificates.



 $No.319, 2nd\ building\ ,\ 8th\ zone\ ,\ Aoyuan\ city\ plaza\ ,\ Zhongcun\ Street,\ Guangzhou,\ Guangdong,\ China$