




Heavy Duty Professional Event Marquee Tents For Outdoor Exhibition Etc

Our Product Introduction

Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month




Product Specification

- Product Name: Professional Marquee
- Application: Office; Conference; Exhibition; Auto Show; Trade Show; Event
- Roof Cover: 850g/sqm Double Coated Pvc
- Wall Cover: Pvc Walls, Glass Walls, Abs Walls, Sandwich Walls
- Fixing Solution: Steel Anchors, Expand Screw, Weight Plate
- Allowed Temperature: -20° To 70° Environment
- Max Wind Loading Capacity: 100km/hour
- Snow Loading: 25kg/sqm
- Highlight: **Outdoor Event Marquee Tents, Heavy Duty Event Marquee Tents**



More Images



for more products please visit us on marquees-tent.com

Product Description

Heavy Duty Professional Marquee Event Marquee Tents For Outdoor Exhibition Etc

Here are the main components and technologies involved:

Frame Construction:

Material Selection: Professional marquees feature frames made from durable materials such as aluminum or steel. Aluminum frames are lightweight, corrosion-resistant, and offer ease of assembly and transportation.
Modular Design: Frames are often modular, allowing for easy expansion or customization to accommodate different event sizes or layouts.

Fabric Materials:

Weather Resistance: The canopy or cover of professional marquees is typically made from high-quality fabrics such as PVC-coated polyester or polyethylene. These materials are waterproof, UV-resistant, and fire-retardant, ensuring protection against outdoor elements.
Seam Technology: Advanced seam-sealing techniques ensure waterproof integrity and durability, crucial for maintaining a dry and comfortable interior during inclement weather.

Structural Integrity:

Engineering Standards: Marquees are engineered to meet industry standards for structural stability and safety. This includes wind load calculations, snow load capacity, and resistance to seismic forces in some regions.
Anchoring Systems: Advanced anchoring systems, such as ground anchors, ballast weights, or concrete blocks, secure the tent to the ground, enhancing stability and safety.

Modularity and Versatility:

Interchangeable Components: Professional marquees feature interchangeable components such as sidewalls, doors, and windows. This modularity allows for customization based on event requirements, weather conditions, or aesthetic preferences.
Expandability: Some marquees can be interconnected or combined to create larger event spaces or complex layouts suitable for exhibitions, weddings, corporate events, and more.

Ease of Assembly and Disassembly:

Tool-Free Assembly: Modern professional marquees often utilize tool-free assembly systems, such as snap-lock connectors or push-button mechanisms, enabling quick setup and dismantling.
Portability: Lightweight materials and compact packaging facilitate easy transportation and storage, essential for rental companies and frequent event organizers.

Technological Integration:

Accessories and Enhancements: Marquees may integrate technological advancements such as integrated lighting systems, HVAC (heating, ventilation, and air conditioning), soundproofing, and multimedia capabilities.
Smart Features: Some high-end marquees incorporate smart technologies for climate control, remote monitoring, and automated adjustments to enhance comfort and energy efficiency.

Quality Control and Compliance:

Certifications: Professional marquees adhere to international quality standards and certifications for safety, durability, and environmental sustainability.
Testing and Inspection: Rigorous testing procedures ensure that marquees withstand various weather conditions and operational stresses, meeting or exceeding industry expectations.

Description :

- Width:** from 3 meters to 50 meters
- Length:** Unlimited, extended by 3m or 5m each bay
- Eave height:** standard from 2.5m, 3m, 4m, to 5m upon span width(or special height per requested)

Aluminum profile	high pressed extruded aluminum alloy 6061-T6, stainless, lightweight, durable, 48X84X3mm for 3-10m tent
	68x122x3mm, 88x166x3mm, 108x150x3mm,112x203x4mm for 10-20m tent
	113x259x4mm, 120x300x5mm for 20-40m tent
	120x350x6mm for 40-50m tent
Steel parts	hot-dipped galvanized steel
Top roof fabric	850g/sqm double coated pvc, block-out, waterproof , flame retardant meet M2, B1, DIN4102 standard
Side panels(optional)	(1)650g/sqm double coated pvc, translucent, waterproof , flame retardant meet M2, B1, DIN4102 standard, or;
	(2)950g/sqm transparent pvc fabric, or;

	(3)solid walls: glass panel, sandwich panels, ABS panels, color steel sheet
Allowed temperature	-20° to 70° environment
Max wind loading capacity	100km/hour
Snow loading	25kg/sqm

FQA:

1. What size tent and what types do i need?

Tent size depends on the number of people to accommodate or the area you want to cover. In our factory, your choice can be 3 meter to 50 meter on width.

For tent types, contact us with detailed requirements. We will send you our professional solution.

2. What is the production time for standard tent?

15-20 days after deposit confirmed.

3. What's the lifespan of your clear span structure tent?

In the reasonable using, the lifespan of the aluminum alloy can last over 10 years and the PVC cover is more than 5 years.

4. Can your tent be relocated?

All our tent structures is designed into relocatable construction. For the seasonal and regional reason, you can dismantle, store or remove the tent to other location.

5. Can I extend the tent size or replace the related accessories in the future?

Sure. All of our tent structures and accessories are modular type. You can extend the tent length by adding some extra parts.

For accessories or replacements to renew the tents, we will offer a reasonable price for our regular clients.



Guangzhou Tendars Tent Co., Limited

☎ 0086 13640286461

✉ amanda@marquees-tent.com

🌐 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China