Waterproof Shell Shape Glamping Resort Hotel Tent Hotel Covers With Bathroom

Basic Information

Place of Origin: GuangdongBrand Name: Tendars

• Certification: ISO9001, SGS, Coc, CE

Model Number: Truss Frame
Minimum Order Quantity: 25 square meters
Price: Reconsideration

Packaging Details:
1, The aluminium frame structure packed into

the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.

Delivery Time: 18days or To be negotiated

Payment Terms: L/C, T/T, Western Union, MoneyGram
Supply Ability: 50000 Square Meters per Month



Product Specification

Product Name: Shell Shape Glamping Resort Hotel Tent

• Fabric: PVDF

Tent Style: Extended Type
Frame Material: Steel Structure
Cover Material: 1050g/m² PVDF

Sidewall Material: Insulation 200g Cotton Fabic

• Temprature: -30~ +70 °C

• Lifespan Of Cover: 10 To 15 Years If Well Maintained

Max Wind Speed 120km/h
Allowance:

Characteristics: Waterproof, Fireproof, UV Resistance

Highlight: Glamping Resort Hotel tent With Bathroom,
Weterprent Clamping Resert Hotel tent

Waterproof Glamping Resort Hotel tent, Shell Shape Glamping Resort Hotel tent



More Images



Product Description

Waterproof Shell Shape Glamping Resort Hotel Tent Hotel Covers With Bathroom

The shell shaped luxury resort tent has the following notable features:

Unique exterior design

The shell shape gives the tent its unique aesthetic value, making it stand out among the many holiday accommodation options.

Smooth curves and elegant shapes complement the surrounding natural environment and become a beautiful landscape.

Large interior space

Provides spacious and well-laid out interior Spaces capable of accommodating high quality furniture and amenities.

For example, the comfortable queen bed, separate sitting area, luxurious bathroom, etc., create a comfortable living experience for guests.

High-end decor and fittings

The interior is beautifully decorated with high quality materials and exquisite craftsmanship.

It may be equipped with soft carpets, luxurious curtains, art decorations, etc., to create a luxurious atmosphere.

Good sound and heat insulation properties

State-of-the-art soundproofing and insulation ensure a quiet and comfortable environment in the tent.

Not affected by outside noise and temperature changes, whether it is hot summer or cold winter, it can maintain a pleasant indoor temperature.

Flexibility and mobility

The structure of the tent has a certain degree of flexibility, which can be adjusted and built according to different sites and needs.

It can also be moved and rearranged with relative ease if necessary.

Product Description:

| Material | Truss structure, mild steel; Stainless steel, aluminum alloy 6082-T6 truss,Q235B steel |
|---------------------|--|
| Coating | Spray Painting; Galvanization;Powder Coated Hot galvanized |
| Finishing treatment | Hot Dip Galvanization or Painting |
| Fabrication | 1100g PVDF,Flame retardant B1, mildew proof, 100% waterproof and UV proof |
| Max Wind | 150 KM/H |
| Snow Load | 0.3 kn/sq meters |
| Warranty | Roof cover 15 years; frame 30 years |
| Installation time | 4 people one day |

Services:

Custom design

According to the needs of customers and the characteristics of the site, the design scheme of the shell shaped tent is tailored for customers.

Quality material supply

Provide high quality tent materials, including strong frame materials, durable tarpaulins, high-performance insulation and sound insulation materials.

Exquisite manufacturing technology

With experienced production team, the use of advanced manufacturing technology and process to ensure the quality and accuracy of the tent.

Fast production and delivery

With efficient production process, can complete the production of the tent within the agreed time, and timely delivery to the customer.

Installation and commissioning services

Send a professional installation team to the site for the installation and commissioning of the tent.

After-sales service

Provide perfect after-sales service, including tent maintenance, repair and parts replacement.

Details:

| Floor area | 5x8m | • | 5x8.5m | 8x12m | |
|----------------|-----------------------|-----------|---------------------------|-----------|--|
| Indoor Area | 5x6.5m | | 6x7m | 8x9.5m | |
| Top Height | 3.6m | | 3.6m | | |
| Wall | Glass Wall | | | | |
| Outer Fabric | 1050g /m²PVDF | | | | |
| Inner Fabric | 200g cotton fabic | | | | |
| Main pipe size | steel pipe 100x50x3mm | | | | |
| Frame | steel structure | | | | |
| Waterproof | Windproof | Roof load | Applicable Temperature | Life span | |
| WP8000 | Level 12 | 70kg/m² | -30°C—70°C | 10 years | |





 $No.319, 2nd\ building\ , 8th\ zone\ , Aoyuan\ city\ plaza\ , Zhongcun\ Street,\ Guangzhou,\ Guangdong,\ China$