




Resort Beach Camping Accommodation Safari Tent House For Weekend Getaway

Our Product Introduction

Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Truss Frame
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



Product Specification

- Product Name: Resort Beach Camping Accommodation Safari Tent
- Place Of Origin: Guangdong, China
- Fabric: PVC Or Canvas
- Application: Outdoor Camping Hotel Tent
- Usage: Outdoor Camping Wild Tent
- Color: Customized Color
- Feature: Waterproof
- Material: PVC
- Size: Customized Size
- Type: 2-4 Person Tent
- Highlight: Weekend Getaway Safari Tent House, Resort Beach Safari Tent House, Camping Accommodation Safari Tent House



More Images



Product Description

Resort Beach Camping Accommodation Safari Tent House For Weekend Getaway

Product Description:



*Nature proof with durable construction and canvas yet visually appealing, our Safari mobile tents will feed your imagination at first glance.

* It is commonly used for glamping, hotel, camping, resort, temporary structures or to enclose equipment.

*Safari Tent is made by plywood wooden pole frame and hot galvanized steel strong bases.

*The cover is made by 1680D oxford cloth and double-coated PVC fabric, which it is Fire Retardant, Waterproof.

Item Name	Resort Beach Camping Accommodation Safari Tent House For Weekend Getaway
Frame Material	Plywood Wooden Pole Frame (80x60x3mm) with galvanized steel strong bases
Outer Cover Material	1680D Oxford Cloth Fabric
Inner Cover Material	850g/sqm PVC Coated Polyester Fabric
Size	5x7m, 5x9m or Customized
Color	Beige, Green, Gray or Customized
Life Span	8-10 Years
Wind Load	75kg/sqm
Snow Load	80-100kg/m ²
Features	Water Proof, UV Resistance, Fire Retardant(DIN4102,B1)
Application	Camping, Glamping, Hotel, Reosrt,etc

Details:

Character & Features:

- 1)The maximum allowed wind speed is 80km/h.
- 2)very easy and very fast to install and dismanttle.
- 3)Convenient to transport and store,Temporary or permanent use is available

Clear Span (m)	Length (m)	Ridge Height (m)	Area (m2)	Suggested Platform Area (m2)
5	5	3.95	25	37.5
5	7.5	3.95	37.5	50
5	10	3.95	50	62.5
6	6	4.95	36	54
6	9	4.95	54	72
6	12	4.95	72	90
6	6 (Single Roof)	4.38	36	54
5	5 (Single Roof)	3.48	30	37.5

FQA:

1.Q: Could you please design a new and unique prefab house for me?

A: Absolutely! We are able to provide you with not only construction scheme, but landscape design! One-stop service is our outstanding superiority with no doubt.

2.Q: What should I provide to build a prefab house?

A: So easy! Sketch drawing would be a better reference for us. However, you will never mind if you don't have any. Simply notify us your requirements, such as the area, usage and the stories of the house. Before long, you'll possess an amazing design.

3.Q: How could I ensure the cost of building a prefab house?

A: Firstly, the designing scheme should be accepted. Then, the kinds of building materials should be confirmed since different types and qualities make various prices. After that, we will send you a detailed quotation.

4.Q: How Long does it take to build a light steel prefab house?

A: It depends on the size of the house. Generally, one 50 square meter house five workers 1-3days finished installation, save manpower and time

5.Q: Is it difficult to build a prefab house?

A: Totally not, you can build the house independently according to the construction drawings as long as you know how to use an electric tool.





0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China