Luxury Safari Snail Hotel Tent Outdoor Tents Glamping Tents With Bathroom

Basic Information

Place of Origin: GuangdongBrand Name: Tendars

• Certification: ISO9001, SGS, Coc, CE

Model Number: Truss Frame
Minimum Order Quantity: 25 square meters
Price: Reconsideration

• Packaging Details: 1, The aluminium frame structure packed into

the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.

Delivery Time: 18days or To be negotiated

Payment Terms: L/C, T/T, Western Union, MoneyGram
Supply Ability: 50000 Square Meters per Month



Product Specification

Product Name: Safari Snail Hotel Tent
Color: White/beige/green/blue Etc.

Application: Hotel Resort Etc.

Feature: Waterproof/Fireproof/ Heat Resistant/ UV

Resistance

Cover Material: PVDF/PTFE Building Membrane
Frame Material: GB Q235 Steel/galvanized Steel

Temperature Resistance: -30°C - +70°C
Wind Resistance: 120km/h
Snow Load: 100kg/sqm
Life Span: 15-30 Years

Highlight: Outdoor Snail Hotel Tent,

Glamping Snail Hotel Tent, Luxury Safari Snail Hotel Tent



More Images





Product Description

Luxury Safari Snail Tent Hotel Outdoor Tents Glamping Tents With Bathroom

Product Description:







Specification			
Product Name	Safari Snail Hotel Tent	Roof Cover	1100g/sqm PVDF coated fabric tensile
Main Materials	Q235 steel frame	Membrane Colors	Customized
UV Transmission	T-UV 0%	Wind load	Max. 120km/h (can be reinforced)
Snow load	75kg/sqm	Fabric Thickness	0.1mm
Weight of Fabric(g/m³)	1100g/m²	Yarn Count(yarn/cm)	12/12 yarn/cm
Tear Strength	520-580N(DIN53363)	Tensile Strength	4000-4500N(DIN53354)
Temperature Resistance	-30°C - +70°C	Life Span	15 Years

Wall material	Divided into soft wall and hard wall,can be customized according to customer requirements.		
Frame Material	Hot-dip galvanizing anti-corrosion treatment for steel structures		
Roof Cover	1050g/sqm white PVDF membrane material(fireproof/waterproof/anti-UV)		
Material	Troopy oqui millo 1 121 monstano matonal (moprosi matorpiosi matorpio matorp		
Inner fabric	850g PVC,its main function is to close the room and block dust and sand.		
Windows	Mainly composed of an aluminum frame and glass.		
II)∩∩r I	Single open glass door, double open glass door, single open wooden door and double open		
	wooden door to be choosen.		
Ground	Ground systems are also known as decks or platforms		
systems	Circuita dystems are also known as acons or piationns		
Application	Accommodation,camping tent,hotel,party etc		

PVDF membrane structure material used in membrane structure construction is a kind of film material with good strength and flexibility. It is made of fiber woven into fabric substrate and processed with resin as coating material on both sides of the substrate. The fixed material, the central fabric substrate is divided into polyester fiber and glass fiber, and the resin used as the coating material is polyvinyl chloride resin (PVC), silicone and polytetra fluoroethylene resin (PTFE). In terms of mechanics, the fabric substrate and the coating material respectively have the following functional properties.

Fabric substrate - tensile strength, tear strength, heat resistance, durability, fire resistance.

Coating material - weather resistance, antifouling, processability, water resistance, resistance to products, light transmission.

FQA:

Q 1. Are you factory or trade company?

We are direct factory.

Q 2. What is your Payment terms?

T/T is available.

Q 3. Is your tent strong and stale enough, How about the wind loading?

Yes, Steel structure and cover wind resistance and load bearing is calculated by professional software and Experienced engineer team, will be more than we planned 50%. The wind load at least more than 120KM/H.

Q 4. What's the material of the cover, does it can last long time?

The cover material is PVDF or PTFE.PVDF can last more than 15-20 years.PTFE can last more than 50 years.It have fabric inside,so it very strong ,not easy to be torn.

Q 5. When will you ship the orders?

Once the design of tent is confirmed, we will arrange production plan, and inform you of the lead time, generally it takes about 7-25 working days.

Q 6. What is the total price include freight?

The total price is based on the design.













