




Outdoor Waterproof Large Hotel Safari Tent Luxury Safari With Bathroom

Our Product Introduction


Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Truss Frame
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



Product Specification

- Product Name: Large Hotel Safari Tent
- Area: 45m²
- Fabric: Canvas
- Color: Customized
- Size: 5.5*8M
- Style: Glamping Tent Luxury Hotel
- Usage: Camping Hiking Travelling
- Material: Canvas
- Feature: Waterproof
- Frame Material: Wood
- Highlight: Outdoor Waterproof Hotel Safari Tent, Luxury Hotel Safari Tent, Large Hotel Safari Tent



More Images



Product Description

Outdoor Waterproof Large Hotel Safari Tent Luxury Safari With Bathroom

Advantages:

Comfort and Convenience: Offers a high level of comfort with hotel-like amenities, including quality furnishings and private bathrooms.

Unique Experience: Combines the thrill of being in nature with the luxury of a hotel stay, providing a memorable and unique lodging experience.

Durability: Built to withstand various weather conditions, ensuring a reliable and long-lasting accommodation option.


Product Description:

The Large Hotel Safari Tent is crafted to offer guests a unique and immersive outdoor experience without compromising on comfort and style. Its design typically includes high-quality materials and thoughtful features that ensure both durability and luxury, making it an ideal choice for travelers seeking a blend of adventure and relaxation.



Size	5*9m
Frame Material	Solid wood / steel pipe / aluminum alloy (optional)
Support Size	D90mm
Roof canvas	Military grade waterproof PU coated canvas 550/m ²
Connector	Powder coated steel connectors
Color	off white, Khaki ,light yellow or customized
Life span	10 Years
Interior Options	Basic interior luxury interior family interior couple interior
Features	Structure materials: Anti-corrosion pine wood, Steel structure or aluminum alloy Structural connectors: Galvanized steel with surface treatment and car paint baking process
Application	Resort and Hotel, Semi permanent dwelling, Commercial Space, Glamping site


Details:




850gsm PVC
Coated Fabric



Connector



Solid wood



Bathroom

FQA:

Q1: Are your factory or just trading company?

A: We are professional manufacturers .

Q2: What about the terms of payment?

A: We accept T/T,L/C, West Union, PayPal, your name it.

Q3: Can I obtain samples before mass production?

A: After the price confirmation, you can require samples to check the quality. Sample charged and we sincere hoping for the business cooperation with you in near future.

Q4: How long is your Leadtime?


A: After deposit in, we will make subsequent arrangements to the factory. That production times varies from different tent products, ordinarily it will take 15-25 days to accomplish the production mission.

Q5: Can you accept the tailor-made tent order?

A: Welcome any inquiry to the tailor-made tent product, we will sort out your question and let the professional engineers to answer you back. Drawings, structures, and all the relevant dealings.

Q6: How to contact if there are problems in the tent setup process?

A: Please send us emails, your inquiries will be handled in time, and please choose the methods which suits you most, say WhatsApp, Gmail, Skype, Zoom, and so forth. Real time communications will directly work.



Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China