

Guangdong

Truss Frame

25 square meters

Reconsideration

ISO9001, SGS, Coc, CE

Tendars

Outdoor Large Project Hotel Tent Waterproof Glamping Luxury Safari Lodge Tent

1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric

Waterproof Glamping Luxury Safari Lodge Tent

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- carry bag; 3, Hardware packed into the box. Delivery Time: 18days or To be negotiated • Payment Terms: L/C, T/T, Western Union, MoneyGram 50000 Square Meters per Month
- Supply Ability:



Product Specification

 Product Name: Large Project Hotel Tent 45 m² Area: Fabric: Canvas Customized Color: 5.5*8M • Size: • Style: Glamping Tent Luxury Hotel Camping Hiking Travelling • Usage: Canvas Material: Feature: Waterpoof • Frame Material: Wood Highlight: Outdoor Glamping Luxury Safari Lodge Tent,



More Images



Product Description

Outdoor Large Project Hotel Tent Waterproof Glamping Luxury Safari Lodge Tent

Product Description:

Safari tent is a popular luxury glamping tent. The wooden material bracket and the deep khaki canvas exterior, the luxury safari tent retains the appearance of the traditional camping tent. However, the former's living environment has been greatly improved. Moving the living environment in the modern house into the tent allows people in the wild but have the feeling of living in urban hotels.



Product Name	Large Project Hotel Tent	
Size	5*9m	
Frame Material	Solid wood / steel pipe / aluminum alloy (optional)	
Support Size	D90mm	
Roof canvas	Military grade waterproof PU coated canvas 550/m ²	
Connect or	Powder coated steel connectors	
Color	off white, Khaki ,light yellow or customized	
Life span	10 Years	
Interior Options	Basic interior luxury interior family interior couple interior	
Features	Structure materials: Anti-corrosion pine wood, Steel structure or aluminum alloy Structural connectors: Galvanized steel with surface treatment and car paint baking process	
Applicati on	Resort and Hotel, Semi permanent dwelling, Commercial Space, Glamping site	

Flysheet	750g Eco-friendly PVDF ;
Dimension	PU layer;
	Water resistant pressure (WP10000)
	UV proof (UV50+);
	flame retardant according to US CPAI-84;
	Mold-resist;

	360g canvas, PU layer;
	Water resistant pressure (WP5000)
Inner Dimension	UV proof (UV50+);
	Flame tardant according to US CPAI-84;
	Mold-resist; Bug-resist;
	Main pipe: 80mm synthesize anticorrosion wood (won
	crack, won deform; structurally strong)
Structure Details	Craft: polished surface, anticorrosion treated, weather prof/water prof wax treatment
Oliuciule Delans	Connecting pipe: 88m stainless steel pipe, 2.0mm thick (strong)
	Craft: black, powder-coated/TIG welding (can withstand outdoor use)
	Stainless steel bolt and nut/dovetail nail
	SBS zipper
	Anti tear mesh,anti freeze & transparent PVC (-40
Accessories	degrees)
	100% plastic clipper;
	Nickle coated brass button;
	8mm anti aging rope
Remark	More size can be customized

FQA:

1.Do you offer customization?

Yes, we offer customized service. You can customize the size, color, logo and so on according to your need.

2.Does your tent be able to install repeatedly?

Yes, our tent can be assembled and dismantled repeatedly.

3.Is your tent strong and solid enough?

Yes, our tent can resist wind up to 88km/H and its framework is hard extruded aluminum 6061/T6 which can last more than 20 years.

4. Is that factory price?

Yes, we are EXW price.

5. What are included in the price?

Above prices not including shipping and installation service, including installation drawing, vedio











Bathroom

850gsm PVC Coated Fabric

Connector

Solid wood

