



Outdoor Hot Dip Galvanizing Structure Waterproof Camping Hotel Tent For Resort

Our Product Introduction

Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Truss Frame
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month



Product Specification

- Product Name: Waterproof Camping Hotel Tent
- Usage: Outdoor
Party, exhibition, event, ceremony, wedding
- Application: Event, Party, Wedding, Trade Show, Car Park, Hotel, Church Etc
- Color: Customized Color
- Material: PTFE/PVC/PVDF/ETFE
- Size: Customized
- Top Roof Material: Water-proof, sun-proof, UV-proof, rust-proof
- Max Allow Wind Speed: 100km/hour
- Warranty Time: 2 Years
- Highlight: **Outdoor Waterproof Camping Hotel Tent, Resort Waterproof Camping Hotel Tent**



More Images



Product Description

Outdoor Hot Dip Galvanizing Structure Waterproof Camping Hotel Tent For Resort

Feature:

- 1)Non-stick, easy release
- 2)Excellent thermal stability with maximum continuous use temperature of 260°C / 500F
- 3)PTFE surfaces are unaffected by most chemicals and solvents and are chemically inert
- 4)Easy to clean
- 5)Non-toxic and food compliant
- 6)Very low surface friction and easy slide properties
- 7)Mechanically and dimensionally stable
- 8)Excellent heat transfer which also allows low energy consumption
- 9)Different thicknesses is available
- 10)High tensile strength and tear strength

Product Description:



Clear Span (m)	Length (m)	Ridge Height (m)	Area (m2)	Suggested Platform Area (m2)
5	5	3.95	25	37.5
5	7.5	3.95	37.5	50
5	10	3.95	50	62.5
6	6	4.95	36	54
6	9	4.95	54	72
6	12	4.95	72	90
6	6 (Single Roof)	4.38	36	54
5	5 (Single Roof)	3.48	30	37.5

Advantage

1. Advantages of Tensile Membrane Structures
1. Flexible Design Aesthetics Virtually unlimited designs of distinctive elegant forms can be realized because of the unique flexible characteristics of architectural membrane. Also, fewer support columns create more functional, aesthetically pleasing spaces.
2. Outstanding Translucency
In daylight, the membrane's translucency offers soft diffused naturally lit spaces reducing interior lighting costs. At night, the artificial lighting creates an ambient exterior luminescence.
3. Shortened Construction Schedules
Incorporating the most modern construction techniques, large fabricated membrane panels can be installed quickly to shorten installation schedules. Likewise, fabric removal can be accomplished easily.
4. Cost Benefits
Lightweight structures can be a more cost effective solution than traditional building materials offering building owners reduced costs. Materials, such as photo-catalytic membranes, can help prevent temperature rise as well as reduce maintenance costs due to their self-cleaning properties.

5. Long Span Structures Lightweight membrane is a cost-effective solution that requires less structural steel to support the roof, enabling long spans of column-free space.
6. Earthquake Resistant Lightweight tensile membrane structures bear less building load than traditional roofing materials and the membrane's elasticity offers further earthquake resistance.

FQA:

Q: Are you factory?

Yes, we are factory.

Q: Why do I need to know the use of Membrane structure and local climate?

To know the use of Membrane structure and local weather, I can provide you with advice better, and it is very useful for our designer's work.

Q: Can I put my logo on the Membrane structure?

Sure, We accept all the customized service.



Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building, 8th zone, Aoyuan city plaza, Zhongcun Street, Guangzhou, Guangdong, China