



Premium Wedding Party Marquee Tent Aluminium Frame Ivory Liner French Door Panels UK Venue Event Shelter

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: ECO TENT
- Certification: TUV Rheinland, ISO 9001:2015, DIN 4102 B1, BS 7837
- Model Number: ET-WD-LUXUK
- Minimum Order Quantity: 10 Sets
- Price: USD 1500-4500 / Set
- Packaging Details: Premium anodised frame in custom foam-lined transport cases; ivory liner and fabric in protective garment bags; flooring in separate palletised cartons
- Delivery Time: 20-30 Days Production, 25-30 Days Sea Freight to UK
- Payment Terms: T/T, L/C at sight, PayPal, Western Union
- Supply Ability: 250 Sets per Month



Product Specification

- Frame Material: Aluminium Alloy 6061-T6, Hard Anodised
- Roof Type: Peak Roof With Internal Lining
- Roof Fabric: 850 G/m² Premium PVC, UV50+
- Sidewall Options: Solid/Clear/French Door Panels
- Flooring: Modular Hardwood/Carpet/Vinyl (Optional)
- Interior Lining: Pleated Ivory Ceiling Liner
- Lighting: Integrated LED Channels (Optional)
- Fire Certification: DIN 4102 B1/M2/BS 7837
- Frame Warranty: 5 Years
- Fabric Warranty: 3 Years
- Highlight: **wedding marquee tent aluminium frame, party marquee tent ivory liner, event shelter french door panels**

for more products please visit us on marquees-tent.com

Product Description

Product Description

Our **Premium Wedding Party Marquee Tent** is engineered specifically for the UK outdoor environment. Constructed with a heavy-duty aluminum alloy frame, premium waterproof PVC roof fabric, and robust wind-resistant design, this marquee tent delivers exceptional performance for garden parties, weddings, corporate events, village fetes, and outdoor exhibitions across the United Kingdom.

Key Features & Advantages

100% Waterproof Construction: Double heat-sealed seams and high-density PVC fabric provide complete rain protection, rigorously tested under prolonged heavy rainfall conditions typical of the British climate. Integrated gutter system channels water away efficiently.

Wind-Resistant Engineering: Reinforced steel connectors, cross-bracing system, and heavy-duty ground anchors withstand gusts up to 80km/h, tested to meet UK wind loading standards for temporary structures.

Aluminum Alloy 6061-T6 Frame: Lightweight yet exceptionally strong with natural corrosion resistance, essential for damp British conditions and coastal areas from Cornwall to Scotland.

UV-Resistant PVC Fabric: Premium UV-stabilised fabric prevents degradation even during the rare but intense British summer sunshine, protecting guests and equipment.

Fire-Retardant Certification: PVC fabric certified to DIN 4102 B1, M2, and BS 7837 British Standard for fire safety, fully compliant with UK event venue regulations and local authority requirements.

Modular Expandable Design: Multiple tent units connect seamlessly to create larger covered spaces for grand events, festivals, and exhibitions.

Quick Assembly System: Slip-fit connector design enables rapid setup by a small team, reducing labour costs for UK event hire companies.

TUV Certified Quality: Full TUV Rheinland certification covering structural integrity, material quality, and load-bearing capacity.

Luxury Wedding Venue Grade: Pleated ivory ceiling liner conceals the frame structure for an elegant ballroom appearance. French door entrance panels and chandelier mounting points create a sophisticated atmosphere for UK country house and garden weddings.

All-Weather British Weddings: Integrated gutter system, insulated sidewall options, and portable heating ports ensure your wedding reception stays comfortable regardless of British weather from spring through autumn.

Technical Specifications

Parameter	Specification
Frame Material	Aluminium Alloy 6061-T6, Hard Anodised Premium Finish
Roof Type	Elegant Peak Roof with Internal Lining Valance
Roof Fabric	850 g/m ² Premium PVC, UV50+, Anti-Fungal Treated
Sidewall Options	Solid Ivory Panels, Clear Panoramic Windows, French Door Panels
Flooring Options	Modular Hardwood Flooring, Carpet Tiles, Vinyl Dance Floor (Optional)
Interior Lining	Pleated Ivory Ceiling Liner with Chandelier Mounting Points
Modular Connection	Seamless Multi-Unit Gutter Connection System
Waterproof Rating	100% Waterproof — Integrated Gutter & Downpipe System
Wind Resistance	Up to 90 km/h with Full Anchoring System
Fire Certification	DIN 4102 B1 / M2 / BS 7837 Compliant
Lighting System	Integrated LED Warm White Channel with Dimmer (Optional)
Warranty	5 Years Frame / 3 Years Fabric

Production Process & Quality Control

Manufacturing Excellence

Our 15,000 m² factory is equipped with advanced **CNC machining centres** for precision aluminium frame cutting and drilling, ensuring tolerances within $\pm 0.5\text{mm}$ for perfect fit every time. Our production lines include:

CNC Aluminium Profile Cutting Machines — High-precision automated cutting for frame components with digital calibration

CNC Drilling & Tapping Centres — Accurate hole positioning for connector assemblies with micron-level precision

High-Frequency PVC Welding Machines — Industrial-grade heat sealing for 100% waterproof roof and sidewall panels

Automated Fabric Cutting Tables — CNC-controlled for consistent panel dimensions and minimal waste

Steel Connector Stamping Lines — Precision stamping for hot-dip galvanised steel fittings

Quality Control Journey

Incoming Material Inspection: Aluminium profiles tested for alloy composition and tensile strength per ASTM standards

In-Process QC: Dimensional checks at each production stage using calibrated digital instruments

Frame Pre-Assembly Test: Complete frame assembly to verify fit, alignment, and structural stability

Waterproof Testing: 24-hour continuous water spray test on randomly sampled roof panels

Wind Load Simulation: Structural testing to verify wind resistance to 80km/h with safety margin

UV Accelerated Ageing Test: 500-hour QUV testing to ensure long-term outdoor durability
Final Inspection: Comprehensive checklist review before packaging and shipment

Company Strength & Factory Overview

Industry Experience	10+ Years specialising in marquee tent manufacturing and global export
Factory Size	15,000 m ² production facility with 3 dedicated assembly lines
Production Capacity	500+ Marquee Tents per Month
CNC Equipment	8 CNC Machining Centres for precision aluminium processing
Skilled Workforce	80+ employees including 12 QC specialists and 8 R&D engineers
Export Markets	United Kingdom, Europe, Australia, New Zealand, Middle East, Africa
Annual Export Volume	3,000+ containers shipped globally

Certifications & Test Reports

Certificate	Scope	Status
TUV Rheinland	Structural safety, material quality, and load-bearing capacity — full product certification	Valid
ISO 9001:2015	Quality Management System — entire design, manufacturing, and delivery process	Valid
DIN 4102 B1 / M2	Fire retardancy certification for PVC fabric materials	Valid
BS 7837:1996	British Standard for flammability of textiles used in marquees and temporary structures	Compliant
UV Ageing Test Report	500-hour QUV accelerated ageing — fabric retains 95% tensile strength	Available on request
Wind Load Test Report	Structural wind resistance verified to 80km/h with proper anchoring	Available on request
Waterproof Test Report	24-hour continuous water spray with zero leakage — certified waterproof	Available on request

Packaging & Shipping

Frame Packaging	Aluminium frame sections wrapped in protective foam film, packed in reinforced export-grade corrugated cartons with fumigated plywood pallet base
Fabric Packaging	PVC roof and sidewall panels folded with protective interleaving, packed in heavy-duty woven poly bags inside cartons
Accessories	Steel stakes, tension ropes, and connectors packed separately in clearly labelled cartons
Shipping Method	FCL or LCL sea freight to UK ports: Felixstowe, Southampton, London Gateway, Liverpool, Grangemouth
Delivery Time	15-25 days production + 25-30 days sea freight to the United Kingdom

Pre-Sales Service

Free Consultation	Expert team helps you select the right tent size, configuration, and accessories tailored to your UK event type and venue conditions
Custom Design Service	CAD drawings provided for custom configurations; logo printing and RAL colour matching available for UK corporate branding
Sample Service	Fabric swatches and aluminium profile samples shipped within 3 working days via DHL Express to UK addresses
Quotation	Detailed itemised quotation including CIF UK port pricing within 24 hours of inquiry

Virtual Factory Tour	Live video tour of production lines and QC processes via Zoom or Teams at your convenience
-----------------------------	--

After-Sales Service & Warranty

Service Item	Details
Warranty Period	5-Year Comprehensive Warranty on aluminium frame structure against manufacturing defects
PVC Fabric Warranty	3-Year warranty on PVC roof and sidewall fabric against UV degradation and waterproof failure
Spare Parts Service	Free replacement parts dispatched within 7 days for any warranty-covered defect. UK-bound express shipping available.
Technical Support	24/7 online support via email and video call; assembly guidance and troubleshooting in English
Setup Training	Detailed assembly manual with step-by-step photographs; video tutorial link included with every order
Replacement Guarantee	Any component found defective upon arrival will be replaced free of charge, including return shipping to any UK address

Frequently Asked Questions (FAQ)

Q1: Are these marquee tents suitable for the UK climate?

A: Absolutely. Our marquee tents are specifically engineered for British weather conditions with 100% waterproof construction, wind resistance up to 80km/h, corrosion-resistant aluminium frames for damp conditions, and fire-retardant fabric meeting BS 7837 standards. They have been supplied to UK event hire companies for over a decade.

Q2: Do your tents comply with UK fire safety regulations?

A: Yes. Our PVC fabric is certified to DIN 4102 B1/M2 and BS 7837:1996, the British Standard for flammability of textiles used in marquees and temporary structures. Full test reports are available for local authority inspections.

Q3: What is included in the 5-year warranty?

A: Our 5-year warranty covers all aluminium frame structural components against manufacturing defects. PVC fabric is covered for 3 years against UV degradation and waterproof failure. During the warranty period, we ship free replacement parts within 7 days to any UK address.

Q4: Can I customise the size, colour, or add our company logo?

A: Yes, we offer full customisation. Choose custom sizes, RAL colours, and UV-resistant digital printing for your company logo or branding on roof and sidewalls. Free CAD mockup and design proof provided before production.

Q5: What is the minimum order quantity (MOQ)?

A: Our standard MOQ is 10 sets per size/configuration. For first-time UK buyers, we can accommodate smaller trial orders of 5 sets to evaluate our quality before larger commitments.

Q6: How long does shipping take to the UK?

A: Production takes 15-25 days depending on order volume. Sea freight to major UK ports (Felixstowe, Southampton, London Gateway, Liverpool) takes approximately 25-30 days. Total lead time is typically 40-55 days from order confirmation.

Q7: Do you provide assembly instructions?

A: Yes, every order includes a detailed printed assembly manual with step-by-step photographs in English. We also provide a video tutorial link and can arrange a live video call for assembly guidance.

Q8: Can I visit your factory?

A: We warmly welcome UK buyers to visit our factory in Guangdong, China. We can also arrange a virtual factory tour via video call where we walk you through our production lines, CNC machining centres, QC processes, and showroom.

Q9: What payment terms do you accept?

A: We accept T/T (30% deposit, 70% balance before shipment), L/C at sight, and for smaller orders, PayPal and Western Union. For established UK partners, we can discuss flexible payment terms.

Q10: Are spare parts available after purchase?

A: Yes, we maintain a comprehensive spare parts inventory including aluminium frame sections, connectors, steel stakes, tension ropes, and PVC panels. Spare parts are available for purchase at any time with fast shipping to the UK.

Wedding Venue Configuration Options

Component	Description
Ivory Pleated Ceiling Liner	Elegant pleated fabric ceiling liner conceals frame structure, creating a refined ballroom ambiance
Chandelier Mounting Points	Reinforced mounting points along ridge beam for crystal chandeliers and decorative lighting
French Door Entrance Panels	Clear PVC door panels with framed archway for grand entrance and natural light
Modular Hardwood Floor	Interlocking timber flooring panels with adjustable support legs for level installation on any terrain
Climate Comfort Package	Optional sidewall insulation panels, portable heating units, and ventilation fans for year-round comfort



Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China