



Premium Saudi Wedding Celebration Party Marquee Tent Gender Segregated Dual Hall Design for KSA Royal Events

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: ETENT
- Certification: TUV, CE, ISO 9001, SASO Compatible
- Model Number: ET-PM-SA3100
- Minimum Order Quantity: 1 Set
- Price: USD 48-98 per sqm
- Packaging Details: Premium PE Film + Bubble Wrap + Reinforced Wooden Pallet
- Delivery Time: 15-25 Working Days
- Payment Terms: T/T, L/C, Western Union
- Supply Ability: 5000 Sets per Month



Product Specification

- Frame Material: 6061-T6 Aluminum Alloy, Royal Gold Anodized Finish
- Layout System: Dual-Hall Design — Men's Hall + Women's Hall With Independent Entrances
- Cover Fabric: 950g/m² Premium PVC-Coated Polyester, Islamic Pattern Print Ready
- Climate Control: Independent HVAC Zones Per Hall, AC Ducting Ports Every 5m
- Wind Resistance: Up To 100 Km/h (EN 13782 Certified) — Handles Saudi Desert Winds
- Sandstorm Protection: Double-Sealed Entry System, Sand-Skirt Bottom Seals
- Operating Temperature: Up To 55°C Ambient (AC-Compatible Interior Design)
- Sidewall Options: Solid PVC, Arabesque Print, Glass Wall, Insulated Sandwich Panel
- Door Options: Ornate Grand Entrances Per Hall, Roll-Up Service Doors, Private Access Corridors

for more products please visit us on marquees-tent.com

Premium Saudi Wedding Celebration Marquee Tent — Honoring Tradition with Modern Royal Grandeur

Saudi Arabian weddings are legendary — multi-day celebrations uniting families, clans, and business networks in gatherings that can exceed 2,000 guests. These events operate under cultural protocols refined over centuries: strict gender segregation with entirely separate halls, independent service areas, and expectations of uncompromising luxury. The **Premium Saudi Wedding Celebration Party Marquee Tent** is purpose-engineered for this unique requirement — featuring an integrated dual-hall design with independent entrances, climate control zones, and dedicated service corridors for men's and women's celebrations, all wrapped in a gold-anodized royal frame with Islamic geometric pattern fabric.

From Riyadh's palatial wedding venues to Jeddah's coastal celebration halls, Dammam's family compounds to the grand tents of Qassim and Abha — this tent delivers the segregated luxury that Saudi wedding tradition demands.

Technical Specifications

Parameter	Specification
Frame Material	6061-T6 Aluminum Alloy, Premium Royal Gold Anodized Finish
Frame Connection	Industrial Hot-Dip Galvanized Steel Joints, Gold Color-Matched
Cover Fabric	950g/m ² Premium PVC-Coated Polyester, Islamic Pattern Print Ready
Layout System	Dual-Hall Design — Independent Men's Hall + Women's Hall with Separate Entrances
Climate Control	Independent HVAC Zones per Hall, AC Ducting Ports Every 5m
Fabric Properties	Waterproof, UV Resistant (55°C+ Rated), Flame Retardant (DIN 4102 B1)
Wind Resistance	Up to 100 km/h (EN 13782 Certified) — Handles Saudi Desert Winds
Sandstorm Protection	Double-Sealed Entry Vestibule, Sand-Skirt Bottom Seals on All Walls
Operating Temperature	Up to 55°C Ambient (AC-Compatible Interior)
Max Capacity	500-2,000+ Guests — Configurable Hall Sizes
Span Width Options	6m / 8m / 10m / 12m / 15m / 20m
Eave Height	3.5m / 4.0m / 4.5m
Sidewall Options	Solid PVC, Arabesque Print, Transparent Window, Glass Wall, Insulated Panel
Door Options	Ornate Grand Entrances (per hall), Roll-Up Service Doors, Private Access Corridors
Warranty	5 Years on Frame, 3 Years on Fabric

Key Advantages for the Saudi Arabian Market

Gender-Segregated Dual Hall

Purpose-built dual-hall architecture with independent entrances, climate zones, restroom access, and service corridors for men's and women's wedding celebrations — fully compliant with Saudi cultural and religious requirements.

Royal Gold Saudi Aesthetic

Gold anodized frame with protective clear lacquer. Islamic geometric pattern-printable fabric. Delivers the visual magnificence that Saudi families expect for their most important social occasion.



Independent Hall Climate Control

Separate HVAC zones for each hall with AC ducting ports every 5 meters. Men's hall and women's hall maintain independent temperature control at 22°C — even when Riyadh hits 55°C.

Saudi Desert Wind & Sand Defense

100 km/h wind rating handles Saudi Arabia's powerful desert winds. Double-sealed entry system with sand-skirt bottom seals protects the pristine wedding interior during sudden sandstorms.

Royal Scale Celebration

20m clear spans with 4.5m eave heights create palatial interior volumes. Accommodates 2,000+ guests with separate majlis seating areas, stage for zaffe procession, and dedicated food service zones.

SASO & SBC Documentation

Documentation package supporting Saudi import clearance (SASO Certificate of Conformity) and Saudi Building Code (SBC) compliance for temporary event structures.

Designed for Saudi Wedding Culture: Every feature — from dual-hall segregation to gold aesthetics — is purpose-built for the specific requirements of Saudi Arabian wedding celebrations.

TUV + SASO Compatible Documentation: Full TUV Rheinland certification with SASO-compatible documentation for Saudi import clearance and municipal event permits.

5-Year Royal Saudi Warranty: Comprehensive warranty covering frame and fabric through multiple Saudi wedding seasons with year-round support.

10+ Years GCC Wedding Tent Engineering: Over a decade creating premium wedding structures for the GCC's most discerning families and event companies.

Saudi Wedding Partner Program: Priority production for Saudi wedding season, express shipping via Dammam and Jeddah ports, and bilingual English-Arabic support.

Manufacturing Excellence — Our Production Process

Every tent is manufactured in our 20,000 sqm ISO-certified facility:

1

Royal-Grade Certified Material Selection

Only premium 6061-T6 aluminum meeting gold anodizing specifications. 950g/m² fabric with enhanced UV inhibitors tested for Saudi interior desert sun exposure.

2

CNC Precision Gold Frame Manufacturing

8 CNC machining centers produce frame components to ± 0.1 mm tolerance. Gold anodizing applied under strict quality control for uniform royal finish across all components.

3

Islamic Pattern Digital Printing

High-resolution digital printing of Islamic geometric patterns and Arabic calligraphy onto PVC fabric using UV-stable pigment inks. Color accuracy verified for Saudi luxury standards.

4

Dual-Hall System Integration

Complete dual-hall frame with partition wall infrastructure fabricated as an integrated system. Independent AC ducting, electrical routing, and access corridors precision-fit during manufacturing.

5

Full Assembly & Segregation QC

Complete pre-assembly with 78-point QC plus dual-hall segregation verification. Independent zone functionality tested, partition integrity confirmed, privacy sightlines verified.

6

Saudi Wedding Season Logistics

Components organized by hall section for efficient Saudi deployment. Sea freight to Dammam Islamic Port or Jeddah Islamic Port with wedding season timing coordination.

Our Factory — 10+ Years of Expertise

Factory Feature	Details
Established	2013 — Over 10 Years of Industry Experience
Factory Area	20,000+ sqm Production Facility
Production Capacity	5,000+ Tent Sets per Month
Workforce	150+ Skilled Workers & Engineers
R&D Team	12 Dedicated Design & Structural Engineers
CNC Machines	8 CNC Machining Centers, 3 High-Frequency Welding Lines
Quality System	ISO 9001:2015 Certified Quality Management
Export Markets	50+ Countries including Saudi Arabia, UAE, Qatar, Kuwait, Oman, Europe, North America
Annual Export Volume	USD 15 Million+ in Tent Products

Certifications & Test Reports

TUV Rheinland

CE Marking (EU)

ISO 9001:2015

EN 13782 Wind Test

DIN 4102 B1 Fire

REACH

RoHS

Certificate	Standard	Scope
TUV Rheinland	Structural Safety & Material Testing	Frame Strength, Wind/Sand Load, Durability, UV Resistance
CE Certification	EU Construction Products Regulation	Full Tent System Compliance
ISO 9001:2015	Quality Management System	Design, Manufacturing, Sales & After-Sales
EN 13782	Temporary Structures — Tents	Wind Resistance Verified (Gulf & Desert Applicable)
DIN 4102 B1	Fire Behavior	PVC Fabric Flame Retardancy Class B1
SASO Compatible	Saudi Standards, Metrology and Quality Organization	Saudi Import & Safety Documentation Package

5-Year Warranty Commitment

Component	Warranty Period	Coverage
Aluminum Frame	5 Years	Manufacturing defects, structural failure, corrosion protection (desert environment rated)
PVC Fabric Cover	3 Years	Material delamination, seam failure, excessive UV degradation (Saudi sun rated)
Steel Connectors & Hardware	5 Years	Corrosion beyond normal wear, mechanical failure, sand abrasion protection
Spare Parts Availability	10+ Years	Guaranteed spare parts supply, express shipping to Saudi Arabia via Dammam/Jeddah ports

Pre-Sales & After-Sales Service

Pre-Sales Consultation	Free expert consultation for Saudi market requirements, SASO import guidance, and Saudi Building Code (SBC) compliance documentation.
Custom Design Service	CAD drawings and 3D renderings. Custom colors, Islamic geometric patterns, and Arabic calligraphy branding for Saudi market identity.
Sample Service	Fabric swatches and frame samples available. Factory visit or live video tour. GCC and Saudi reference projects upon request.
Installation Support	Installation manual in English and Arabic. Video guide and remote technical support for first assembly in Saudi Arabia.
On-Site Engineering	Engineer dispatch available for large Saudi projects. Professional crew training. Experience with Saudi mega-project requirements.
After-Sales Response	Dedicated account manager. 24-hour email response. 48-hour spare parts dispatch to Riyadh, Jeddah, and Dammam.
Saudi Climate Maintenance Guide	Customized care instructions for Saudi climate zones — from Riyadh's desert interior to Jeddah's humid coast to NEOM's mountain environment.

Frequently Asked Questions

Q1: Does the dual-hall design fully comply with Saudi gender segregation requirements?

Yes. This is the primary design purpose. Each hall has completely independent entrances, exits, restroom access, food service corridors, and climate control zones. No shared spaces between men's and women's halls — fully compliant with Saudi cultural and religious protocols.

Q2: Can both halls be cooled independently in Saudi summer heat?

Yes. Each hall operates on an independent HVAC zone with dedicated ducting ports. Female hall and male hall temperatures are controlled separately, maintaining 22°C even during Saudi summer weddings.

Q3: Is the tent compatible with SASO requirements for Saudi import?

Yes. We provide SASO Certificate of Conformity documentation package including TUV Rheinland test reports, material composition certificates, and safety compliance documentation required for Saudi customs clearance.

Q4: Can the fabric feature Islamic geometric patterns and Arabic calligraphy?

Yes. Full digital printing capability for Islamic geometric designs and Arabic calligraphy on roof and wall panels. We work with your design team to create bespoke wedding tent aesthetics.

Q5: How does the sandstorm protection system work in Saudi Arabia's desert environment?

Double-sealed entry vestibules capture wind-blown sand before it enters the main halls. Sand-skirt bottom seals prevent ground-level infiltration. All zippers feature reinforced protective flaps — proven effective in Saudi Arabia's frequent desert sandstorms.

Q6: What is the minimum order quantity?

MOQ is 1 set. We serve individual Saudi wedding planners, royal family event organizers, luxury hospitality groups, and wedding venue operators across the Kingdom.

Q7: What is delivery time to Saudi Arabia?

Production: 15-25 working days. Islamic pattern printing adds 5-7 days. Sea freight to Dammam Islamic Port or Jeddah Islamic Port: 20-25 days from Chinese ports. Express air freight: 5-7 days.

Q8: Is Arabic-language documentation available for Saudi operations?

Yes. All installation manuals, safety guides, certification documents, and maintenance instructions provided in English and Arabic — essential for Saudi workforce training and municipal permit applications.



Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China