



Heavy Duty Wind-Resistant Party Marquee Tent Brazilian Outdoor Wedding Reception Shelter with Ground Anchors

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Marquees Tent
- Certification: TUV Rheinland, ISO 9001:2015, DIN 4102 B1, NFPA 701
- Model Number: MT-WIND-GUARD
- Minimum Order Quantity: 1 Set
- Price: USD 500-5000 / Set (Depends on Size & Configuration)
- Packaging Details: PVC Heavy-Duty Wheeled Storage Bag with Protective Foam Padding, Export-Grade Corrugated Carton Outer Box
- Delivery Time: 7-15 Days for Standard Configuration, 15-25 Days for Custom Orders
- Payment Terms: T/T, L/C at Sight, Western Union, PayPal
- Supply Ability: 500 Sets per Month



Product Specification

- Frame Material: 6061-T6 Aluminum Alloy
- Roof Material: 850-950g/m² UV-Resistant PVC Fabric
- Connection System: Galvanized Steel Connectors With Locking Pins
- Waterproof Rating: 100% Waterproof (Hydrostatic 2000-3000mm)
- UV Protection: 95-98% UV Block
- Fire Retardant Standard: DIN 4102 B1 / NFPA 701
- Wind Resistance: Up To 80-100 Km/h (Properly Anchored)
- Warranty: 5 Years Structural, 2 Years PVC Fabric
- Assembly Time: 30-90 Minutes (2-4 Persons)
- Industry Experience: 10+ Years Manufacturing Expertise
- Target Market: Brazil / South America
- After-Sales Support: 24/7 Technical Support Via WhatsApp, Email, Phone
- Highlight: **heavy duty party marquee tent,**

Product Description

When Brazilian coastal winds and open-field gusts threaten your event — this heavy-duty champion stands firm, keeping celebrations safe and spectacular.

Brazil Market Optimized

TUV Certified

5-Year Warranty

Product Overview

Our Heavy Duty Wind-Resistant Party Marquee Tent Brazilian Outdoor Wedding Reception Shelter with Ground Anchors is specifically engineered for the Brazilian market, where outdoor events demand robust protection against intense sunlight, tropical rainfall, and varying wind conditions. Manufactured in our modern manufacturing facility with over 10 years of industry expertise, this tent combines German-engineered aluminum framing with industrial-grade PVC fabric to deliver exceptional durability and aesthetic appeal. Ideal for Brazilian weddings (*casamentos*), corporate events (*eventos corporativos*), festivals (*festivals*), trade shows (*feiras*), and private parties (*festas particulares*).

Key Specifications & Features

Feature	Specification
Frame Material	6061-T6 Aluminum Alloy with Reinforced Cross-Bracing
Connector Material	Hot-Dip Galvanized Steel (8.8 Grade Bolts)
Roof & Sidewall Material	900g/m² Rip-Stop PVC Fabric (Tear Resistant)
Anchoring System	Heavy-Duty Ground Screw Anchors + Tension Ratchet Straps
Seam Construction	Double-Stitched with UV-Resistant Polyester Thread
Wind Resistance	Up to 100 km/h (Fully Anchored Configuration)
Snow Load Capacity	10 kg/m² (Reinforced Roof Configuration)
Assembly Time	50-90 Minutes (3-4 Persons)
Warranty	5-Year Structural 2-Year PVC Fabric
Packing	Reinforced Steel-Frame Packing Crate with Pallet Base

Product Advantages & Selling Points

* Advanced UV & Weather Protection

Multi-layer PVC fabric with UV stabilizers blocks over 95% of harmful UV rays, essential for Brazil's tropical sun. Fire-retardant certified to DIN 4102 B1 / NFPA 701 standards.

Robust Structural Engineering

Certified 6061-T6 aluminum alloy frame with reinforced steel connectors. Engineered to withstand wind loads up to 80km/h when properly anchored, suitable for Brazil's diverse climate zones.

➤ **Rapid Assembly & Portability**

Modular design allows 2-3 people to assemble within 30-60 minutes without specialized tools. All components pack into heavy-duty wheeled storage bags for easy transport between venues.

Customizable Aesthetics

Available in multiple colors with optional custom logo printing using UV-resistant digital inks. Create a branded environment that stands out at Brazilian trade shows and corporate events.

Production Process & Quality Control

Every tent undergoes a rigorous 12-step manufacturing process in our ISO 9001:2015 certified factory, equipped with advanced CNC machinery and automated production lines.

Step	Process	Description	Equipment / Standard
1	Raw Material Inspection	Incoming aluminum profiles, PVC fabric rolls, and steel components tested for compliance	Spectrometer, Tensile Tester
2	CNC Aluminum Cutting	Precision CNC cutting of 6061-T6 aluminum profiles to exact specifications	5-Axis CNC Machining Center
3	Profile Drilling & Processing	CNC drilling of connection holes with ±0.1mm tolerance for precise assembly	CNC Drilling Machine
4	Surface Treatment	Anodizing / powder coating for corrosion resistance, tested to 1000+ hours salt spray	Anodizing Line, Powder Coating Booth
5	PVC Fabric Cutting	Automated CNC fabric cutting with laser-guided alignment for precise panels	CNC Fabric Cutter, Laser Alignment
6	High-Frequency Welding	PVC panels joined by high-frequency heat welding for waterproof, seamless bonds	High-Frequency Welding Machine
7	Double-Stitch Seaming	Reinforced double-stitched seams with UV-resistant polyester thread on all edges	Industrial Sewing Machine
8	Hardware Assembly	Steel connectors, bolts, and accessories assembled and pre-fitted for quality check	Assembly Line, Torque Calibration
9	Full Structure Trial Assembly	Every structure undergoes a full trial assembly to verify fit and alignment	Quality Control Bay (2000m²)
10	Waterproof & Wind Testing	Water spray testing at 100L/m²/hr and wind resistance verification	Rain Test Chamber, Wind Tunnel
11	Final QC Inspection	Comprehensive visual, dimensional, and functional inspection per AQL 2.5 standard	CMM, Digital Calipers, Visual Check
12	Packing & Shipping	Professional packing with protective foam, export-grade cartons, and moisture-proof wrapping	Automatic Strapping, Vacuum Sealing

Factory & Enterprise Strength

- 10+ Years of manufacturing expertise in marquee tent production
- 15,000m² modern factory with advanced production facilities
- 150+ skilled workers and engineering team
- ISO 9001:2015 certified quality management system
- Exporting to 50+ countries across 6 continents
- In-house R&D team for continuous product innovation

Certifications & Test Reports

Certificate / Report	Description	Standard / Scope
TUV Rheinland Certification	Comprehensive product safety and quality certification by TUV Rheinland, Germany's accredited testing authority. Covers structural integrity, material safety, and manufacturing process audit.	TUV Mark, EN 13782
ISO 9001:2015	Quality management system certification covering design, production, inspection, and after-sales service processes.	ISO 9001:2015
Fire Retardant Test Report	PVC fabric tested and certified to meet international fire safety standards. Test reports available upon request.	DIN 4102 B1, NFPA 701
UV Resistance Test Report	Accelerated weathering test (QUV) confirming UV stability and color fastness for 2000+ hours of continuous exposure.	ASTM G154, ISO 4892
Wind Load Test Report	Structural wind resistance testing verifying stability under simulated wind conditions up to 80-100 km/h.	EN 13782, Internal Standard
Waterproof Test Report	Hydrostatic pressure and rain penetration testing confirming 100% waterproof performance.	ISO 811, AATCC 127
Material Composition Report	Full chemical and physical analysis of aluminum alloy, PVC fabric, and steel components.	SGS / Bureau Veritas

Pre-Sales Service

- Free consultation & venue analysis for your specific event needs
- 3D layout design & visualization with CAD drawings
- Sample swatches & color charts available upon request
- Competitive quotation within 24 hours
- Custom engineering solutions for unique requirements
- Virtual factory tour via video call
- Dedicated project manager for your account

After-Sales Service

- 5-Year Structural Warranty on aluminum frame and steel components
- 2-Year warranty on PVC fabric covers against manufacturing defects
- Free spare parts for any warranty-covered defects
- 24/7 technical support via WhatsApp, Email, and phone
- Video call assistance for assembly and troubleshooting
- Replacement parts shipped within 48 hours for urgent needs
- Lifetime technical consultation and maintenance guidance

Frequently Asked Questions (FAQ)

Q1: Can you ship to Brazil? What are the shipping options?

Yes! We regularly export to Brazil via sea freight (FOB Shenzhen / CIF Santos). Typical transit time is 30-40 days. We work with major shipping lines including MSC, Maersk, and COSCO. Air freight is also available for urgent orders.

Q2: Do you provide Portuguese documentation and support for Brazilian clients?

Absolutely. We provide product manuals, assembly instructions, and marketing materials in Portuguese. Our sales team includes Portuguese-speaking representatives to ensure smooth communication. We understand the local Brazilian market requirements including INMETRO and ABNT standards.

Q3: What is your warranty policy and how do you handle warranty claims?

We offer a 5-year structural warranty on aluminum frames and steel connectors, and a 2-year warranty on PVC fabric covers. For warranty claims, simply send photos/videos of the issue via WhatsApp or email. We ship replacement parts free of charge within 48 hours after claim approval.

Q4: Can I customize the tent color, size, or add my company logo?

Yes, we offer full customization. Choose from 12+ standard PVC colors, custom sizing, and logo printing using UV-resistant digital inks. Minimum order quantity for custom printing is 1 set. We also offer custom sidewall designs, window placements, and door configurations.

Q5: How long does it take to assemble the tent, and do you provide assembly support?

A standard party marquee tent can be assembled by 2-3 people in 30-60 minutes. We provide detailed assembly manuals (English & Portuguese), video tutorials, and real-time video call support if needed. No specialized tools are required.

Q6: Do you offer samples? Can I visit your factory?

We welcome factory visits! Our facility is located in Guangdong, China. We can arrange airport pickup and hotel accommodation for visiting clients. For samples, we can provide fabric swatches, aluminum profile samples, and connector samples. Full tent samples are available at a discounted rate.

Ready to grow your event rental business in Brazil? Our team is standing by to provide a customized quotation and product recommendation tailored to your specific requirements.

Email

[WhatsApp](#)

[Website](#)

[We Ship Worldwide](#) | [Portuguese-Speaking Support Available](#) | [Factory Direct Pricing](#)

Verified Customer Reviews

Isabela G.

Luxury Wedding Planner — São Paulo Countryside, Brazil

★★★★★

We exclusively use this heavy duty wind-resistant tent for our outdoor wedding receptions in the São Paulo countryside where afternoon winds can be unpredictable. The galvanized steel connectors and ground anchor system provide peace of mind that no other tent in our inventory matches. At a recent wedding with 45km/h gusts, the structure didn't budge while neighboring standard tents collapsed. Essential for Brazil outdoor wedding planners.

Antônio R.

Venue Manager — Porto de Galinhas, Brazil

★★★★★

Our beachfront wedding venue in Porto de Galinhas demands tents that can handle coastal winds and salt air. This wind-resistant marquee tent is built like a fortress — the hot-dip galvanized steel connectors show zero corrosion after 12 months of seaside exposure. The double-stitched seam construction has proven its worth during stormy conditions. Our Brazilian wedding clients feel completely secure under these structures.

Renata O.

Destination Wedding Coordinator — Bahia, Brazil

★★★★☆

As a destination wedding coordinator in Bahia, I need event shelters that can handle Brazil's diverse coastal conditions. This heavy duty wedding reception tent with ground anchors has been excellent for beach ceremonies. The reinforced aluminum frame with cross-bracing is clearly engineered for wind resistance. We appreciate that the anchoring system is included — many suppliers sell anchors separately. Professional Brazil wedding tent supplier.

Daniel S.

Event Safety Consultant — Brazil

★★★★★

I inspect event structures for safety compliance across Brazil and this wind-resistant party marquee tent is among the best-engineered temporary shelters I have evaluated. The 8.8 grade bolts, hot-dip galvanized connectors, and deep ground anchors provide genuine structural integrity — not just marketing claims. The wind resistance rating of up to 100km/h is backed by visible engineering choices. I recommend this tent to all my Brazil event organizer clients.

Camila F.

Garden Wedding Venue Owner — Petrópolis, Brazil

★★★★★

Our garden wedding venue in Petrópolis experiences strong mountain winds that destroyed two previous tent installations. Since switching to this heavy duty wind-resistant tent with the deep ground anchor system, we have had zero weather-related incidents across 40+ weddings. The double-stitched seams and rip-stop PVC fabric are visibly superior. The 5-year structural warranty shows the

manufacturer stands behind their engineering. A must-have for any Brazil outdoor wedding venue.

© Marquees Tent — Over 10 Years of Manufacturing Excellence | TUV Certified | ISO 9001:2015 | 5-Year Warranty



Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China