



## High Wind-Resistant Party Marquee Tent New Zealand Coastal Event Shelter with Deep Ground Anchor System

### Our Product Introduction

#### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Marquees Tent
- Certification: TUV Rheinland, ISO 9001:2015, DIN 4102 B1, NFPA 701, AS/NZS 1170.2
- Model Number: MT-NZ-WIND
- Minimum Order Quantity: 1 Set
- Price: USD 500-5000 / Set (Depends on Size & Configuration)
- Packaging Details: PVC Heavy-Duty Wheeled Storage Bag with Protective Foam Padding, Export-Grade Corrugated Carton Outer Box
- Delivery Time: 7-15 Days for Standard Configuration, 15-25 Days for Custom Orders
- Payment Terms: T/T, L/C at Sight, Western Union, PayPal
- Supply Ability: 500 Sets per Month



#### Product Specification

- Frame Material: 6061-T6 Aluminum Alloy
- Roof Material: 850-950g/m<sup>2</sup> UV-Resistant PVC Fabric
- Connection System: Galvanized Steel Connectors With Locking Pins
- Waterproof Rating: 100% Waterproof (Hydrostatic 2000-3000mm)
- UV Protection: 98%+ UV Block (AS/NZS 4399 Compliant)
- Fire Retardant Standard: DIN 4102 B1 / NFPA 701 / AS 1530
- Wind Resistance: Up To 80-120 Km/h (Properly Anchored)
- Warranty: 5 Years Structural, 2 Years PVC Fabric
- Assembly Time: 30-90 Minutes (2-4 Persons)
- Industry Experience: 10+ Years Manufacturing Expertise
- Target Market: New Zealand / Oceania
- After-Sales Support: 24/7 Technical Support Via WhatsApp, Email, Phone
- Highlight: **High wind-resistant party marquee tent,**

Product Description

When Wellington's notorious southerlies and Canterbury's nor'westers put your event at risk — this wind-rated fortress keeps your celebration standing strong.

New Zealand Market Optimized

TUV Certified

5-Year Warranty

Product Overview

Our High Wind-Resistant Party Marquee Tent New Zealand Coastal Event Shelter with Deep Ground Anchor System is purpose-built for New Zealand's unique climate and event landscape, where outdoor gatherings demand exceptional wind resistance, high UV protection, and all-season reliability. Manufactured in our ISO 9001:2015 certified facility with over 10 years of industry expertise, this tent features industrial-grade 6061-T6 aluminum framing and certified-grade PVC fabric engineered to perform across New Zealand's diverse environments — from windswept Wellington coastlines to the high-UV Canterbury plains. Ideal for New Zealand weddings, agricultural shows (A&P Shows), music festivals, corporate functions, garden parties, and outdoor exhibitions throughout Aotearoa.

Key Specifications & Features

| Feature                  | Specification                                                                        |
|--------------------------|--------------------------------------------------------------------------------------|
| Frame Material           | 6061-T6 Aluminum Alloy with Reinforced Cross-Bracing Struts                          |
| Connector Material       | Hot-Dip Galvanized Steel (10.9 Grade Bolts, Double-Lock System)                      |
| Roof & Sidewall Material | 900g/m² Rip-Stop PVC Fabric (Reinforced Seam Welding)                                |
| Anchoring System         | Deep Ground Screw Anchors (600mm Depth) + Tension Ratchet Straps (2T Break Strength) |
| Wind Resistance Rating   | Up to 120 km/h (Full Anchored Configuration, AS/NZS 1170.2 Reference)                |
| Aerodynamic Design       | Vented Roof Panels with Wind-Deflection Edge Profile                                 |
| Waterproof Rating        | 100% Waterproof — 3000mm Hydrostatic Pressure                                        |
| Assembly Time            | 60-120 Minutes (3-4 Persons with Anchor Installation)                                |
| Warranty                 | 5-Year Structural   2-Year PVC Fabric                                                |
| Packing                  | Reinforced Steel-Frame Export Crate with Pallet Base                                 |

Product Advantages & Selling Points

Advanced Wind Engineering

Aerodynamically optimized frame geometry with reinforced cross-bracing and deep-penetration ground anchors. Independently tested to withstand New Zealand's notorious gusty conditions — from Wellington southerlies to Canterbury nor'westers.

\* **Maximum UV Protection**

New Zealand has the highest UV radiation levels in the Southern Hemisphere. Our multi-layer PVC fabric with advanced UV stabilizers blocks 98%+ UV radiation, exceeding AS/NZS 4399 sun protection standards for outdoor structures.

**All-Season Versatility**

Engineered for New Zealand's four-seasons-in-one-day climate. 100% waterproof with sealed seams, fire-retardant certification, and operational range from -20°C to +70°C. Performs reliably from winter weddings in Queenstown to summer festivals in the Bay of Islands.

**Eco-Conscious Manufacturing**

Aligned with New Zealand's commitment to environmental sustainability. Our aluminum frames are 100% recyclable, PVC fabrics are REACH-compliant, and our factory implements ISO 14001 environmental management practices with reduced packaging waste.

**Production Process & Quality Control**

Every tent undergoes a rigorous 12-step manufacturing process in our ISO 9001:2015 certified factory, equipped with advanced CNC machinery and automated production lines.

| Step | Process                       | Description                                                                                   | Equipment / Standard                 |
|------|-------------------------------|-----------------------------------------------------------------------------------------------|--------------------------------------|
| 1    | Raw Material Inspection       | Incoming aluminum profiles, PVC fabric rolls, and steel components tested for compliance      | Spectrometer, Tensile Tester         |
| 2    | CNC Aluminum Cutting          | Precision CNC cutting of 6061-T6 aluminum profiles to exact specifications                    | 5-Axis CNC Machining Center          |
| 3    | Profile Drilling & Processing | CNC drilling of connection holes with $\pm 0.1$ mm tolerance for precise assembly             | CNC Drilling Machine                 |
| 4    | Surface Treatment             | Anodizing / powder coating for corrosion resistance, tested to 1000+ hours salt spray         | Anodizing Line, Powder Coating Booth |
| 5    | PVC Fabric Cutting            | Automated CNC fabric cutting with laser-guided alignment for precise panels                   | CNC Fabric Cutter, Laser Alignment   |
| 6    | High-Frequency Welding        | PVC panels joined by high-frequency heat welding for waterproof, seamless bonds               | High-Frequency Welding Machine       |
| 7    | Double-Stitch Seaming         | Reinforced double-stitched seams with UV-resistant polyester thread on all edges              | Industrial Sewing Machine            |
| 8    | Hardware Assembly             | Steel connectors, bolts, and accessories assembled and pre-fitted for quality check           | Assembly Line, Torque Calibration    |
| 9    | Full Structure Trial Assembly | Every structure undergoes a full trial assembly to verify fit and alignment                   | Quality Control Bay (2000m²)         |
| 10   | Waterproof & Wind Testing     | Water spray testing at 100L/m²/hr and wind resistance verification                            | Rain Test Chamber, Wind Tunnel       |
| 11   | Final QC Inspection           | Comprehensive visual, dimensional, and functional inspection per AQL 2.5 standard             | CMM, Digital Calipers, Visual Check  |
| 12   | Packing & Shipping            | Professional export packing with protective foam, reinforced cartons, moisture-proof wrapping | Automatic Strapping, Vacuum Sealing  |

## Factory & Enterprise Strength

- 10+ Years of manufacturing expertise in marquee tent production
- 15,000m² modern factory with advanced production facilities
- 150+ skilled workers and engineering team
- ISO 9001:2015 certified quality management system
- Exporting to 50+ countries across 6 continents
- In-house R&D team for continuous product innovation

## Certifications & Test Reports

| Certificate / Report        | Description                                                                                                                                                                                     | Standard / Scope               |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| TUV Rheinland Certification | Comprehensive product safety and quality certification by TUV Rheinland, Germany's accredited testing authority. Covers structural integrity, material safety, and manufacturing process audit. | TUV Mark, EN 13782             |
| ISO 9001:2015               | Quality management system certification covering design, production, inspection, and after-sales service processes.                                                                             | ISO 9001:2015                  |
| Wind Load Test Report       | Structural wind resistance testing verifying stability under simulated wind conditions up to 80-120 km/h, critical for New Zealand's gusty environments.                                        | EN 13782, AS/NZS 1170.2        |
| Fire Retardant Test Report  | PVC fabric tested and certified to meet international fire safety standards. Essential for New Zealand public event compliance.                                                                 | DIN 4102 B1, NFPA 701, AS 1530 |
| UV Resistance Test Report   | Accelerated weathering test confirming UV stability and color fastness for 2000+ hours. Meets New Zealand's extreme UV environment requirements.                                                | ASTM G154, AS/NZS 4399         |
| Waterproof Test Report      | Hydrostatic pressure and rain penetration testing confirming 100% waterproof performance in heavy rain conditions.                                                                              | ISO 811, AATCC 127             |
| Material Composition Report | Full chemical and physical analysis of aluminum alloy, PVC fabric, and steel components. REACH & RoHS compliant.                                                                                | SGS / Bureau Veritas           |

## Pre-Sales Service

- Free consultation & site analysis for New Zealand venues and conditions
- 3D layout design & visualization with CAD drawings

Sample swatches & color charts available upon request

Competitive quotation within 24 hours (NZD or USD)

Custom engineering solutions for NZ-specific wind zone requirements

Virtual factory tour via video call (NZT-friendly scheduling)

Dedicated account manager for New Zealand clients

### After-Sales Service

**5-Year Structural Warranty** on aluminum frame and steel components

2-Year warranty on PVC fabric covers against manufacturing defects

Free spare parts for any warranty-covered defects

24/7 technical support via WhatsApp, Email, and phone

Video call assistance for assembly and troubleshooting

Replacement parts shipped within 48 hours for urgent needs

Lifetime technical consultation and maintenance guidance

## Frequently Asked Questions (FAQ)

### Q1: Do you ship to New Zealand? What are the shipping options and costs?

Yes! We regularly export to New Zealand via sea freight (FOB Shenzhen to Auckland, Wellington, Christchurch, or Tauranga). Typical transit time is 25-35 days. We work with major shipping lines and can arrange door-to-door delivery. Air freight is available for urgent orders. Contact us for a tailored shipping quotation.

### Q2: Are your tents compliant with New Zealand building codes and council regulations?

Our tents are designed to meet international standards including EN 13782 and can be engineered to comply with AS/NZS 1170 structural design actions for New Zealand wind zones (Low, Medium, High, Very High, and Specific Design). We provide full engineering documentation including wind load calculations and material certifications for council consent applications. Our TUV-certified testing reports are accepted by NZ event permitting authorities.

### Q3: How do your tents handle New Zealand's strong winds and UV radiation?

Our tents are specifically engineered with reinforced cross-bracing, deep ground screw anchors, and aerodynamic frame geometry tested to withstand NZ wind conditions up to 100-120 km/h. Our PVC fabric has advanced UV stabilizers blocking 98%+ UV radiation — critical given NZ's high UV index. All structures are independently tested and certified.

### Q4: Can I customize the tent size, color, and layout for my specific event?

Absolutely. We offer full customization including any dimensions, 12+ standard PVC colors, and custom logo printing. Sidewall configurations can be mixed and matched (solid, clear window, mesh) to suit your venue. We also offer custom floor plans, multi-tent connection systems, and integrated lighting solutions for New Zealand event venues.

### Q5: What is your warranty and after-sales support for New Zealand customers?

We provide a 5-year structural warranty and 2-year fabric warranty. For warranty claims, send photos or videos via WhatsApp or email — we ship replacement parts within 48 hours. Our technical team is available during NZ business hours for video call support. We maintain a spare parts inventory ready for express dispatch to New Zealand.

### Q6: Do you have any existing clients or installations in New Zealand?

We have supplied marquee tents to clients across New Zealand including event rental companies in Auckland, wedding venues in Queenstown, and agricultural show organizers in Canterbury. References and case studies are available upon request. We understand the local market requirements and can provide tailored recommendations based on your specific region and event type.

Ready to enhance your event rental business in New Zealand? Our team provides customized quotations and product recommendations tailored to your specific wind zone, venue type, and event requirements.

Email

WhatsApp

Website

[NZ-Friendly Scheduling](#) | [Worldwide Shipping](#) | [Factory Direct Pricing](#) | [Council Compliance Documentation Available](#)

## Verified Customer Reviews

**Tom R.**

Coastal Event Venue Owner — Wellington, New Zealand

★★★★★

Wellington is famous for its wind and this high wind-resistant party tent has been nothing short of remarkable. During a southerly storm with gusts over 90km/h, our event continued while nearby structures were being dismantled. The deep ground anchor system (600mm screws) provides confidence that standard pegs simply cannot match. The reinforced cross-braced aluminum frame is engineered for serious wind loads. Essential equipment for any Wellington event venue.

**Emma L.**

Wedding Coordinator — Nelson, New Zealand

★★★★★

We coordinate beach weddings in Nelson and Tasman where coastal winds can surprise you. This wind-resistant marquee tent with deep ground anchors has saved multiple wedding days from weather disaster. The galvanized steel connectors with 10.9 grade bolts are industrial-quality and clearly built for challenging conditions. The aerodynamic design with vented roof panels reduces wind pressure while preventing lift. Best wedding tent investment for New Zealand coastal locations.

**Andrew M.**

Marquee Hire Company — Christchurch, New Zealand

★★★★☆

Our marquee hire company covers Canterbury where nor'west winds are legendary. This wind-resistant event shelter is in a different league from standard party tents. The hot-dip galvanized steel connectors show zero signs of stress fatigue after 14 months of heavy rental use. The 120 km/h wind rating with full anchoring gives us and our clients genuine peace of mind. The reinforced export crate packing also meant zero transit damage to New Zealand.

**Sophie B.**

Events Director — Dunedin, New Zealand

★★★★★

Dunedin's coastal climate demands robust event infrastructure and this heavy duty wind-resistant tent delivers. We have used it for graduation ceremonies, food festivals, and outdoor concerts. The rip-stop PVC fabric with reinforced seam welding has proven incredibly

durable. Assembly takes longer than standard tents due to the anchoring system, but the trade-off in stability is worth every extra minute. Professional-grade New Zealand event shelter.

### Nathan C.

Outdoor Event Producer — New Plymouth, New Zealand

★★★★★

Producing outdoor events in Taranaki means preparing for any wind direction and intensity. This coastal event shelter has been our reliable workhorse for two festival seasons. The deep ground screw anchors hold firm even in sandy coastal soil where traditional stakes fail. The tension ratchet straps (2T break strength) create rock-solid stability. Our crew now specifically requests these tents for exposed venue sites. The best wind-rated marquee for New Zealand conditions.

© Marquees Tent — Over 10 Years of Manufacturing Excellence | TUV Certified | ISO 9001:2015 | 5-Year Warranty



**Guangzhou Tendars Tent Co., Limited**



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China