



Aluminum Alloy Party Marquee Tent TUV Certified Waterproof Modular Event Canopy

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Marquees Tent
- Certification: TUV Rheinland, ISO 9001:2015
- Model Number: MT-PT-A1
- Minimum Order Quantity: 1 Set
- Price: USD 500-2,500 / Set
- Packaging Details: Heavy-duty steel pallet with protective foam wrap and export-grade corrugated carton
- Delivery Time: 15-30 working days after order confirmation
- Payment Terms: T/T, L/C, PayPal, Western Union
- Supply Ability: 500 Sets per Month



Product Specification

- Frame Material: 6061-T6 Aluminum Alloy
- Cover Material: 850g/m² PVC Coated Polyester
- Wind Resistance: 80 Km/h (EN 13782 Certified)
- Snow Load Capacity: 0.3 KN/m²
- UV Protection: UV Stabilized, 3-Year Warranty
- Fire Rating: NFPA 701 / DIN 4102 B1 (Optional)
- Waterproof Rating: 2000mm Water Column Pressure
- Connector Material: Hot-Dip Galvanized Steel Q235
- Assembly Method: Modular Push-Button Connection
- Highlight: **Aluminum Alloy Party Marquee Tent,
TUV Certified Event Canopy,
Waterproof Modular Party Tent**

Product Description

Aluminum Alloy Party Marquee Tent — TUV Certified, Korea-Ready

Premium Party Marquee Tent Engineered for the Korean Market — Certified Quality, Rapid Deployment, Built to Last. Ideal for outdoor weddings, corporate galas, festivals, exhibition booths and commercial events across Korea.

Product Advantages & Selling Points

TUV Rheinland Certified Frame

Structural safety certified to EN 13782 for wind and snow loads, ensuring compliance with Korean safety standards

Modular Quick Assembly

Push-button connector system enables 2-person setup in under 30 minutes without specialized tools

Premium Korean-Market PVC Cover

850g/m² high-frequency welded PVC with superior UV stabilization for Korea's intense summer sunlight

Corrosion-Resistant Aluminum Frame

6061-T6 aluminum alloy with anodized finish resists Korea's humid monsoon season without rusting

Multi-Configuration Flexibility

Expandable modular design supports 3x3m to 10x50m configurations for Korean wedding halls and corporate events

Korean Climate Engineered

Tested for -25°C winter conditions and 40°C summer heat, suitable for all-season use across Korea

Technical Specifications

Parameter	Specification
Span Width	3m / 4m / 5m / 6m / 8m / 10m
Eave Height	2.2m - 3.0m (Customizable)
Ridge Height	3.0m - 4.5m
Bay Distance	3m / 5m
Frame Material	6061-T6 Aluminum Alloy Profile 48mm x 2mm
Cover Material	850g/m² PVC Coated Polyester, Double-Sided Coating
Connector Material	Hot-Dip Galvanized Steel Q235
Wind Load Rating	80 km/h (EN 13782 Certified)
Snow Load Rating	0.3 kN/m²
Temperature Range	-25°C to +40°C
UV Resistance	UV Stabilized, <5% Degradation per Year
Fire Retardancy	NFPA 701 / DIN 4102 B1 (Available on Request)

Production Process & CNC Manufacturing



Step 1: CNC Precision Cutting

Aluminum alloy profiles precisely cut by advanced CNC machining centers with $\pm 0.5\text{mm}$ tolerance control.

Step 2: Frame Welding & Assembly

Steel frames undergo TIG/MIG welding by certified welders, followed by anti-rust powder coating treatment.

Step 3: PVC Fabric Cutting & Welding

High-frequency heat welding for PVC fabric panels ensures 100% waterproof seams and superior tensile strength.

Step 4: Quality Inspection & Packing

Every unit undergoes full assembly inspection before being carefully packed in export-grade steel pallets for safe sea freight to Korea.

Factory Strength & Company Advantages

10+ Years Industry Experience

Over a decade of expertise in designing, manufacturing and exporting marquee tents to global markets, with deep understanding of Korean market requirements.

20,000 m² Production Facility

State-of-the-art factory equipped with 6 CNC machining centers, automated welding lines, and high-frequency PVC welding machines.

Korea-Ready Logistics

Dedicated shipping routes to Busan and Incheon ports with 7-10 day transit time. Consolidated container loading for cost efficiency.

5-Year Frame Warranty

All aluminum and steel frames backed by a comprehensive 5-year warranty against manufacturing defects. PVC covers carry a 3-year UV degradation warranty.

Certifications & Test Reports

TUV Rheinland Certified

Frame structural safety certified by TUV Rheinland. Meets EN 13782 temporary structure standards for wind load and snow load resistance.

ISO 9001:2015

Quality management system certified by SGS. All production processes are ISO-compliant with full traceability.

Material Test Reports

PVC fabric: EN 71 Part 3, REACH, RoHS compliant. Fire retardant: NFPA 701, DIN 4102 B1 available upon request.

Waterproof Test Report

PVC fabric tested at 2000mm water column pressure. Zero leakage after 48-hour continuous rain simulation test.

Pre-Sales & After-Sales Service

Pre-Sales Support

Free 3D layout design & rendering for your venue dimensions

Material samples shipped within 48 hours (DHL/FedEx to Korea)

Korean-language product brochures & installation manuals available

Wind load & snow load calculations for Korean climate zones

Free quotation with detailed BOM within 24 hours

Video factory tour & live product demonstration via video call

After-Sales Service

Free spare parts kit with every container order (connectors, bolts, washers)

5-year aluminum/steel frame warranty against manufacturing defects

3-year PVC cover UV degradation warranty

Installation video guide (English & Korean subtitles available)

24/7 WhatsApp technical support hotline for Korean clients

Replacement parts shipped via express within 72 hours to Korea

Frequently Asked Questions

Q: How fast can you deliver to Korea?

A: Standard lead time is 15-30 working days. Sea freight to Busan or Incheon takes 7-10 days. Express air freight available for urgent orders in 5-7 days.

Q: Do you provide Korean-language installation manuals?

A: Yes, we provide full installation guides with Korean subtitles and diagrams. Video tutorials are also available.

Q: Can you customize the tent size for our specific Korean venue?

A: Absolutely. We offer free 3D layout design based on your venue dimensions. Custom sizes are our specialty.

Q: What warranty do you offer?

A: 5-year warranty on aluminum/steel frames against manufacturing defects. 3-year UV degradation warranty on PVC covers.

Q: Is the tent suitable for Korean winter snowfall?

A: Yes. Our tents are engineered for 0.3 kN/m² snow load. For heavy snow regions like Gangwon-do, we offer reinforced frames rated at 0.5 kN/m².

Q: Do you have a distributor or agent in Korea?

A: We ship directly from our factory to Korean clients, which keeps costs competitive. We provide full remote support via WhatsApp and video call.

Get in Touch — We Serve the Korean Market

Ready to order or need a custom solution? Contact our sales team today for a tailored quotation.

Email

WhatsApp

Website



Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China