



Clear Span Modular Party Marquee Tent Aluminum Frame Large Event Wedding Canopy

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Marquees Tent
- Certification: TUV Rheinland, ISO 9001:2015
- Model Number: MT-CS-A1
- Minimum Order Quantity: 1 Set
- Price: USD 1,200-5,000 / Set
- Packaging Details: Reinforced steel pallet with anti-scratch foam and waterproof wrapping for sea freight
- Delivery Time: 20-35 working days after order confirmation
- Payment Terms: T/T, L/C, PayPal, Western Union
- Supply Ability: 200 Sets per Month



Product Specification

- Frame Material: 6061-T6 Aluminum Alloy 120mm X 3mm
- Cover Material: 850g/m² PVC Coated Polyester
- Clear Span Width: 8m - 25m (No Interior Poles)
- Wind Resistance: 90 Km/h (EN 13782 Certified)
- Snow Load Capacity: 0.35 KN/m²
- UV Protection: UV Stabilized, 3-Year Warranty
- Fire Rating: NFPA 701 Certified
- Connector System: Interlocking Modular Bay Connection
- Optional Add-Ons: Glass Walls, Flooring System, Air Conditioning Ports
- Highlight: **Clear span modular party tent,
Aluminum frame wedding canopy,
Large event marquee tent**

Clear Span Modular Party Marquee Tent — Unlimited Space, No Interior Poles

Premium Party Marquee Tent Engineered for the Korean Market — Certified Quality, Rapid Deployment, Built to Last. Ideal for outdoor weddings, corporate galas, festivals, exhibition booths and commercial events across Korea.

Product Advantages & Selling Points

True Clear Span Design

No interior support poles — 8m to 25m widths of completely unobstructed space, perfect for Korean wedding halls seating 200-2000 guests

Interlocking Modular Bays

Each 3m or 5m bay interlocks seamlessly, allowing unlimited length extension from 6m to 100m+ for large Korean festivals and expo events

Premium Korean Wedding Application

Elegant white PVC roof with optional clear panels for natural light, glass wall systems, and chandelier hanging points

Heavy-Duty Aluminum Frame

120mm x 3mm 6061-T6 aluminum alloy profiles provide exceptional strength-to-weight ratio while remaining lightweight for transport

Rapid Professional Assembly

Modular interlocking system enables a crew of 4-6 to erect a 10m x 20m tent in under 4 hours for Korean event companies

Korean Climate Adaptable

Integrated gutter systems, reinforced ridge connections, and optional heating/AC ports for year-round event hosting in any Korean season

Technical Specifications

Parameter	Specification
Clear Span Width	8m / 10m / 12m / 15m / 20m / 25m
Eave Height	2.8m - 4.0m
Ridge Height	4.0m - 7.0m
Bay Distance	3m / 5m
Frame Material	6061-T6 Aluminum Alloy 120mm x 3mm
Cover Material	850g/m² PVC Coated Polyester
Wind Load Rating	90 km/h (EN 13782 Certified)
Snow Load Rating	0.35 kN/m²
Connector Type	Interlocking Forged Aluminum Bay Connectors
Optional Glass Walls	Tempered Glass Panels 6mm with Aluminum Frame
Optional Flooring	Modular Plywood Flooring System with Adjustable Legs
Fire Rating	NFPA 701

Production Process & CNC Manufacturing



Step 1: CNC Precision Cutting

Aluminum alloy profiles precisely cut by advanced CNC machining centers with $\pm 0.5\text{mm}$ tolerance control.

Step 2: Frame Welding & Assembly

Steel frames undergo TIG/MIG welding by certified welders, followed by anti-rust powder coating treatment.

Step 3: PVC Fabric Cutting & Welding

High-frequency heat welding for PVC fabric panels ensures 100% waterproof seams and superior tensile strength.

Step 4: Quality Inspection & Packing

Every unit undergoes full assembly inspection before being carefully packed in export-grade steel pallets for safe sea freight to Korea.

Factory Strength & Company Advantages

10+ Years Industry Experience

Over a decade of expertise in designing, manufacturing and exporting marquee tents to global markets, with deep

understanding of Korean market requirements.

20,000 m² Production Facility

State-of-the-art factory equipped with 6 CNC machining centers, automated welding lines, and high-frequency PVC welding machines.

Korea-Ready Logistics

Dedicated shipping routes to Busan and Incheon ports with 7-10 day transit time. Consolidated container loading for cost efficiency.

5-Year Frame Warranty

All aluminum and steel frames backed by a comprehensive 5-year warranty against manufacturing defects. PVC covers carry a 3-year UV degradation warranty.

Certifications & Test Reports

TUV Rheinland Certified

Frame structural safety certified by TUV Rheinland. Meets EN 13782 temporary structure standards for wind load and snow load resistance.

ISO 9001:2015

Quality management system certified by SGS. All production processes are ISO-compliant with full traceability.

Material Test Reports

PVC fabric: EN 71 Part 3, REACH, RoHS compliant. Fire retardant: NFPA 701, DIN 4102 B1 available upon request.

Waterproof Test Report

PVC fabric tested at 2000mm water column pressure. Zero leakage after 48-hour continuous rain simulation test.

Pre-Sales & After-Sales Service

Pre-Sales Support

Free 3D layout design & rendering for your venue dimensions

Material samples shipped within 48 hours (DHL/FedEx to Korea)

Korean-language product brochures & installation manuals available

Wind load & snow load calculations for Korean climate zones

Free quotation with detailed BOM within 24 hours

Video factory tour & live product demonstration via video call

After-Sales Service

Free spare parts kit with every container order (connectors, bolts, washers)

5-year aluminum/steel frame warranty against manufacturing defects

3-year PVC cover UV degradation warranty

Installation video guide (English & Korean subtitles available)

24/7 WhatsApp technical support hotline for Korean clients

Replacement parts shipped via express within 72 hours to Korea

Frequently Asked Questions

Q: What is the maximum tent size you can produce?

A: Our clear span system supports widths up to 25m with unlimited length via bay extension. For Korean clients, we have delivered tents as large as 25m x 80m for major festivals.

Q: Do you install the tent in Korea?

A: We can dispatch a technical supervisor to oversee installation by your local crew, or provide full remote support via video call. Full assembly training included.

Q: Can I add glass walls later?

A: Yes. Our modular system allows adding glass walls, hard panel walls, or flooring systems at any time after initial purchase.

Q: Is the tent suitable for Korean winter weddings?

A: Yes. The clear span design works with portable heaters and we provide insulated liner options for winter events. The structure handles snow loads up to 0.35 kN/m² standard.

Q: How is it transported to Korea?

A: All components are packed on steel pallets in sea freight containers. We optimize the packing layout to minimize shipping volume and cost for Korean buyers.

Q: What kind of foundation is required?

A: The tent can be anchored on grass with ground stakes, on concrete with expansion bolts, or on paved surfaces with weight plates. We specify the right foundation for your Korean venue.

Get in Touch — We Serve the Korean Market

Ready to order or need a custom solution? Contact our sales team today for a tailored quotation.

Email

WhatsApp

Website



Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China