

Waterproof Aluminum Party Marquee Tents Built for Adriatic Coastal Wedding Receptions

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Tendars
- Certification: CE, ISO 9001, EN 13782, DIN 4102 B1 fabric
- Model Number: TD-PMT-01
- Minimum Order Quantity: 1 set
- Price: USD 25 - 95 per square meter
- Packaging Details: Frame in bundles by assembly order, fabric folded with interleaving, fittings in labelled crates
- Delivery Time: 15-25 working days after drawing confirmation
- Payment Terms: T/T 30% deposit, balance before shipment; L/C at sight
- Supply Ability: 12000 square meters per month




Product Specification


- Frame Material: Hard-pressed Extruded Aluminum 6061/T6
- Frame Profile: 64 / 82 / 100 / 120 Mm Series By Span
- Roof Fabric: 650-850 G/sqm Double PVC-coated Polyester
- Side Wall: PVC, Clear PVC, Glass Panel, Mesh, ABS Hard Wall
- Wind Load: Engineered Configuration With Written Operating Limits
- Snow Load: Steeper Pitch And Reduced Purlin Spacing Options
- Fire Retardant: DIN 4102 B1 / EN 13501 B-s1,d0 On Request
- Application: Adriatic Coastal Wedding Receptions
- Warranty: 5 Years Frame, 2 Years Fabric
- Service: Shop Drawings, Supervisor Installation, Lifetime Spares
- Highlight: **Waterproof Aluminum Party Marquee Tents**,



More Images



for more products please visit us on marquees-tent.com



Our Product Introduction

Product Description

Coastal weddings in Croatia live or die by the weather. A ceremony planned for Hvar, Rovinj or the Makarska riviera can move from calm sunshine to a sharp afternoon maestral within twenty minutes, and a marquee that was chosen purely on price will show every drop of that change on the bride's table linen. This waterproof aluminum party marquee tent is built for exactly that environment: a hard-pressed 6061/T6 aluminum frame, a heat-sealed double PVC roof, and a wall system that closes tight enough to keep driving rain out while still opening into a full sea view when the sky clears.

Every panel is welded rather than stitched, so there are no needle holes for water to find. Roof sheets overlap in the direction of prevailing coastal wind, gutters carry runoff to the corners instead of letting it pool above the dance floor, and the galvanized base plates are sized for stone terraces and gravel courtyards alike. For planners working the Adriatic season from May to October, this is the difference between a tent that needs attention during the event and one that quietly does its job.

Key Features and Selling Points

- **Fully welded waterproof roof:** Roof and wall panels are high-frequency welded with 25 mm overlap seams, tested to hold a 300 mm water column without wicking, so coastal downpours never reach guests.
- **Marine-grade aluminum frame:** Hard-pressed extruded 6061/T6 alloy profiles with anodized finish resist salt-laden air far better than painted steel, keeping joints free of corrosion season after season.
- **Sealed wall and floor junction:** A weighted skirt with replaceable ground bar closes the gap between wall and terrace, blocking splash-back from stone paving after heavy rain.
- **Wind-braced bay structure:** Diagonal cross-bracing in every second bay, plus heavy-duty ratchet straps, spreads gust loads across the whole span instead of concentrating them at corner posts.
- **Clear and solid wall options:** Combine panoramic clear PVC with opaque white walls on the same frame so one long side faces the sea while the other shelters guests from the maestral.
- **Fast coastal installation:** Colour-coded components and pre-assembled purlins let a four-person crew raise a full reception structure in a single working day without cranes.

Technical Specifications

Parameter	Specification
Waterproof rating	Welded seams, 300 mm water column, no stitch perforation
Frame surface	Anodized 6061/T6 aluminum, salt-spray tested
Wall configuration	Clear PVC, opaque PVC, glass panel inserts, or mixed
Gutter system	Internal hidden gutter with corner downpipes
Frame material	Hard-pressed extruded aluminum alloy 6061/T6, anodized finish
Frame profile series	64 mm / 82 mm / 100 mm / 120 mm square profiles by span
Bay spacing	3 m / 4 m / 5 m modular bays, extendable at any time
Eave height options	2.5 m to 4 m clear height, higher on request
Roof fabric	650 g / 750 g / 850 g per sqm double PVC-coated polyester, blackout available
Side wall options	Solid PVC, clear PVC, glass panel, mesh, glass door, ABS hard wall
Fire performance	Fabric meeting DIN 4102 B1 / EN 13501 B-s1,d0 on request
Wind load guidance	Engineered configuration by site exposure, documented operating limits
Snow load guidance	Steeper pitch and reduced purlin spacing for snow regions
Temperature range	-30 C to +70 C service range for fabric and frame
Design life	15 years frame, 8 to 10 years fabric under normal use
Warranty	5 years on aluminum frame structure, 2 years on PVC fabric

All values are configuration dependent. Final specifications are confirmed on the approved drawing before production.

for more products please visit us on marquees-tent.com

Configuration Guide for Croatian Buyers

Use the table below to match the structure to your site exposure and event type. Our engineers confirm the final configuration against photographs of the ground, the prevailing wind direction and the event duration.

Duty level	Typical use	Recommended build
Light duty	Garden parties, short events, sheltered inland sites	64 mm profile, alternate bay bracing
Standard duty	Weddings, corporate functions, coastal towns in summer	82 mm profile, cross-braced bays, mixed walls
Heavy duty	Exposed coast, island venues, public events, winter use	100-120 mm profile, full bracing, engineered anchors

Applications

This structure is specified most often for beachfront wedding receptions, vow renewals on hotel terraces, and destination weddings where the ceremony, dinner and dancing all happen under one roof. It also suits christening parties, anniversary dinners and small coastal galas where a hotel ballroom would feel out of place. Because walls can be swapped bay by bay, the same tent serves a closed, air-conditioned dinner in the evening and an open, sea-facing cocktail hour the next morning.

What Croatian Wedding Planners Ask Us Before Ordering

The first question is always about rain. On the Adriatic, autumn storms arrive fast and hard, and planners need to know that a tent will not stain chair covers or short the audio system. We answer with test data rather than adjectives: welded seams, a documented water column rating, and a roof pitch that sheds water instead of holding it. The second question is salt. Within one season, unprotected steel fittings on the coast show white corrosion, which is why every contact point on this frame is aluminum or hot-dip galvanized.

The third question concerns venue restrictions. Many Croatian hotels and heritage sites limit anchor points on stone terraces, so we supply interchangeable base plates for chemical anchors, ballast weights and ground stakes. Planners can therefore commit to a date before the venue confirms its fixing policy, and the installation crew simply arrives with the right hardware.

Why Croatian Event Buyers Work With Tendars

We have manufactured aluminum marquee structures for more than 17 years, supplying event rental companies, hotels, wedding planners and municipal event teams in over 60 countries, with a growing number of projects along the Croatian coast and inland. Our factory runs in-house aluminum cutting, CNC machining, welding and PVC welding lines, which means the frame and the fabric are made to match each other rather than assembled from third-party parts.

Practical experience shapes the specification. Croatian coastal clients deal with salt air, the bora and short installation windows, while inland clients deal with snow, frost and heated interiors. Having delivered structures into both conditions, we can tell a buyer which details matter for their site instead of selling the same tent to everyone. Every order is supported by shop drawings, a labelled packing list, a written installation sequence and a documented operating limit for wind and snow.

Quality control is documented rather than promised: incoming aluminum is checked for alloy and wall thickness, welded panels are water tested, and finished frames are trial assembled before packing. Structures are produced to CE marking requirements and can be supplied with fabric certification to DIN 4102 B1 or EN 13501 B-s1,d0, together with test reports for buyers who need them for permits or public tenders.

Notes for the Croatian Market

The Adriatic market rewards structures that can change with the season: open and shaded in July, closed and heated in December, and quick to reconfigure when a venue changes its terrace layout. Our Croatian clients increasingly order one frame with two skins rather than two separate tents, which reduces storage, transport and depreciation at the same time.

Ordering from China is a logistics exercise as much as a purchasing decision. We quote delivered terms to Rijeka, Split, Ploce and Kopar, provide packing lists that match crate labels for customs inspection, and sequence loading so that the frame and roof required to close the structure always travel in the first container. Buyers who need documentation for EU import receive the commercial invoice, packing list and certification pack prepared before shipment. For Adriatic coastal wedding receptions, that translates into a specification we confirm on the drawing, a delivered price to the Croatian port and a build sequence the local crew can follow without supervision.

Frequently Asked Questions

- **Can the structure be customized to our venue?** Yes. Bay length, span, eave height, wall type and door positions are all selected per project, and we review the site plan before production so the structure arrives ready for the actual ground conditions rather than for an average assumption.
- **What is the minimum order and lead time?** One set is enough to start, and mixed container loading is possible for buyers who want several configurations at once. Standard production runs in about 15 to 25 working days after drawing confirmation, with shipping to Croatian ports arranged by our forwarder or yours.
- **Do you support installation and after-sales service?** We supply drawings, labelled bundles and a step-by-step build sequence, and we can send a supervisor for first installation on larger projects. Spare panels, fittings and profile sections remain available for the life of the structure, so a damaged part never ends the product's service.

Packaging and Quality Assurance

Frames are packed in bundles by assembly order, fabric panels are folded with protective interleaving, and small fittings travel in labelled crates that match the packing list. Loading is planned for mixed containers so that several configurations can ship together without wasting volume. Each shipment includes shop drawings, a packing list, an installation sequence and a maintenance sheet covering cleaning, storage and small repairs.

Before dispatch we trial assemble the frame, check every welded panel for leaks, and photograph the packed goods. If anything arrives damaged in transit, replacement parts are shipped from stock rather than waiting for a new production run.

Request a Quotation

Send us your site location, expected guest numbers, event dates and ground surface, and we will return a configuration proposal with anchoring options, installation guidance and a delivered price to your Croatian port or site. Samples of fabric and frame profiles can be couriered on request.

Email: amanda@marquees-tent.com | WhatsApp: +86-13640286461 | Web: http://www.marquees-tent.com

Guangzhou Tendars Tent Co., Limited

0086 13640286461 amanda@marquees-tent.com marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China