

Thermal Insulated Aluminum Party Marquee Tent for Continental Croatia Winter Galas

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Tendars
- Certification: CE, ISO 9001, EN 13782, DIN 4102 B1 fabric
- Model Number: TD-PMT-06
- Minimum Order Quantity: 1 set
- Price: USD 25 - 95 per square meter
- Packaging Details: Frame in bundles by assembly order, fabric folded with interleaving, fittings in labelled crates
- Delivery Time: 15-25 working days after drawing confirmation
- Payment Terms: T/T 30% deposit, balance before shipment; L/C at sight
- Supply Ability: 12000 square meters per month




Product Specification

- Frame Material: Hard-pressed Extruded Aluminum 6061/T6
- Frame Profile: 64 / 82 / 100 / 120 Mm Series By Span
- Roof Fabric: 650-850 G/sqm Double PVC-coated Polyester
- Side Wall: PVC, Clear PVC, Glass Panel, Mesh, ABS Hard Wall
- Wind Load: Engineered Configuration With Written Operating Limits
- Snow Load: Steeper Pitch And Reduced Purlin Spacing Options
- Fire Retardant: DIN 4102 B1 / EN 13501 B-s1,d0 On Request
- Application: Continental Croatia Winter Galas
- Warranty: 5 Years Frame, 2 Years Fabric
- Service: Shop Drawings, Supervisor Installation, Lifetime Spares
- Highlight: **Thermal Insulated Aluminum Party Marquee**,



More Images



for more products please visit us on marquees-tent.com



Our Product Introduction

Product Description

In inland Croatia, December events are decided by heat loss, not by decoration. A single-skin tent in Zagreb in January will run a heater continuously and still leave guests near the walls in coats. An insulated structure changes the economics of the event: lined walls and roof trap warm air, heating demand drops, and the interior becomes comfortable enough for formal dress and long dinner service.

Insulation here is a system, not a single product. Inner liners are suspended from the frame with an air gap, roof and wall liners meet at the eaves without gaps, and every door is specified with a draught lobby or air curtain. Combined with a correctly sized heater and a controlled ventilation plan, the tent holds a stable temperature even when outside air falls below freezing.

Key Features and Selling Points

- **Suspended thermal liners:** Roof and wall liners create a still air gap that cuts heat loss and eliminates cold radiation from the fabric surface.
- **Sealed eaves detail:** Liner continuity at the eaves prevents the thermal bridge where warm air normally escapes first.
- **Draught controlled entrances:** Lobbies, air curtains and revolving door options stop cold air entering every time a guest arrives.
- **HVAC integration:** Duct ports and heater mounting points are prepared in the wall panels for indirect-fired or electric heating.
- **Condensation control:** Ventilation strategy keeps humidity below the dew point so liners stay dry and ceilings do not drip.
- **Snow aware roof pitch:** Roof geometry and purlin spacing are specified so snow can be cleared safely and loads are distributed predictably.

Technical Specifications

Parameter	Specification
Insulation	Suspended roof and wall liners with air gap
Heating	Indirect fired, electric or heat pump integration
Entrance	Lobby, air curtain or door detail
Roof loading	Snow aware pitch and purlin specification
Frame material	Hard-pressed extruded aluminum alloy 6061/T6, anodized finish
Frame profile series	64 mm / 82 mm / 100 mm / 120 mm square profiles by span
Bay spacing	3 m / 4 m / 5 m modular bays, extendable at any time
Eave height options	2.5 m to 4 m clear height, higher on request
Roof fabric	650 g / 750 g / 850 g per sqm double PVC-coated polyester, blackout available
Side wall options	Solid PVC, clear PVC, glass panel, mesh, glass door, ABS hard wall
Fire performance	Fabric meeting DIN 4102 B1 / EN 13501 B-s1,d0 on request
Wind load guidance	Engineered configuration by site exposure, documented operating limits
Snow load guidance	Steeper pitch and reduced purlin spacing for snow regions
Temperature range	-30 C to +70 C service range for fabric and frame
Design life	15 years frame, 8 to 10 years fabric under normal use
Warranty	5 years on aluminum frame structure, 2 years on PVC fabric

All values are configuration dependent. Final specifications are confirmed on the approved drawing before production.

Configuration Guide for Croatian Buyers

Use the table below to match the structure to your site exposure and event type. Our engineers confirm the final configuration against photographs of the ground, the prevailing wind direction and the event duration.

for more products please visit us on marquees-tent.com

Duty level	Typical use	Recommended build
Light duty	Garden parties, short events, sheltered inland sites	64 mm profile, alternate bay bracing
Standard duty	Weddings, corporate functions, coastal towns in summer	82 mm profile, cross-braced bays, mixed walls
Heavy duty	Exposed coast, island venues, public events, winter use	100-120 mm profile, full bracing, engineered anchors

Applications

This structure is chosen for winter galas, New Year celebrations, Advent markets with covered dining, awards dinners and corporate anniversaries in Zagreb, Varazdin, Osijek and inland Slovenia. It also works for spring and autumn events in mountain regions where night temperatures drop sharply. Because the liner system is removable, the same frame can be converted back to an open summer tent, which improves the return on a single purchase.

Heating Budget and Comfort Planning

Organisers usually want to know the heating cost before they commit. The honest answer depends on outside temperature, target interior temperature, event duration and how often doors open, but insulation changes the calculation dramatically. A lined tent with sealed entrances typically needs a far smaller heater than a single-skin structure of the same floor area, and the difference in rental or fuel cost often covers the liner investment within a few events.

We recommend a commissioning check on the day before the event: run the heating system to target temperature with doors closed, then observe recovery time after a simulated arrival rush. If recovery is slow, the fix is usually entrance management rather than a bigger heater. This simple test has saved more than one winter gala from a cold first hour.

Why Croatian Event Buyers Work With Tendars

Seventeen years of export work has taught us that the difference between a good marquee and a frustrating one is usually invisible in a photograph: a seam that holds, a clamp that does not slip, a panel that still fits in year six. We build for that timeline rather than for the first season, which is why rental companies and hotel groups return for additional structures instead of replacing what they already own.

Our client base covers rental fleets, hotels, wedding planners, marinas and municipal event departments, with deliveries into more than 60 countries and a growing presence in Croatia and neighbouring Adriatic markets. That spread matters practically, because it means a specification tested in coastal salt air, inland snow and festival dust has already met the conditions a new buyer is worried about.

Service continues after delivery. Spare panels, legs, beams, fittings and profile sections remain available for the life of the structure, and our team can review photographs of a damaged part and confirm within a day whether it can be repaired on site or must be replaced. For larger projects a supervisor can attend the first installation so the crew learns the sequence correctly from the start.

Notes for the Croatian Market

Croatian buyers tend to compare three things before price: whether the frame will survive a bora season, whether the fabric will still look white after a summer of sun, and whether spare parts can be delivered before the next event. Our proposals answer those questions in writing, with anchoring options by ground type, UV stabilised fabric specifications and a clear statement of what is held in stock.

Seasonality drives the calendar as well. Most installations happen between April and June, and most removals between October and November, which puts pressure on factory lead times in spring. Buyers who confirm drawings in winter typically secure their delivery slot before the spring rush, and we plan mixed container loading so several configurations can ship together without wasting volume. For continental Croatia winter galas, that translates into a specification we confirm on the drawing, a delivered price to the Croatian port and a build sequence the local crew can follow without supervision.

Frequently Asked Questions

- **How is wind resistance confirmed for a specific site?** We review photographs of the ground, surrounding buildings and prevailing wind direction, then issue a configuration with written operating limits. Where a site is fully exposed we specify heavier profiles, continuous bracing and anchoring suited to rock or thin soil instead of garden stakes.
- **Which documents come with the shipment?** Shop drawings, a packing list matched to crate labels, an installation sequence, a maintenance sheet and, where required, fabric fire certification and test reports. These are the documents venues and inspections normally ask for, so they travel with the goods rather than arriving later.
- **Can one frame be used for summer and winter events?** Yes. The frame is the durable part, so we supply interchangeable skins: open or mesh walls with a shade roof for summer, solid insulated walls with liners and heating ports for winter. Storage is then limited to the panels not currently in use.

Packaging and Quality Assurance

Every order is packed for two journeys, not one: the delivery to the site and the return to storage at the end of the season. Bundles are strapped to prevent movement, fabric is protected from chafing against aluminum edges, and crates are sized so that a two person crew can handle them without lifting equipment.

Quality checks run through production rather than only at the end. Aluminum is inspected for alloy and wall thickness on arrival, welded panels

are water tested, and finished frames are trial assembled. Anything that fails is corrected before packing, so the receiving crew spends its time building rather than sorting.

Request a Quotation

Send us your site location, expected guest numbers, event dates and ground surface, and we will return a configuration proposal with anchoring options, installation guidance and a delivered price to your Croatian port or site. Samples of fabric and frame profiles can be couriered on request.

Email: amanda@marquees-tent.com | WhatsApp: +86-13640286461 | Web: http://www.marquees-tent.com

Guangzhou Tendars Tent Co., Limited

0086 13640286461 amanda@marquees-tent.com marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China