


Anti UV Aluminum Party Marquee Tent Suitable for Summer Beach Celebrations

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Tendars
- Certification: CE, ISO 9001, EN 13782, DIN 4102 B1 fabric
- Model Number: TD-PMT-09
- Minimum Order Quantity: 1 set
- Price: USD 25 - 95 per square meter
- Packaging Details: Frame in bundles by assembly order, fabric folded with interleaving, fittings in labelled crates
- Delivery Time: 15-25 working days after drawing confirmation
- Payment Terms: T/T 30% deposit, balance before shipment; L/C at sight
- Supply Ability: 12000 square meters per month



Product Specification

- Frame Material: Hard-pressed Extruded Aluminum 6061/T6
- Frame Profile: 64 / 82 / 100 / 120 Mm Series By Span
- Roof Fabric: 650-850 G/sqm Double PVC-coated Polyester
- Side Wall: PVC, Clear PVC, Glass Panel, Mesh, ABS Hard Wall
- Wind Load: Engineered Configuration With Written Operating Limits
- Snow Load: Steeper Pitch And Reduced Purlin Spacing Options
- Fire Retardant: DIN 4102 B1 / EN 13501 B-s1,d0 On Request
- Application: Summer Beach Celebrations
- Warranty: 5 Years Frame, 2 Years Fabric
- Service: Shop Drawings, Supervisor Installation, Lifetime Spares
- Highlight: **Anti UV Aluminum Party Marquee Tent**,



More Images



for more products please visit us on marquees-tent.com

Our Product Introduction

for more products please visit us on marquees-tent.com

Product Description

A summer event on the Croatian coast spends eight hours a day under direct sun. That has two consequences most buyers underestimate: fabric that is not properly stabilised yellows and weakens within a season, and the interior of a white tent in July can be several degrees hotter than the air outside. An anti UV marquee addresses both, using fabric with a UV stabilised coating and a roof structure that allows hot air to leave rather than trapping it above the guests.

The frame matters here too. Aluminum expands in heat, so a structure designed without allowance for thermal movement develops loose connections by mid afternoon. Our profiles use sliding clamp details that hold tension as the frame grows and contracts, which keeps doors closing properly and wall panels taut through the hottest part of the day.

Key Features and Selling Points

- **UV stabilised PVC fabric:** Coating additives block ultraviolet radiation, slowing colour fade, surface cracking and tensile loss across repeated summer seasons.
- **Reduced interior heat build up:** Ridge vents and high eave clearance allow hot air to escape, keeping the space usable without full air conditioning.
- **Thermal movement allowance:** Sliding clamp details maintain frame tension as aluminum expands under direct sun, so doors and panels keep working.
- **Light coloured fabric options:** White and light grey roof surfaces reflect solar gain and reduce radiant heat on guests below.
- **Colour fast inks and coatings:** Pigments selected for coastal sun exposure keep branded panels readable through a full season.
- **Ventilated wall configurations:** Mesh and louvre panels can be combined with solid walls to create cross flow without sacrificing privacy.

Technical Specifications

Parameter	Specification
Fabric treatment	UV stabilised PVC coating, colour fast pigments
Ventilation	Ridge vents, high eave clearance
Frame detail	Sliding clamps for thermal movement
Roof colour	White or light grey for solar reflection
Frame material	Hard-pressed extruded aluminum alloy 6061/T6, anodized finish
Frame profile series	64 mm / 82 mm / 100 mm / 120 mm square profiles by span
Bay spacing	3 m / 4 m / 5 m modular bays, extendable at any time
Eave height options	2.5 m to 4 m clear height, higher on request
Roof fabric	650 g / 750 g / 850 g per sqm double PVC-coated polyester, blackout available
Side wall options	Solid PVC, clear PVC, glass panel, mesh, glass door, ABS hard wall
Fire performance	Fabric meeting DIN 4102 B1 / EN 13501 B-s1,d0 on request
Wind load guidance	Engineered configuration by site exposure, documented operating limits
Snow load guidance	Steeper pitch and reduced purlin spacing for snow regions
Temperature range	-30 C to +70 C service range for fabric and frame
Design life	15 years frame, 8 to 10 years fabric under normal use
Warranty	5 years on aluminum frame structure, 2 years on PVC fabric

All values are configuration dependent. Final specifications are confirmed on the approved drawing before production.

Configuration Guide for Croatian Buyers

Use the table below to match the structure to your site exposure and event type. Our engineers confirm the final configuration against photographs of the ground, the prevailing wind direction and the event duration.

Duty level	Typical use	Recommended build
Light duty	Garden parties, short events, sheltered inland sites	64 mm profile, alternate bay bracing
Standard duty	Weddings, corporate functions, coastal towns in summer	82 mm profile, cross-braced bays, mixed walls
Heavy duty	Exposed coast, island venues, public events, winter use	100-120 mm profile, full bracing, engineered anchors

Applications

This tent is used for beach parties, summer wedding ceremonies, resort entertainment programmes, beach club dining and daytime corporate events on the coast. Event organisers in Split, Zadar and Porec choose it when guests will be inside during the middle of the day rather than only in the evening. It also suits poolside functions where shade and airflow matter more than blackout.

Keeping Guests Cool Without Air Conditioning

Airflow design does more for comfort than most organisers expect. Opening opposite wall panels creates cross ventilation, and adding ridge vents lets the hottest air leave at the highest point instead of collecting under the roof. When these two measures are combined, interior temperature typically stays close to outdoor shade temperature, and air conditioning becomes a supplement rather than a necessity.

For daytime events we also advise on floor material. Dark flooring absorbs and re-radiates heat, while light matting or decking keeps the surface cooler underfoot. Small decisions like this cost very little and are noticed immediately by guests who have spent the morning in the sun.

Why Croatian Event Buyers Work With Tendars

Seventeen years of export work has taught us that the difference between a good marquee and a frustrating one is usually invisible in a photograph: a seam that holds, a clamp that does not slip, a panel that still fits in year six. We build for that timeline rather than for the first season, which is why rental companies and hotel groups return for additional structures instead of replacing what they already own.

Our client base covers rental fleets, hotels, wedding planners, marinas and municipal event departments, with deliveries into more than 60 countries and a growing presence in Croatia and neighbouring Adriatic markets. That spread matters practically, because it means a specification tested in coastal salt air, inland snow and festival dust has already met the conditions a new buyer is worried about.

Service continues after delivery. Spare panels, legs, beams, fittings and profile sections remain available for the life of the structure, and our team can review photographs of a damaged part and confirm within a day whether it can be repaired on site or must be replaced. For larger projects a supervisor can attend the first installation so the crew learns the sequence correctly from the start.

Notes for the Croatian Market

Croatian buyers tend to compare three things before price: whether the frame will survive a bora season, whether the fabric will still look white after a summer of sun, and whether spare parts can be delivered before the next event. Our proposals answer those questions in writing, with anchoring options by ground type, UV stabilised fabric specifications and a clear statement of what is held in stock.

Seasonality drives the calendar as well. Most installations happen between April and June, and most removals between October and November, which puts pressure on factory lead times in spring. Buyers who confirm drawings in winter typically secure their delivery slot before the spring rush, and we plan mixed container loading so several configurations can ship together without wasting volume. For summer beach celebrations, that translates into a specification we confirm on the drawing, a delivered price to the Croatian port and a build sequence the local crew can follow without supervision.

Frequently Asked Questions

- **Can the structure be customized to our venue?** Yes. Bay length, span, eave height, wall type and door positions are all selected per project, and we review the site plan before production so the structure arrives ready for the actual ground conditions rather than for an average assumption.
- **What is the minimum order and lead time?** One set is enough to start, and mixed container loading is possible for buyers who want several configurations at once. Standard production runs in about 15 to 25 working days after drawing confirmation, with shipping to Croatian ports arranged by our forwarder or yours.
- **Do you support installation and after-sales service?** We supply drawings, labelled bundles and a step-by-step build sequence, and we can send a supervisor for first installation on larger projects. Spare panels, fittings and profile sections remain available for the life of the structure, so a damaged part never ends the product's service.

Packaging and Quality Assurance

Every order is packed for two journeys, not one: the delivery to the site and the return to storage at the end of the season. Bundles are strapped to prevent movement, fabric is protected from chafing against aluminum edges, and crates are sized so that a two person crew can handle them without lifting equipment.

Quality checks run through production rather than only at the end. Aluminum is inspected for alloy and wall thickness on arrival, welded panels are water tested, and finished frames are trial assembled. Anything that fails is corrected before packing, so the receiving crew spends its time building rather than sorting.

Request a Quotation

Send us your site location, expected guest numbers, event dates and ground surface, and we will return a configuration proposal with anchoring options, installation guidance and a delivered price to your Croatian port or site. Samples of fabric and frame profiles can be couriered on request.

Email: amanda@marquees-tent.com | WhatsApp: +86-13640286461 | Web: http://www.marquees-tent.com

Guangzhou Tendars Tent Co., Limited

0086 13640286461 amanda@marquees-tent.com marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China