


Large Capacity Aluminum Party Marquee Tent for Croatian Music Festival Crowds

Our Product Introduction


Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Tendars
- Certification: CE, ISO 9001, EN 13782, DIN 4102 B1 fabric
- Model Number: TD-PMT-10
- Minimum Order Quantity: 1 set
- Price: USD 25 - 95 per square meter
- Packaging Details: Frame in bundles by assembly order, fabric folded with interleaving, fittings in labelled crates
- Delivery Time: 15-25 working days after drawing confirmation
- Payment Terms: T/T 30% deposit, balance before shipment; L/C at sight
- Supply Ability: 12000 square meters per month



Product Specification

- Frame Material: Hard-pressed Extruded Aluminum 6061/T6
- Frame Profile: 64 / 82 / 100 / 120 Mm Series By Span
- Roof Fabric: 650-850 G/sqm Double PVC-coated Polyester
- Side Wall: PVC, Clear PVC, Glass Panel, Mesh, ABS Hard Wall
- Wind Load: Engineered Configuration With Written Operating Limits
- Snow Load: Steeper Pitch And Reduced Purlin Spacing Options
- Fire Retardant: DIN 4102 B1 / EN 13501 B-s1,d0 On Request
- Application: Music Festival Crowds
- Warranty: 5 Years Frame, 2 Years Fabric
- Service: Shop Drawings, Supervisor Installation, Lifetime Spares
- Highlight: **Aluminum Party Marquee Tent**,



More Images



for more products please visit us on marquees-tent.com



Our Product Introduction

Product Description

Crowd events put different demands on a tent than seated dinners. People move, they gather at the front, they queue at bars, and they leave all at once. A structure that feels generous with fifty guests can feel dangerous with five hundred. This large capacity marquee is specified around circulation and load distribution rather than around table layouts, with multiple exit bays, a clear span that keeps sightlines open, and a frame that accepts stage and lighting loads at defined points.

Entry and exit planning is part of the specification, not an afterthought. We supply door and portal panels that can be positioned in any bay, allowing organisers to create separate entrance and egress routes, dedicated emergency exits and controlled VIP access without cutting fabric on site.

Key Features and Selling Points

- **Wide clear span interior:** Column-free floor area supports stage frontage, standing audience zones and bar service without obstruction.
- **Defined rigging nodes:** Beam nodes rated for lighting bars, line array speakers and projection equipment, positioned to suit a stage layout.
- **Multiple exit bays:** Door and portal panels can be placed in any bay to create separate entrance, egress and emergency routes.
- **High eave clearance:** Extra height improves sightlines, allows stage roofs and keeps the space comfortable during dense occupancy.
- **Heavy duty anchoring:** Anchor plans sized for crowd loading and for the open, wind exposed ground typical of festival sites.
- **Fast perimeter changes:** Wall bays swap quickly between open sides, solid walls and mesh panels as the programme moves from day to night.

Technical Specifications

Parameter	Specification
Interior	Clear span, column free
Rigging	Rated beam nodes for lighting and audio
Access	Door and portal panels in any bay
Anchoring	Crowd load and open site anchoring plan
Frame material	Hard-pressed extruded aluminum alloy 6061/T6, anodized finish
Frame profile series	64 mm / 82 mm / 100 mm / 120 mm square profiles by span
Bay spacing	3 m / 4 m / 5 m modular bays, extendable at any time
Eave height options	2.5 m to 4 m clear height, higher on request
Roof fabric	650 g / 750 g / 850 g per sqm double PVC-coated polyester, blackout available
Side wall options	Solid PVC, clear PVC, glass panel, mesh, glass door, ABS hard wall
Fire performance	Fabric meeting DIN 4102 B1 / EN 13501 B-s1,d0 on request
Wind load guidance	Engineered configuration by site exposure, documented operating limits
Snow load guidance	Steeper pitch and reduced purlin spacing for snow regions
Temperature range	-30 C to +70 C service range for fabric and frame
Design life	15 years frame, 8 to 10 years fabric under normal use
Warranty	5 years on aluminum frame structure, 2 years on PVC fabric

All values are configuration dependent. Final specifications are confirmed on the approved drawing before production.

Configuration Guide for Croatian Buyers

Use the table below to match the structure to your site exposure and event type. Our engineers confirm the final configuration against photographs of the ground, the prevailing wind direction and the event duration.

for more products please visit us on marquees-tent.com

Duty level	Typical use	Recommended build
Light duty	Garden parties, short events, sheltered inland sites	64 mm profile, alternate bay bracing
Standard duty	Weddings, corporate functions, coastal towns in summer	82 mm profile, cross-braced bays, mixed walls
Heavy duty	Exposed coast, island venues, public events, winter use	100-120 mm profile, full bracing, engineered anchors

Applications

Music and cultural festivals use this structure for main stage cover, second stage, bar halls, merchandise areas, artist catering and covered audience zones. It also serves large weddings, company anniversary celebrations, sporting event hospitality and municipal concerts. Because perimeter walls can be removed entirely on one side, the same tent works as an open sided stage cover in the evening and a closed hall if weather turns.

Crowd Safety Details Buyers Rarely Ask About

The questions that matter most at crowd events are rarely about fabric weight. They concern exit width, door swing, floor transitions and the route a person takes from the middle of the audience to open air. We review these with the organiser and the local safety authority before the build, and we mark exits on the site plan so stewards are briefed consistently.

Floor transitions deserve attention too. Where a tent meets grass, gravel or a temporary stage, small height differences become trip hazards in the dark. We supply ramp and threshold details that bridge these joints, and we recommend lighting them during evening programmes. It is a small cost that removes a common cause of incident reports.

Why Croatian Event Buyers Work With Tendars

We have manufactured aluminum marquee structures for more than 17 years, supplying event rental companies, hotels, wedding planners and municipal event teams in over 60 countries, with a growing number of projects along the Croatian coast and inland. Our factory runs in-house aluminum cutting, CNC machining, welding and PVC welding lines, which means the frame and the fabric are made to match each other rather than assembled from third-party parts.

Practical experience shapes the specification. Croatian coastal clients deal with salt air, the bora and short installation windows, while inland clients deal with snow, frost and heated interiors. Having delivered structures into both conditions, we can tell a buyer which details matter for their site instead of selling the same tent to everyone. Every order is supported by shop drawings, a labelled packing list, a written installation sequence and a documented operating limit for wind and snow.

Quality control is documented rather than promised: incoming aluminum is checked for alloy and wall thickness, welded panels are water tested, and finished frames are trial assembled before packing. Structures are produced to CE marking requirements and can be supplied with fabric certification to DIN 4102 B1 or EN 13501 B-s1,d0, together with test reports for buyers who need them for permits or public tenders.

Notes for the Croatian Market

The Adriatic market rewards structures that can change with the season: open and shaded in July, closed and heated in December, and quick to reconfigure when a venue changes its terrace layout. Our Croatian clients increasingly order one frame with two skins rather than two separate tents, which reduces storage, transport and depreciation at the same time.

Ordering from China is a logistics exercise as much as a purchasing decision. We quote delivered terms to Rijeka, Split, Ploce and Kopar, provide packing lists that match crate labels for customs inspection, and sequence loading so that the frame and roof required to close the structure always travel in the first container. Buyers who need documentation for EU import receive the commercial invoice, packing list and certification pack prepared before shipment. For music festival crowds, that translates into a specification we confirm on the drawing, a delivered price to the Croatian port and a build sequence the local crew can follow without supervision.

Frequently Asked Questions

- **How is wind resistance confirmed for a specific site?** We review photographs of the ground, surrounding buildings and prevailing wind direction, then issue a configuration with written operating limits. Where a site is fully exposed we specify heavier profiles, continuous bracing and anchoring suited to rock or thin soil instead of garden stakes.
- **Which documents come with the shipment?** Shop drawings, a packing list matched to crate labels, an installation sequence, a maintenance sheet and, where required, fabric fire certification and test reports. These are the documents venues and inspections normally ask for, so they travel with the goods rather than arriving later.
- **Can one frame be used for summer and winter events?** Yes. The frame is the durable part, so we supply interchangeable skins: open or mesh walls with a shade roof for summer, solid insulated walls with liners and heating ports for winter. Storage is then limited to the panels not currently in use.

Packaging and Quality Assurance

Frames are packed in bundles by assembly order, fabric panels are folded with protective interleaving, and small fittings travel in labelled crates that match the packing list. Loading is planned for mixed containers so that several configurations can ship together without wasting volume. Each shipment includes shop drawings, a packing list, an installation sequence and a maintenance sheet covering cleaning, storage and small

repairs.

Before dispatch we trial assemble the frame, check every welded panel for leaks, and photograph the packed goods. If anything arrives damaged in transit, replacement parts are shipped from stock rather than waiting for a new production run.

Request a Quotation

Send us your site location, expected guest numbers, event dates and ground surface, and we will return a configuration proposal with anchoring options, installation guidance and a delivered price to your Croatian port or site. Samples of fabric and frame profiles can be couriered on request.

Email: amanda@marquees-tent.com | WhatsApp: +86-13640286461 | Web: http://www.marquees-tent.com

Guangzhou Tendars Tent Co., Limited

0086 13640286461 amanda@marquees-tent.com marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China