

Rental Ready Aluminum Party Marquee Tent Systems for Event Rental Businesses


Our Product Introduction

Basic Information


- Place of Origin: Guangdong, China
- Brand Name: Tendars
- Certification: CE, ISO 9001, EN 13782, DIN 4102 B1 fabric
- Model Number: TD-PMT-17
- Minimum Order Quantity: 1 set
- Price: USD 25 - 95 per square meter
- Packaging Details: Frame in bundles by assembly order, fabric folded with interleaving, fittings in labelled crates
- Delivery Time: 15-25 working days after drawing confirmation
- Payment Terms: T/T 30% deposit, balance before shipment; L/C at sight
- Supply Ability: 12000 square meters per month

Product Specification

- Frame Material: Hard-pressed Extruded Aluminum 6061/T6
- Frame Profile: 64 / 82 / 100 / 120 Mm Series By Span
- Roof Fabric: 650-850 G/sqm Double PVC-coated Polyester
- Side Wall: PVC, Clear PVC, Glass Panel, Mesh, ABS Hard Wall
- Wind Load: Engineered Configuration With Written Operating Limits
- Snow Load: Steeper Pitch And Reduced Purlin Spacing Options
- Fire Retardant: DIN 4102 B1 / EN 13501 B-s1,d0 On Request
- Application: Event Rental Businesses
- Warranty: 5 Years Frame, 2 Years Fabric
- Service: Shop Drawings, Supervisor Installation, Lifetime Spares
- Highlight: **Aluminum Party Marquee Tent Systems**,



More Images



for more products please visit us on marquees-tent.com



Our Product Introduction

for more products please visit us on marquees-tent.com

Product Description

Rental companies buy tents differently from end users. They care about utilisation, damage tolerance, and whether a panel torn on Saturday can be replaced before the next weekend's job. A rental fleet also has to present consistently: clients expect the same look whether they book the small tent or the large one, and inconsistent colour or profile between batches destroys that impression.

This range is built around fleet logic. Bay dimensions and profile colours are held constant across sizes, so panels and frames from different purchase years remain compatible. Every panel, fitting and leg is available as a spare, and the fabric is specified for repeated folding and transport rather than for a single installed season.

Key Features and Selling Points

- **Cross compatible bays:** Standard bay dimensions keep older and newer stock interchangeable, protecting the value of an existing fleet.
- **Individual spares:** Panels, legs, beams and fittings are all orderable separately, so damage never removes a whole tent from service.
- **Transport tolerant fabric:** Fabric specified for repeated folding and loading, with reinforced edges that resist handling damage.
- **Consistent colour batches:** Colour control across production batches keeps a growing fleet visually uniform.
- **Fast cleaning surfaces:** Coated surfaces clean easily after food service, mud and coastal use, reducing turnaround time.
- **Stock planning support:** We help model panel and fitting quantities against expected event mix and damage rates.

Technical Specifications

Parameter	Specification
Compatibility	Standard bay dimensions across sizes
Spares	Panels, legs, beams, fittings individually available
Fabric	Reinforced edges, transport tolerant
Colour	Batch controlled colour consistency
Frame material	Hard-pressed extruded aluminum alloy 6061/T6, anodized finish
Frame profile series	64 mm / 82 mm / 100 mm / 120 mm square profiles by span
Bay spacing	3 m / 4 m / 5 m modular bays, extendable at any time
Eave height options	2.5 m to 4 m clear height, higher on request
Roof fabric	650 g / 750 g / 850 g per sqm double PVC-coated polyester, blackout available
Side wall options	Solid PVC, clear PVC, glass panel, mesh, glass door, ABS hard wall
Fire performance	Fabric meeting DIN 4102 B1 / EN 13501 B-s1,d0 on request
Wind load guidance	Engineered configuration by site exposure, documented operating limits
Snow load guidance	Steeper pitch and reduced purlin spacing for snow regions
Temperature range	-30 C to +70 C service range for fabric and frame
Design life	15 years frame, 8 to 10 years fabric under normal use
Warranty	5 years on aluminum frame structure, 2 years on PVC fabric

All values are configuration dependent. Final specifications are confirmed on the approved drawing before production.

Configuration Guide for Croatian Buyers

Use the table below to match the structure to your site exposure and event type. Our engineers confirm the final configuration against photographs of the ground, the prevailing wind direction and the event duration.

Duty level	Typical use	Recommended build
Light duty	Garden parties, short events, sheltered inland sites	64 mm profile, alternate bay bracing
Standard duty	Weddings, corporate functions, coastal towns in summer	82 mm profile, cross-braced bays, mixed walls
Heavy duty	Exposed coast, island venues, public events, winter use	100-120 mm profile, full bracing, engineered anchors

Applications

Rental businesses use this range for weddings, corporate events, festivals, markets and seasonal hospitality across Croatia. Because configurations can be assembled from standard bays, a single inventory covers many client briefs, from a small garden reception to a large festival hall. The ability to replace a single panel is often the difference between fulfilling next weekend's order and turning it down.

Managing Utilisation and Damage

Rental profitability is decided by utilisation and damage rate, and both are influenced by how the fleet is specified. Standard bays mean a partially damaged structure can still be used in a smaller configuration, and quick panel replacement keeps a tent earning rather than sitting in the yard. Over a season, that flexibility is worth more than a lower purchase price.

We recommend tracking damage by event type rather than by tent. In most fleets, one or two event types cause most panel damage, and that insight allows targeted reinforcement, better crew briefing or a different anchoring choice. Small operational changes based on that data reduce repair costs considerably.

Why Croatian Event Buyers Work With Tendars

Every project starts with an engineering question rather than a catalogue page: what wind will this structure see, what ground will it stand on, and how long will it stay up. Our technical team reviews site photographs, exposure and event duration before a configuration is proposed, and the recommendation is issued as a drawing set that a venue manager or a safety officer can actually read.

The factory behind that advice is vertically integrated. Aluminum profiles are cut, machined and welded in house, PVC panels are welded on our own high-frequency lines, and every frame is trial assembled before it is packed. Because we control both the metal and the membrane, a buyer gets one supplier responsible for fit, tension and finish instead of two parties pointing at each other when a panel does not line up.

Documentation is part of the product. Shipments include shop drawings, the packing list matched to crate labels, an installation sequence and a maintenance sheet, and we retain the drawings so that repeat orders match the first delivery exactly. For public events, hotel terraces and protected sites we also prepare the fire performance and anchoring paperwork that local inspections typically request.

Notes for the Croatian Market

Most Croatian event enquiries arrive with three requirements: the structure must look right for a coastal or heritage setting, it must stand up to wind that arrives without warning, and it must be installed inside a tight access window. We address these in the quotation stage rather than after the order, which is why our proposals include anchoring options, installation crew guidance and a delivery sequence suited to ferry timetables and old town access restrictions.

Documentation matters too. Public events, hotel terraces and protected sites increasingly require fire performance evidence and a clear anchoring plan. We prepare those documents with the order so the organiser can answer a venue or an inspection without delay, and we keep the drawings on file for repeat orders so the second season is faster than the first. For event rental businesses, that translates into a specification we confirm on the drawing, a delivered price to the Croatian port and a build sequence the local crew can follow without supervision.

Frequently Asked Questions

- **Can the structure be customized to our venue?** Yes. Bay length, span, eave height, wall type and door positions are all selected per project, and we review the site plan before production so the structure arrives ready for the actual ground conditions rather than for an average assumption.
- **What is the minimum order and lead time?** One set is enough to start, and mixed container loading is possible for buyers who want several configurations at once. Standard production runs in about 15 to 25 working days after drawing confirmation, with shipping to Croatian ports arranged by our forwarder or yours.
- **Do you support installation and after-sales service?** We supply drawings, labelled bundles and a step-by-step build sequence, and we can send a supervisor for first installation on larger projects. Spare panels, fittings and profile sections remain available for the life of the structure, so a damaged part never ends the product's service.

Packaging and Quality Assurance

Packing follows the build sequence rather than the shape of the components: the frame and roof bundle that closes the structure against weather is loaded last so it can be unloaded first. Fabric panels travel folded with interleaving to prevent abrasion in transit, and fittings are boxed by assembly stage so nothing has to be sorted on site.

Each crate is weighed, labelled and photographed before loading, and the photographs are sent with the shipping documents. That record settles most transit questions quickly and tells the receiving crew exactly what should be on the pallet before they sign for it.

Request a Quotation

Send us your site location, expected guest numbers, event dates and ground surface, and we will return a configuration proposal with anchoring options, installation guidance and a delivered price to your Croatian port or site. Samples of fabric and frame profiles can be couriered on request.

Email: amanda@marquees-tent.com | WhatsApp: +86-13640286461 | Web: http://www.marquees-tent.com

Guangzhou Tendars Tent Co., Limited

0086 13640286461 amanda@marquees-tent.com marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China