


Glass Wall Aluminum Party Marquee Tent for Split Riviera Beachfront Dinners

Our Product Introduction


Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Tendars
- Certification: CE, ISO 9001, EN 13782, DIN 4102 B1 fabric
- Model Number: TD-PMT-20
- Minimum Order Quantity: 1 set
- Price: USD 25 - 95 per square meter
- Packaging Details: Frame in bundles by assembly order, fabric folded with interleaving, fittings in labelled crates
- Delivery Time: 15-25 working days after drawing confirmation
- Payment Terms: T/T 30% deposit, balance before shipment; L/C at sight
- Supply Ability: 12000 square meters per month



Product Specification

- Frame Material: Hard-pressed Extruded Aluminum 6061/T6
- Frame Profile: 64 / 82 / 100 / 120 Mm Series By Span
- Roof Fabric: 650-850 G/sqm Double PVC-coated Polyester
- Side Wall: PVC, Clear PVC, Glass Panel, Mesh, ABS Hard Wall
- Wind Load: Engineered Configuration With Written Operating Limits
- Snow Load: Steeper Pitch And Reduced Purlin Spacing Options
- Fire Retardant: DIN 4102 B1 / EN 13501 B-s1,d0 On Request
- Application: Beachfront Dinners With Panoramic Walls
- Warranty: 5 Years Frame, 2 Years Fabric
- Service: Shop Drawings, Supervisor Installation, Lifetime Spares
- Highlight: **Glass Wall Aluminum Party Marquee Tent**,



More Images



for more products please visit us on marquees-tent.com

Our Product Introduction

for more products please visit us on marquees-tent.com

Product Description

The appeal of a beachfront dinner is the view, and the problem with a beachfront dinner is the wind. Guest facing panels that seal out the maestral while keeping the sea visible solve both at once. Glass wall panels give the clarity of an open side with the comfort of an enclosed room, so table settings stay intact, candles stay lit, and nobody spends the evening holding down a napkin.

Glass panels add weight, which affects the specification. Frames must be rated for the additional load, door panels need proper hardware, and anchoring must account for the larger sail area of a rigid surface. We specify the frame, glazing and anchoring as one system rather than treating glass as an accessory, which is what separates a stable installation from a visibly flexing one.

Key Features and Selling Points

- **Panoramic glass panels:** Full height glazed bays keep the sea view open while sealing out wind and spray.
- **Load rated frame:** Profiles and connections are specified for the additional weight and sail area of rigid glazing.
- **Proper door hardware:** Glazed doors with hinges, handles and closers that operate correctly rather than improvised panel openings.
- **Condensation and salt management:** Sealed details and corrosion resistant hardware suit humid beachfront conditions.
- **Mixed solid and glass walls:** Combine glass on the sea side with insulated solid walls on the landward side for wind protection.
- **Interior comfort control:** Enclosed glazing allows heating or cooling to work effectively, extending the event season.

Technical Specifications

Parameter	Specification
Glazing	Full height glass wall panels
Frame	Load rated for glazed configurations
Doors	Glazed doors with standard hardware
Hardware	Corrosion resistant for coastal use
Frame material	Hard-pressed extruded aluminum alloy 6061/T6, anodized finish
Frame profile series	64 mm / 82 mm / 100 mm / 120 mm square profiles by span
Bay spacing	3 m / 4 m / 5 m modular bays, extendable at any time
Eave height options	2.5 m to 4 m clear height, higher on request
Roof fabric	650 g / 750 g / 850 g per sqm double PVC-coated polyester, blackout available
Side wall options	Solid PVC, clear PVC, glass panel, mesh, glass door, ABS hard wall
Fire performance	Fabric meeting DIN 4102 B1 / EN 13501 B-s1,d0 on request
Wind load guidance	Engineered configuration by site exposure, documented operating limits
Snow load guidance	Steeper pitch and reduced purlin spacing for snow regions
Temperature range	-30 C to +70 C service range for fabric and frame
Design life	15 years frame, 8 to 10 years fabric under normal use
Warranty	5 years on aluminum frame structure, 2 years on PVC fabric

All values are configuration dependent. Final specifications are confirmed on the approved drawing before production.

Configuration Guide for Croatian Buyers

Use the table below to match the structure to your site exposure and event type. Our engineers confirm the final configuration against photographs of the ground, the prevailing wind direction and the event duration.

Duty level	Typical use	Recommended build
Light duty	Garden parties, short events, sheltered inland sites	64 mm profile, alternate bay bracing
Standard duty	Weddings, corporate functions, coastal towns in summer	82 mm profile, cross-braced bays, mixed walls
Heavy duty	Exposed coast, island venues, public events, winter use	100-120 mm profile, full bracing, engineered anchors

Applications

Beachfront restaurants use glass wall configurations to extend dinner service into shoulder season without losing the view. Hotels use them for terrace restaurants, wedding dinners and evening receptions. It is also common for brand dinners and press events where an uninterrupted sea backdrop is the point of the venue, and where guests need to remain comfortable in a coastal breeze.

Comfort, Acoustics and View

Glass changes acoustics as well as appearance. An enclosed glazed room reflects sound more than an open sided tent, which is helpful for speeches but can make music harsh. We advise on speaker placement and, where needed, soft furnishing to control reflection, so the room sounds as good as it looks.

There is also a practical view consideration. Reflections on glass at dusk can obscure the sea entirely if interior lighting is too bright relative to the sky. Dimming the interior and using warm low level lighting preserves the view and produces the photographs most clients actually want.

Why Croatian Event Buyers Work With Tendars

Every project starts with an engineering question rather than a catalogue page: what wind will this structure see, what ground will it stand on, and how long will it stay up. Our technical team reviews site photographs, exposure and event duration before a configuration is proposed, and the recommendation is issued as a drawing set that a venue manager or a safety officer can actually read.

The factory behind that advice is vertically integrated. Aluminum profiles are cut, machined and welded in house, PVC panels are welded on our own high-frequency lines, and every frame is trial assembled before it is packed. Because we control both the metal and the membrane, a buyer gets one supplier responsible for fit, tension and finish instead of two parties pointing at each other when a panel does not line up.

Documentation is part of the product. Shipments include shop drawings, the packing list matched to crate labels, an installation sequence and a maintenance sheet, and we retain the drawings so that repeat orders match the first delivery exactly. For public events, hotel terraces and protected sites we also prepare the fire performance and anchoring paperwork that local inspections typically request.

Notes for the Croatian Market

Most Croatian event enquiries arrive with three requirements: the structure must look right for a coastal or heritage setting, it must stand up to wind that arrives without warning, and it must be installed inside a tight access window. We address these in the quotation stage rather than after the order, which is why our proposals include anchoring options, installation crew guidance and a delivery sequence suited to ferry timetables and old town access restrictions.

Documentation matters too. Public events, hotel terraces and protected sites increasingly require fire performance evidence and a clear anchoring plan. We prepare those documents with the order so the organiser can answer a venue or an inspection without delay, and we keep the drawings on file for repeat orders so the second season is faster than the first. For beachfront dinners with panoramic walls, that translates into a specification we confirm on the drawing, a delivered price to the Croatian port and a build sequence the local crew can follow without supervision.

Frequently Asked Questions

- **What lead time should we plan for a summer event?** Allow 15 to 25 working days for production after drawings are approved, plus shipping time to the port. For spring installations we recommend confirming drawings in winter, because factory slots fill quickly once the European event season begins.
- **Is installation included in the price?** The quotation states clearly what is included. For larger or exposed sites we can send a supervisor for the first installation, and we always provide the drawing set, the labelled packing list and the build sequence so a local crew can complete the work.
- **How do you handle damage discovered after delivery?** Send photographs of the part and its label, and our team confirms within one working day whether it can be repaired locally or replaced from stock. Because every panel and fitting is individually orderable, a single damaged piece never removes a whole structure from service.

Packaging and Quality Assurance

Packing follows the build sequence rather than the shape of the components: the frame and roof bundle that closes the structure against weather is loaded last so it can be unloaded first. Fabric panels travel folded with interleaving to prevent abrasion in transit, and fittings are boxed by assembly stage so nothing has to be sorted on site.

Each crate is weighed, labelled and photographed before loading, and the photographs are sent with the shipping documents. That record settles most transit questions quickly and tells the receiving crew exactly what should be on the pallet before they sign for it.

Request a Quotation

Send us your site location, expected guest numbers, event dates and ground surface, and we will return a configuration proposal with anchoring options, installation guidance and a delivered price to your Croatian port or site. Samples of fabric and frame profiles can be couriered on request.

Email: amanda@marquees-tent.com | WhatsApp: +86-13640286461 | Web: http://www.marquees-tent.com

Guangzhou Tendars Tent Co., Limited

0086 13640286461 amanda@marquees-tent.com marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China