



# Aluminum Frame Garden Party Marquee Tent Designed for Croatian Wedding Ceremonies

Our Product Introduction

## Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Tendars
- Certification: CE, ISO 9001, EN 13782, DIN 4102 B1 fabric
- Model Number: TD-PMT-B2-01
- Minimum Order Quantity: 1 set
- Price: USD 25 - 95 per square meter
- Packaging Details: Frame in bundles by assembly order, fabric folded with interleaving, fittings in labelled crates
- Delivery Time: 15-25 working days after drawing confirmation
- Payment Terms: T/T 30% deposit, balance before shipment; L/C at sight
- Supply Ability: 12000 square meters per month




## Product Specification

- Frame Material: Hard-pressed Extruded Aluminum 6061/T6
- Frame Profile: 64 / 82 / 100 / 120 Mm Series By Span
- Roof Fabric: 650-850 G/sqm Double PVC-coated Polyester
- Side Wall: PVC, Clear PVC, Glass Panel, Mesh, ABS Hard Wall
- Wind Load: Engineered Configuration With Written Operating Limits
- Snow Load: Steeper Pitch And Reduced Purlin Spacing Options
- Fire Retardant: DIN 4102 B1 / EN 13501 B-s1,d0 On Request
- Application: Garden Wedding Ceremonies
- Warranty: 5 Years Frame, 2 Years Fabric
- Service: Shop Drawings, Supervisor Installation, Lifetime Spares
- Highlight: **Aluminum Frame Party Marquee Tent**,




## More Images




for more products please visit us on marquees-tent.com



Our Product Introduction

## Product Description

A garden wedding has one structural advantage over a hotel ballroom and one problem. The advantage is that the setting is already beautiful, so the structure should frame it rather than replace it. The problem is that a garden usually offers grass, a narrow side gate and no permission to bring heavy equipment across the lawn. An aluminum frame marquee with a slim profile solves both: it stands on small base plates, goes up by hand, and leaves the garden looking as it did before.

For a ceremony rather than a dinner, the proportions matter more than the floor area. Guests need a clear view forward, an aisle that reads straight in photographs, and a backdrop that does not fight the planting behind it. We plan the gable orientation and the door positions around where the couple will stand and where the light falls at the ceremony hour, then match the wall specification to that view.

### Key Features and Selling Points

- **Slim structural profile:** Narrow aluminum beams keep the frame discreet so the garden, not the tent, stays the visual subject.
- **Lawn friendly base plates:** Small footprint base plates spread load without digging up turf, and can be repositioned after the event.
- **Hand carry installation:** Components are light enough to move through a garden gate and raise without a crane or forklift.
- **Lined or sheer interior:** Ivory linings or sheer drapes soften daylight and hide the frame for ceremony photography.
- **Flexible gable orientation:** The structure can face the view, the aisle or the house depending on where the ceremony is staged.
- **Quick ceremony to dinner flip:** Walls and furniture can be reconfigured between ceremony and reception without dismantling the frame.

### Technical Specifications

| Parameter | Specification |
|---|---|
| Installation | Hand carry, no crane required |
| Base detail | Lawn friendly plates, ballast option |
| Interior finish | Pleated lining or sheer drape |
| Orientation | Gable and door positions planned on site plan |
| Frame material | Hard-pressed extruded aluminum alloy 6061/T6, anodized finish |
| Frame profile series | 64 mm / 82 mm / 100 mm / 120 mm square profiles by span |
| Bay spacing | 3 m / 4 m / 5 m modular bays, extendable at any time |
| Eave height options | 2.5 m to 4 m clear height, higher on request |
| Roof fabric | 650 g / 750 g / 850 g per sqm double PVC-coated polyester, blackout available |
| Side wall options | Solid PVC, clear PVC, glass panel, mesh, glass door, ABS hard wall |
| Fire performance | Fabric meeting DIN 4102 B1 / EN 13501 B-s1,d0 on request |
| Wind load guidance | Engineered configuration by site exposure, documented operating limits |
| Snow load guidance | Steeper pitch and reduced purlin spacing for snow regions |
| Temperature range | -30 C to +70 C service range for fabric and frame |
| Design life | 15 years frame, 8 to 10 years fabric under normal use |
| Warranty | 5 years on aluminum frame structure, 2 years on PVC fabric |

All values are configuration dependent. Final specifications are confirmed on the approved drawing before production.

### Clear Span, Transparent Roof or Solid Wall

The three common configurations are compared below. Most Croatian projects combine two of them on one frame, for example glass facing the sea and insulated solid walls facing the windward side.

for more products please visit us on marquees-tent.com

| Configuration | Exposure grade | Main advantage | Photography | Best suited to |
|---|---|---|---|---|
| Clear span with solid PVC walls | A | Full weather protection, lowest cost per sqm | Clean but featureless | Dinners, winter functions, storage |
| Clear span with clear or glass walls | A+ | Protection with uninterrupted view | Excellent, low reflection | Seaside receptions, terraces, marina bars |
| Transparent roof with solid walls | A+ | Sky visible, walls shelter wind | Strong at dusk, hot at midday | Evening ceremonies, sunset dinners |
| Open sided with shade roof | B | Maximum airflow, no rain protection | Bright and airy | Beach clubs, day bars, summer lounges |

## Buy or Hire: A Decision Table

| Route | Typical user | Trade off |
|---|---|---|
| Buy | Recurring events, seasonal terraces, rental fleets | Own asset, no repeat fees, custom branding |
| Hire locally | One off events with no storage or crew | Low upfront cost, limited configuration choice |
| Buy with seasonal resale | Growing event businesses | Asset value retained, aluminum recyclable |

## Configuration Guide for Croatian Buyers

Use the table below to match the structure to your site exposure and event type. Our engineers confirm the final configuration against photographs of the ground, the prevailing wind direction and the event duration.

| Duty level | Typical use | Recommended build |
|---|---|---|
| Light duty | Garden parties, short events, sheltered inland sites | 64 mm profile, alternate bay bracing |
| Standard duty | Weddings, corporate functions, coastal towns in summer | 82 mm profile, cross-braced bays, mixed walls |
| Heavy duty | Exposed coast, island venues, public events, winter use | 100-120 mm profile, full bracing, engineered anchors |

## Applications

Garden weddings, vow renewals, engagement parties, family anniversaries and small garden receptions behind villas in Istria, Zagorje and the Zagreb hills. It also suits christening parties and milestone birthdays where a private garden replaces a rented venue, and where the host wants the structure removed the following morning without marks on the lawn.

## Planning Around a Garden That Cannot Be Damaged

The most common garden problem is access, not space. A side gate may be ninety centimetres wide while the site plan shows a generous lawn, so we ask for measured widths of every gate, path and step before the build is scheduled. Components can then be carried in by hand in a sequence that matches the assembly order, which avoids stacking beams on flower beds while the crew looks for the missing piece.

We also advise on protecting the lawn during the build rather than repairing it afterwards. Temporary trackway under the main walking route, and a rule that no one walks the same line twice, usually keeps turf damage to a minimum. Where the ground is soft after rain, we switch to ballast bases even if stakes would have been faster.

## Why Croatian Event Buyers Work With Tendars

Every project starts with an engineering question rather than a catalogue page: what wind will this structure see, what ground will it stand on, and how long will it stay up. Our technical team reviews site photographs, exposure and event duration before a configuration is proposed, and the recommendation is issued as a drawing set that a venue manager or a safety officer can actually read.

The factory behind that advice is vertically integrated. Aluminum profiles are cut, machined and welded in house, PVC panels are welded on our own high-frequency lines, and every frame is trial assembled before it is packed. Because we control both the metal and the membrane, a buyer gets one supplier responsible for fit, tension and finish instead of two parties pointing at each other when a panel does not line up.

Documentation is part of the product. Shipments include shop drawings, the packing list matched to crate labels, an installation sequence and a maintenance sheet, and we retain the drawings so that repeat orders match the first delivery exactly. For public events, hotel terraces and protected sites we also prepare the fire performance and anchoring paperwork that local inspections typically request. For garden wedding ceremonies, the drawing set we issue reflects that specific use rather than a generic template.

## Notes for the Croatian Market

Most Croatian event enquiries arrive with three requirements: the structure must look right for a coastal or heritage setting, it must stand up to wind that arrives without warning, and it must be installed inside a tight access window. We address these in the quotation stage rather than after the order, which is why our proposals include anchoring options, installation crew guidance and a delivery sequence suited to ferry timetables and old town access restrictions.

Documentation matters too. Public events, hotel terraces and protected sites increasingly require fire performance evidence and a clear anchoring plan. We prepare those documents with the order so the organiser can answer a venue or an inspection without delay, and we keep the drawings on file for repeat orders so the second season is faster than the first.

## Frequently Asked Questions

- **How is wind resistance confirmed for a specific site?** We review photographs of the ground, surrounding buildings and prevailing wind direction, then issue a configuration with written operating limits. Where a site is fully exposed we specify heavier profiles, continuous bracing and anchoring suited to rock or thin soil instead of garden stakes.
- **Which documents come with the shipment?** Shop drawings, a packing list matched to crate labels, an installation sequence, a maintenance sheet and, where required, fabric fire certification and test reports. These are the documents venues and inspections normally ask for, so they travel with the goods rather than arriving later.
- **Can one frame be used for summer and winter events?** Yes. The frame is the durable part, so we supply interchangeable skins: open or mesh walls with a shade roof for summer, solid insulated walls with liners and heating ports for winter. Storage is then limited to the panels not currently in use.

## Packaging and Quality Assurance

Every order is packed for two journeys, not one: the delivery to the site and the return to storage at the end of the season. Bundles are strapped to prevent movement, fabric is protected from chafing against aluminum edges, and crates are sized so that a two person crew can handle them without lifting equipment.

Quality checks run through production rather than only at the end. Aluminum is inspected for alloy and wall thickness on arrival, welded panels are water tested, and finished frames are trial assembled. Anything that fails is corrected before packing, so the receiving crew spends its time building rather than sorting. Shipments for garden wedding ceremonies are labelled accordingly, so the receiving crew can match crates to the drawing on arrival.

## Request a Quotation

Send us your site location, expected guest numbers, event dates and ground surface, and we will return a configuration proposal with anchoring options, installation guidance and a delivered price to your Croatian port or site. Samples of fabric and frame profiles can be couriered on request.

**Email: amanda@marquees-tent.com | WhatsApp: +86-13640286461 | Web: http://www.marquees-tent.com**

**Guangzhou Tendars Tent Co., Limited**

0086 13640286461 amanda@marquees-tent.com marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China