


PVC Coated Year Round Party Marquee Tent Manufactured to Survive Event Hire

Our Product Introduction


Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Tendars
- Certification: CE, ISO 9001, EN 13782, DIN 4102 B1 fabric
- Model Number: TD-PMT-B2-02
- Minimum Order Quantity: 1 set
- Price: USD 25 - 95 per square meter
- Packaging Details: Frame in bundles by assembly order, fabric folded with interleaving, fittings in labelled crates
- Delivery Time: 15-25 working days after drawing confirmation
- Payment Terms: T/T 30% deposit, balance before shipment; L/C at sight
- Supply Ability: 12000 square meters per month




Product Specification

- Frame Material: Hard-pressed Extruded Aluminum 6061/T6
- Frame Profile: 64 / 82 / 100 / 120 Mm Series By Span
- Roof Fabric: 650-850 G/sqm Double PVC-coated Polyester
- Side Wall: PVC, Clear PVC, Glass Panel, Mesh, ABS Hard Wall
- Wind Load: Engineered Configuration With Written Operating Limits
- Snow Load: Steeper Pitch And Reduced Purlin Spacing Options
- Fire Retardant: DIN 4102 B1 / EN 13501 B-s1,d0 On Request
- Application: Year Round Event Hire Fleets
- Warranty: 5 Years Frame, 2 Years Fabric
- Service: Shop Drawings, Supervisor Installation, Lifetime Spares
- Highlight: **PVC coated party marquee tent**,



More Images



for more products please visit us on marquees-tent.com



Our Product Introduction

Product Description

Hire fleets punish fabric. A tent that is installed once and left alone for a season lives a comfortable life; a tent that is folded, loaded, unfolded, cleaned and stored every week does not. PVC coated polyester is the material that survives that cycle, because the coating is welded rather than stitched, and because a stained or scuffed panel can be cleaned or replaced without touching the rest of the structure.

For a hire business, the specification decision is really about turnaround. How quickly can a tent come back from a wet weekend event, be dried, checked and packed for the next booking? Coated PVC dries fast, resists mould if stored correctly, and holds print and colour well, which keeps a fleet looking consistent across seasons.

Key Features and Selling Points

- **Weldable coated fabric:** Panels are joined by high-frequency welding, so seams do not rely on thread that rots or pulls after repeated folding.
- **Wipe clean surface:** Food, mud and coastal salt clean off with water and mild detergent, keeping turnaround time short between hires.
- **Replaceable single panels:** A damaged wall or roof panel is ordered and fitted individually, so one incident does not sideline a whole structure.
- **Consistent colour batches:** Batch controlled coating keeps a growing fleet visually uniform for clients who book repeatedly.
- **Mould resistant storage:** Fabric dries quickly and tolerates seasonal storage when packed clean and dry, reducing write-offs.
- **Print ready surfaces:** Coated panels accept sponsor and client branding that can be removed or updated between bookings.

Technical Specifications

Parameter	Specification
Panel joint	High-frequency welded seams
Surface	Wipe clean PVC coating
Spares	Individual panels and fittings
Colour	Batch controlled for fleet consistency
Frame material	Hard-pressed extruded aluminum alloy 6061/T6, anodized finish
Frame profile series	64 mm / 82 mm / 100 mm / 120 mm square profiles by span
Bay spacing	3 m / 4 m / 5 m modular bays, extendable at any time
Eave height options	2.5 m to 4 m clear height, higher on request
Roof fabric	650 g / 750 g / 850 g per sqm double PVC-coated polyester, blackout available
Side wall options	Solid PVC, clear PVC, glass panel, mesh, glass door, ABS hard wall
Fire performance	Fabric meeting DIN 4102 B1 / EN 13501 B-s1,d0 on request
Wind load guidance	Engineered configuration by site exposure, documented operating limits
Snow load guidance	Steeper pitch and reduced purlin spacing for snow regions
Temperature range	-30 C to +70 C service range for fabric and frame
Design life	15 years frame, 8 to 10 years fabric under normal use
Warranty	5 years on aluminum frame structure, 2 years on PVC fabric

All values are configuration dependent. Final specifications are confirmed on the approved drawing before production.

Clear Span, Transparent Roof or Solid Wall

The three common configurations are compared below. Most Croatian projects combine two of them on one frame, for example glass facing the sea and insulated solid walls facing the windward side.

for more products please visit us on marquees-tent.com

Configuration	Exposure grade	Main advantage	Photography	Best suited to
Clear span with solid PVC walls	A	Full weather protection, lowest cost per sqm	Clean but featureless	Dinners, winter functions, storage
Clear span with clear or glass walls	A+	Protection with uninterrupted view	Excellent, low reflection	Seaside receptions, terraces, marina bars
Transparent roof with solid walls	A+	Sky visible, walls shelter wind	Strong at dusk, hot at midday	Evening ceremonies, sunset dinners
Open sided with shade roof	B	Maximum airflow, no rain protection	Bright and airy	Beach clubs, day bars, summer lounges

Buy or Hire: A Decision Table

Route	Typical user	Trade off
Buy	Recurring events, seasonal terraces, rental fleets	Own asset, no repeat fees, custom branding
Hire locally	One off events with no storage or crew	Low upfront cost, limited configuration choice
Buy with seasonal resale	Growing event businesses	Asset value retained, aluminum recyclable

Configuration Guide for Croatian Buyers

Use the table below to match the structure to your site exposure and event type. Our engineers confirm the final configuration against photographs of the ground, the prevailing wind direction and the event duration.

Duty level	Typical use	Recommended build
Light duty	Garden parties, short events, sheltered inland sites	64 mm profile, alternate bay bracing
Standard duty	Weddings, corporate functions, coastal towns in summer	82 mm profile, cross-braced bays, mixed walls
Heavy duty	Exposed coast, island venues, public events, winter use	100-120 mm profile, full bracing, engineered anchors

Applications

Hire companies use these structures for weddings, corporate functions, festivals and seasonal hospitality across Croatia. Hotels and restaurants hire them for terrace extensions during peak weeks, and municipal event teams hire them for markets and civic celebrations. Because panels are replaceable and fabric cleans easily, the same inventory serves formal and informal briefs without visible wear.

Turnaround Economics for a Hire Fleet

The number that decides hire profitability is not the purchase price but the number of bookings a structure completes before it needs major work. Coated PVC with welded seams typically returns to service faster after a wet event, and individual panel replacement means a damaged wall costs one panel rather than a full tent. Over five seasons that difference is substantial.

We recommend a simple inspection routine: check seams and keder edges after every hire, clean and dry before storage, and record damage by event type. Most fleets find that a small number of event types cause most of the wear, which allows targeted reinforcement or a change in crew briefing rather than a general increase in stock.

Why Croatian Event Buyers Work With Tendars

Seventeen years of export work has taught us that the difference between a good marquee and a frustrating one is usually invisible in a photograph: a seam that holds, a clamp that does not slip, a panel that still fits in year six. We build for that timeline rather than for the first season, which is why rental companies and hotel groups return for additional structures instead of replacing what they already own.

Our client base covers rental fleets, hotels, wedding planners, marinas and municipal event departments, with deliveries into more than 60 countries and a growing presence in Croatia and neighbouring Adriatic markets. That spread matters practically, because it means a specification tested in coastal salt air, inland snow and festival dust has already met the conditions a new buyer is worried about.

Service continues after delivery. Spare panels, legs, beams, fittings and profile sections remain available for the life of the structure, and our team can review photographs of a damaged part and confirm within a day whether it can be repaired on site or must be replaced. For larger projects a supervisor can attend the first installation so the crew learns the sequence correctly from the start. For year round event hire fleets, the drawing set we issue reflects that specific use rather than a generic template.

Notes for the Croatian Market

Croatian buyers tend to compare three things before price: whether the frame will survive a bora season, whether the fabric will still look white after a summer of sun, and whether spare parts can be delivered before the next event. Our proposals answer those questions in writing, with anchoring options by ground type, UV stabilised fabric specifications and a clear statement of what is held in stock.

Seasonality drives the calendar as well. Most installations happen between April and June, and most removals between October and November, which puts pressure on factory lead times in spring. Buyers who confirm drawings in winter typically secure their delivery slot before the spring rush, and we plan mixed container loading so several configurations can ship together without wasting volume.

Frequently Asked Questions

- **What ground surfaces can the tent be installed on?** Grass and soil take ground stakes, paved terraces take chemical anchors where drilling is permitted, and historic or protected paving takes ballast frames. We confirm the fixing method from photographs before the order, so the crew arrives with the right hardware.
- **How is the fabric maintained during the season?** Panels are cleaned with water and a mild detergent, checked for abrasion at contact points, and stored dry and loosely folded between events. A small repair kit with offcuts and a heat gun resolves most minor damage on site within minutes.
- **Do you supply spares for structures bought years ago?** Yes. Bay dimensions and profile colours are held constant across the range, so panels and fittings from earlier production batches remain compatible. We keep drawings on file to confirm the exact specification before shipping spares.

Packaging and Quality Assurance

Frames are packed in bundles by assembly order, fabric panels are folded with protective interleaving, and small fittings travel in labelled crates that match the packing list. Loading is planned for mixed containers so that several configurations can ship together without wasting volume. Each shipment includes shop drawings, a packing list, an installation sequence and a maintenance sheet covering cleaning, storage and small repairs.

Before dispatch we trial assemble the frame, check every welded panel for leaks, and photograph the packed goods. If anything arrives damaged in transit, replacement parts are shipped from stock rather than waiting for a new production run. Shipments for year round event hire fleets are labelled accordingly, so the receiving crew can match crates to the drawing on arrival.

Request a Quotation

Send us your site location, expected guest numbers, event dates and ground surface, and we will return a configuration proposal with anchoring options, installation guidance and a delivered price to your Croatian port or site. Samples of fabric and frame profiles can be couriered on request.

Email: amanda@marquees-tent.com | WhatsApp: +86-13640286461 | Web: http://www.marquees-tent.com

Guangzhou Tendars Tent Co., Limited

0086 13640286461 amanda@marquees-tent.com marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China