


Semi Permanent Aluminum Party Marquee Tent Installed for Adriatic Resort Terraces

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Tendars
- Certification: CE, ISO 9001, EN 13782, DIN 4102 B1 fabric
- Model Number: TD-PMT-B2-12
- Minimum Order Quantity: 1 set
- Price: USD 25 - 95 per square meter
- Packaging Details: Frame in bundles by assembly order, fabric folded with interleaving, fittings in labelled crates
- Delivery Time: 15-25 working days after drawing confirmation
- Payment Terms: T/T 30% deposit, balance before shipment; L/C at sight
- Supply Ability: 12000 square meters per month




Product Specification

- Frame Material: Hard-pressed Extruded Aluminum 6061/T6
- Frame Profile: 64 / 82 / 100 / 120 Mm Series By Span
- Roof Fabric: 650-850 G/sqm Double PVC-coated Polyester
- Side Wall: PVC, Clear PVC, Glass Panel, Mesh, ABS Hard Wall
- Wind Load: Engineered Configuration With Written Operating Limits
- Snow Load: Steeper Pitch And Reduced Purlin Spacing Options
- Fire Retardant: DIN 4102 B1 / EN 13501 B-s1,d0 On Request
- Application: Semi Permanent Resort Terraces
- Warranty: 5 Years Frame, 2 Years Fabric
- Service: Shop Drawings, Supervisor Installation, Lifetime Spares
- Highlight: **Aluminum Party Marquee Tent**,



More Images



for more products please visit us on marquees-tent.com



Our Product Introduction

Product Description

Some structures are not taken down at the end of the week. A resort may keep a covered terrace standing from April to October, then store it or leave it in place through a mild winter. That changes the specification: UV exposure is continuous, wind loading accumulates over months rather than hours, and every connection is asked to hold tension for a full season without adjustment.

Semi permanent does not mean permanent, and that distinction matters for permits. A structure that can be removed still counts as temporary in most Croatian coastal municipalities, which is often the only route to covering a terrace in a protected zone. We document the structure so an inspector can see it is demountable, and we specify anchoring that leaves the paving intact.

Key Features and Selling Points

- **Season long tension:** Clamps and keder details hold panel tension for months without weekly adjustment.
- **Continuous UV protection:** Fabric and coatings specified for full season exposure rather than short event use.
- **Demountable documentation:** Drawings and fixing details demonstrate temporary status for permit discussions.
- **Non invasive anchoring:** Ballast and plate options avoid drilling protected paving and heritage stone.
- **Service access planning:** Panels can be opened or removed for maintenance without dismantling the structure.
- **Winter storage option:** Fabric can be removed and stored while the frame stays up if the site allows.

Technical Specifications

Parameter	Specification
Use	Multi month seasonal installation
Fabric	Extended UV exposure specification
Anchoring	Ballast or plate, non invasive
Documentation	Demountable structure drawings
Frame material	Hard-pressed extruded aluminum alloy 6061/T6, anodized finish
Frame profile series	64 mm / 82 mm / 100 mm / 120 mm square profiles by span
Bay spacing	3 m / 4 m / 5 m modular bays, extendable at any time
Eave height options	2.5 m to 4 m clear height, higher on request
Roof fabric	650 g / 750 g / 850 g per sqm double PVC-coated polyester, blackout available
Side wall options	Solid PVC, clear PVC, glass panel, mesh, glass door, ABS hard wall
Fire performance	Fabric meeting DIN 4102 B1 / EN 13501 B-s1,d0 on request
Wind load guidance	Engineered configuration by site exposure, documented operating limits
Snow load guidance	Steeper pitch and reduced purlin spacing for snow regions
Temperature range	-30 C to +70 C service range for fabric and frame
Design life	15 years frame, 8 to 10 years fabric under normal use
Warranty	5 years on aluminum frame structure, 2 years on PVC fabric

All values are configuration dependent. Final specifications are confirmed on the approved drawing before production.

Clear Span, Transparent Roof or Solid Wall

The three common configurations are compared below. Most Croatian projects combine two of them on one frame, for example glass facing the sea and insulated solid walls facing the windward side.

for more products please visit us on marquees-tent.com

Configuration	Exposure grade	Main advantage	Photography	Best suited to
Clear span with solid PVC walls	A	Full weather protection, lowest cost per sqm	Clean but featureless	Dinners, winter functions, storage
Clear span with clear or glass walls	A+	Protection with uninterrupted view	Excellent, low reflection	Seaside receptions, terraces, marina bars
Transparent roof with solid walls	A+	Sky visible, walls shelter wind	Strong at dusk, hot at midday	Evening ceremonies, sunset dinners
Open sided with shade roof	B	Maximum airflow, no rain protection	Bright and airy	Beach clubs, day bars, summer lounges

Buy or Hire: A Decision Table

Route	Typical user	Trade off
Buy	Recurring events, seasonal terraces, rental fleets	Own asset, no repeat fees, custom branding
Hire locally	One off events with no storage or crew	Low upfront cost, limited configuration choice
Buy with seasonal resale	Growing event businesses	Asset value retained, aluminum recyclable

Configuration Guide for Croatian Buyers

Use the table below to match the structure to your site exposure and event type. Our engineers confirm the final configuration against photographs of the ground, the prevailing wind direction and the event duration.

Duty level	Typical use	Recommended build
Light duty	Garden parties, short events, sheltered inland sites	64 mm profile, alternate bay bracing
Standard duty	Weddings, corporate functions, coastal towns in summer	82 mm profile, cross-braced bays, mixed walls
Heavy duty	Exposed coast, island venues, public events, winter use	100-120 mm profile, full bracing, engineered anchors

Applications

Hotels, resorts, marinas and beach clubs use semi permanent structures for restaurant terraces, pool bars, spa extensions and event pavilions that stay up for a season. It also suits garden centres, seasonal retail and tourism sites where a covered area is needed for months but a building permit is not available.

What Changes When a Tent Stays Up All Season

Long installations expose details that short events never test. Fabric that is tensioned for a weekend may sag after two months of thermal cycling, so semi permanent builds use ratchet tensioning that can be adjusted in minutes. Similarly, connections that are fine for a one day event need periodic checks, and we supply a simple monthly inspection list covering clamps, keder edges and anchor plates.

We also plan the removal date at the start. Booking the strike before the season begins means the crew, transport and storage are all arranged, and it avoids the situation where a structure stays up into the winter because nobody scheduled its removal. For coastal sites, that extra month is exactly when the strongest winds arrive.

Why Croatian Event Buyers Work With Tendars

We have manufactured aluminum marquee structures for more than 17 years, supplying event rental companies, hotels, wedding planners and municipal event teams in over 60 countries, with a growing number of projects along the Croatian coast and inland. Our factory runs in-house aluminum cutting, CNC machining, welding and PVC welding lines, which means the frame and the fabric are made to match each other rather than assembled from third-party parts.

Practical experience shapes the specification. Croatian coastal clients deal with salt air, the bora and short installation windows, while inland clients deal with snow, frost and heated interiors. Having delivered structures into both conditions, we can tell a buyer which details matter for their site instead of selling the same tent to everyone. Every order is supported by shop drawings, a labelled packing list, a written installation sequence and a documented operating limit for wind and snow.

Quality control is documented rather than promised: incoming aluminum is checked for alloy and wall thickness, welded panels are water tested, and finished frames are trial assembled before packing. Structures are produced to CE marking requirements and can be supplied with fabric certification to DIN 4102 B1 or EN 13501 B-s1,d0, together with test reports for buyers who need them for permits or public tenders. For semi

permanent resort terraces, the drawing set we issue reflects that specific use rather than a generic template.

Notes for the Croatian Market

The Adriatic market rewards structures that can change with the season: open and shaded in July, closed and heated in December, and quick to reconfigure when a venue changes its terrace layout. Our Croatian clients increasingly order one frame with two skins rather than two separate tents, which reduces storage, transport and depreciation at the same time.

Ordering from China is a logistics exercise as much as a purchasing decision. We quote delivered terms to Rijeka, Split, Ploce and Kopar, provide packing lists that match crate labels for customs inspection, and sequence loading so that the frame and roof required to close the structure always travel in the first container. Buyers who need documentation for EU import receive the commercial invoice, packing list and certification pack prepared before shipment.

Frequently Asked Questions

- **Can the structure be customized to our venue?** Yes. Bay length, span, eave height, wall type and door positions are all selected per project, and we review the site plan before production so the structure arrives ready for the actual ground conditions rather than for an average assumption.
- **What is the minimum order and lead time?** One set is enough to start, and mixed container loading is possible for buyers who want several configurations at once. Standard production runs in about 15 to 25 working days after drawing confirmation, with shipping to Croatian ports arranged by our forwarder or yours.
- **Do you support installation and after-sales service?** We supply drawings, labelled bundles and a step-by-step build sequence, and we can send a supervisor for first installation on larger projects. Spare panels, fittings and profile sections remain available for the life of the structure, so a damaged part never ends the product's service.

Packaging and Quality Assurance

Packing follows the build sequence rather than the shape of the components: the frame and roof bundle that closes the structure against weather is loaded last so it can be unloaded first. Fabric panels travel folded with interleaving to prevent abrasion in transit, and fittings are boxed by assembly stage so nothing has to be sorted on site.

Each crate is weighed, labelled and photographed before loading, and the photographs are sent with the shipping documents. That record settles most transit questions quickly and tells the receiving crew exactly what should be on the pallet before they sign for it. Shipments for semi permanent resort terraces are labelled accordingly, so the receiving crew can match crates to the drawing on arrival.

Request a Quotation

Send us your site location, expected guest numbers, event dates and ground surface, and we will return a configuration proposal with anchoring options, installation guidance and a delivered price to your Croatian port or site. Samples of fabric and frame profiles can be couriered on request.

Email: amanda@marquees-tent.com | WhatsApp: +86-13640286461 | Web: http://www.marquees-tent.com

Guangzhou Tendars Tent Co., Limited

0086 13640286461 amanda@marquees-tent.com marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China